

Schema documentation for CDMFR-ext.xsd

june 16, 2011

Table of Contents

Resource hierarchy:	5
Namespace: "http://cdm-fr.fr/2011/CDM-frSchema"	6
Schema(s)	6
Main schema CDMFR-ext.xsd	6
Element(s)	6
Element cdmfr:webLink	6
Element cdmfr:href	7
Element cdmfr:webLink / cdmfr:linkName	7
Element cdmfr:refOrgUnit	7
Element cdmfr:refProgram	8
Element cdmfr:refCourse	8
Element cdmfr:refPerson	9
Element cdmfr:searchword	9
Element cdmfr:infoBlock	10
Element cdmfr:refSpeciality	12
Element cdmfr:textType / cdmfr:text	12
Element cdmfr:fieldType / cdmfr:fieldName	13
Element cdmfr:fieldType / cdmfr:fieldName / cdmfr:free	13
Element cdmfr:fieldType / cdmfr:fieldName / cdmfr:controlled	14
Element cdmfr:fieldType / cdmfr:speciality	14
Element cdmfr:fieldType / cdmfr:speciality / cdmfr:infoBlock	16
Element cdmfr:fieldType / cdmfr:speciality / cdmfr:specialityId	18
Element cdmfr:fieldType / cdmfr:speciality / cdmfr:specialityName	18
Element cdmfr:fieldType / cdmfr:speciality / cdmfr:specialityTimingInfo	19
Element cdmfr:timingInfoType / cdmfr:openingDate	19
Element cdmfr:timingInfoType / cdmfr:renewalDate	21
Element cdmfr:fieldType / cdmfr:speciality / cdmfr:cohabilitation	23
Element cdmfr:cohabilitationType / cdmfr:exists	23
Element cdmfr:cohabilitationType / cdmfr:listOfOrgUnit	24
Element cdmfr:cohabilitationType / cdmfr:listOfOrgUnit / cdmfr:habOrgUnit	24
Element cdmfr:cohabilitationType / cdmfr:listOfOrgUnit / cdmfr:habOrgUnit / cdmfr:primaryDomainName	25
Element cdmfr:cohabilitationType / cdmfr:listOfOrgUnit / cdmfr:habOrgUnit / cdmfr:otherDomainName	25
Element cdmfr:fieldType / cdmfr:fieldTimingInfo	26
Element cdmfr:fieldType / cdmfr:fieldInfo	26
Element cdmfr:il3nProgType / cdmfr:country	28
Element cdmfr:il3nProgType / cdmfr:il3ProgPartner	28
Element cdmfr:partnerName	29
Element cdmfr:partnershipType	30
Element cdmfr:partnershipInfo	30
Element cdmfr:partnershipInfo / cdmfr:diploma	31
Element cdmfr:partnershipInfo / cdmfr:diploma / cdmfr:description	31
Element cdmfr:partnershipInfo / cdmfr:students	32
Element cdmfr:partnershipInfo / cdmfr:management	32
Element cdmfr:il3nProgType / cdmfr:il3ProgName	34
Element cdmfr:il3nProgType / cdmfr:il3ProgInfo	34
Element cdmfr:courseDescriptionType / cdmfr:digitalUse	36
Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:percentage	37
Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:lcms	37
Element cdmfr:lcmsType / cdmfr:exists	37
Element cdmfr:lcmsType / cdmfr:resourceManagement	37
Element cdmfr:lcmsType / cdmfr:percentageOfUse	39
Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:activities	39
Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:prodPeda	41
Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:prodPeda / cdmfr:digitProdPercentage	41
Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:prodPeda / cdmfr:digitProdUNTPercentage	42
Element cdmfr:courseDescriptionType / cdmfr:infoBlock	42
Element cdmfr:courseDescriptionType / cdmfr:courseContentsEC	44
Element cdmfr:habilitationType / cdmfr:habiliId	44
Element cdmfr:habilitationType / cdmfr:legalRef	45

Element cdmfr:habilitationType / cdmfr:field	47
Element cdmfr:habilitationType / cdmfr:licProNatName	48
Element cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:Name	48
Element cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:sectAct	49
Element cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:composante	49
Element cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:composante / cdmfr:compName	49
Element cdmfr:habilitationType / cdmfr:otherDiploma	50
Element cdmfr:habilitationType / cdmfr:otherDiploma / cdmfr:name	51
Element cdmfr:habilitationType / cdmfr:otherDiploma / cdmfr:otherDiplomaInfo	51
Element cdmfr:habilitationType / cdmfr:contexteEtEnjeux	53
Element cdmfr:habilitationType / cdmfr:contexteEtEnjeux / cdmfr:contexteEtEnjeuxInfo	53
Element cdmfr:habilitationType / cdmfr:habiliRequest	55
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming	56
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliCreatDate	57
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliRenewDate	59
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliOpeningWhishDate	61
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliWishDuration	63
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliValidDuration	63
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habilistatus	64
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqType	66
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates	66
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates / cdmfr:dateCS	67
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates / cdmfr:dateCA	69
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates / cdmfr:dateCEVU	71
Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates / cdmfr:dateCNESR	73
Element cdmfr:habilitationType / cdmfr:cohabilitation	75
Element cdmfr:habilitationType / cdmfr:habiliObject	75
Element cdmfr:habilitationType / cdmfr:partnership	76
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training	77
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization	77
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:learningTrainingOrg	78
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:organization	80
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:admRules	82
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:acadFrame	84
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:defense	86
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:trainingOrganisationInfo	88
Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingStrategy	88
Element cdmfr:habilitationType / cdmfr:equivalence	90
Element cdmfr:habilitationType / cdmfr:equivalence / cdmfr:equivRefReg	90
Element cdmfr:habilitationType / cdmfr:i13nProg	91
Element cdmfr:habilitationType / cdmfr:relatedPrograms	92
Element cdmfr:habilitationType / cdmfr:relatedPrograms / cdmfr:relationInfo	92
Element cdmfr:habilitationType / cdmfr:infoBlock	94
Element cdmfr:lheoAddsType / cdmfr:SIRET	96
Element cdmfr:admDescType / cdmfr:infoBlock	96
Element cdmfr:examType / cdmfr:examName	98
Element cdmfr:examType / cdmfr:examKind	98
Element cdmfr:examType / cdmfr:examDuration	101
Element cdmfr:examType / cdmfr:examStructure	103
Element cdmfr:examType / cdmfr:examStructure / cdmfr:partStructure	104
Element cdmfr:examType / cdmfr:examStructure / cdmfr:examParts	106
Element cdmfr:examType / cdmfr:certifCompetence	108
Element cdmfr:examType / cdmfr:certifCompetence / cdmfr:compEval	108
Element cdmfr:orgUnitSecondName	108

Element cdmfr:orgUnitSecondName / cdmfr:secondName	109
Element cdmfr:orgUnitAip	109
Element cdmfr:orgUnitAip / cdmfr:alumni	110
Element cdmfr:programName	112
Element cdmfr:programCode	113
Element cdmfr:programDescription	113
Element cdmfr:programDescription / cdmfr:indicators	115
Element cdmfr:programDescription / cdmfr:indicators / cdmfr:actions	116
Element cdmfr:programDescription / cdmfr:indicators / cdmfr:prospective	118
Element cdmfr:programDescription / cdmfr:indicators / cdmfr:fieldManagement	120
Element cdmfr:programDescription / cdmfr:lifelongLearning	122
Element cdmfr:programDescription / cdmfr:researchLink	124
Element cdmfr:programDescription / cdmfr:researchLink / cdmfr:relatedOrgUnit	124
Element cdmfr:programDescription / cdmfr:researchLink / cdmfr:relatedOrgUnit / cdmfr:relationType	125
Element cdmfr:programDescription / cdmfr:globalVolume	125
Element cdmfr:aip	126
Element cdmfr:aip / cdmfr:possibleFollowUp	126
Element cdmfr:aip / cdmfr:successSupport	128
Element cdmfr:aip / cdmfr:learningPathStrategySupport	130
Element cdmfr:aip / cdmfr:professTrainingSupport	132
Element cdmfr:qualificationDescription	134
Element cdmfr:qualificationDescription / cdmfr:statistics	134
Element cdmfr:degree	135
Element cdmfr:profession	137
Element cdmfr:profession / cdmfr:romeData	138
Element cdmfr:studyQualification	139
Element cdmfr:studyQualification / cdmfr:competenceDesc	139
Element cdmfr:studyQualification / cdmfr:competenceValidity	140
Element cdmfr:ppalTeachingLanguage	142
Element cdmfr:registrationDetail	143
Element cdmfr:registrationDetail / cdmfr:registrationProcess	143
Element cdmfr:registrationDetail / cdmfr:registrationProcess / cdmfr:registrationLocation	144
Element cdmfr:registrationDetail / cdmfr:registrationProcess / cdmfr:registrationModalities	146
Element cdmfr:registrationDetail / cdmfr:registrationStart	148
Element cdmfr:refOrgUnitLeader	150
Element cdmfr:studentStatus	150
Element cdmfr:ectsRequired	152
Element cdmfr:formOfAssessment	154
Element cdmfr:formOfAssessment / cdmfr:juryStruct	155
Element cdmfr:formOfAssessment / cdmfr:juryStruct / cdmfr:juryStructDesc	155
Element cdmfr:programStructure	156
Element cdmfr:credits	156
Element cdmfr:credits / cdmfr:globalVolume	157
Element cdmfr:admissionDescription	157
Element cdmfr:habilitation	159
Element cdmfr:refHabilitation	161
Element cdmfr:lheoAdds	162
Complex Type(s)	162
Complex Type cdmfr:title	162
Complex Type cdmfr:textType	163
Complex Type cdmfr:fieldType	164
Complex Type cdmfr:timingInfoType	165
Complex Type cdmfr:cohabilitationType	165
Complex Type cdmfr:habiliStatusValueType	166
Complex Type cdmfr:il3nProgType	168
Complex Type cdmfr:courseDescriptionType	169
Complex Type cdmfr:lcmsType	169
Complex Type cdmfr:activitiesType	170
Complex Type cdmfr:habilitationType	172
Complex Type cdmfr:lheoAddsType	177
Complex Type cdmfr:admDescType	177
Complex Type cdmfr:globalVolumeType	178
Complex Type cdmfr:CDMlocation	178
Complex Type cdmfr:examType	179
Simple Type(s)	181
Simple Type cdmfr:corpsValueSet	181
Simple Type cdmfr:fieldNameValueSet	181
Simple Type cdmfr:domainNameValueSet	181
Simple Type cdmfr:habiliRoleValueSet	182

Simple Type cdmfr:fsPurposeValueSet	182
Simple Type cdmfr:habiliStatusValueSet	183
Simple Type cdmfr:partnershipValueSet	183
Simple Type cdmfr:diplomaAgreementValueSet	184
Simple Type cdmfr:activitiesListValueSet	184
Simple Type cdmfr:licProNatNameValueSet	184
Simple Type cdmfr:licProSectActValueSet	185
Simple Type cdmfr:typeCompLicProValueSet	185
Simple Type cdmfr:habiliReqTypeValueSet	186
Simple Type cdmfr:diplomaTypeValueSet	186
Simple Type cdmfr:organizationValueSet	186
Simple Type cdmfr:equiValueSet	187
Simple Type cdmfr:teachingTypeValueSet	187
Simple Type cdmfr:secondNameValueSet	188
Simple Type cdmfr:orgUnitCodeValueSet	188
Simple Type cdmfr:orgUnitKindValueType	189
Simple Type cdmfr:respBodyValueType	189
Simple Type cdmfr:diplomaValueSet	190
Simple Type cdmfr:fieldCodeValueSet	190
Simple Type cdmfr:programCodeValueSet	190
Simple Type cdmfr:programLibelValueSet	191
Simple Type cdmfr:programNatureValueSet	192
Simple Type cdmfr:relationTypeValueSet	192
Simple Type cdmfr:lllValueValueSet	193
Simple Type cdmfr:lllContextValueSet	193
Simple Type cdmfr:purposeValueSet	194
Simple Type cdmfr:degreeValueSet	194
Simple Type cdmfr:degreeCodeValueSet	195
Simple Type cdmfr:romeCodeValueSet	195
Simple Type cdmfr:sspCodeValueSet	195
Simple Type cdmfr:studentStatusValueSet	196
Simple Type cdmfr:equivValueSet	196
Simple Type cdmfr:indicatorValueSet	196
Namespace: ""	197
Attribute(s)	197
Attribute cdmfr:webLink / @role	197
Attribute cdmfr:webLink / @userDefined	197
Attribute cdmfr:refOrgUnit / @idRef	197
Attribute cdmfr:refOrgUnit / @ref	198
Attribute cdmfr:refOrgUnit / @role	198
Attribute cdmfr:refProgram / @idRef	198
Attribute cdmfr:refProgram / @ref	198
Attribute cdmfr:refProgram / @role	198
Attribute cdmfr:refCourse / @idRef	198
Attribute cdmfr:refCourse / @ref	198
Attribute cdmfr:refCourse / @role	199
Attribute cdmfr:refPerson / @idRef	199
Attribute cdmfr:refPerson / @ref	199
Attribute cdmfr:refPerson / @role	199
Attribute cdmfr:refSpeciality / @idRef	199
Attribute cdmfr:refSpeciality / @ref	199
Attribute cdmfr:title / @corps	200
Attribute cdmfr:textType / cdmfr:text / @language	200
Attribute cdmfr:timingInfoType / @duration	200
Attribute cdmfr:cohabilitationType / cdmfr:listOfOrgUnit / @cohabilitationRole	200
Attribute cdmfr:fieldType / cdmfr:speciality / @specialityPurpose	200
Attribute cdmfr:fieldType / @fieldPurpose	201
Attribute cdmfr:habiliStatusValueType / @habilitstatusValue	201
Attribute cdmfr:partnershipInfo / cdmfr:diploma / @agreement	201
Attribute cdmfr:partnershipInfo / cdmfr:students / @number	201
Attribute cdmfr:activitiesType / @activitiesList	201
Attribute cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:composante / @typeCom- pLicPro	202
Attribute cdmfr:habilitationType / @diplomaType	202
Attribute cdmfr:habilitationType / @Organization	202
Attribute cdmfr:habilitationType / @id	202
Attribute cdmfr:habilitationType / @ident	203
Attribute cdmfr:habilitationType / @language	203
Attribute cdmfr:lheoAddsType / @id	203
Attribute cdmfr:lheoAddsType / @ident	203
Attribute cdmfr:lheoAddsType / @language	203
Attribute cdmfr:admDescType / @equiv	203

Attribute cdmfr:globalVolumeType / @teachingtype	204
Attribute cdmfr:globalVolumeType / @coeff	204
Attribute cdmfr:CDMlocation / @room	204
Attribute cdmfr:CDMlocation / @building	204
Attribute cdmfr:examType / cdmfr:examKind / @examKind	204
Attribute cdmfr:examType / cdmfr:examKind / @examForm	205
Attribute cdmfr:examType / cdmfr:examDuration / @duration	205
Attribute cdmfr:examType / cdmfr:certifCompetence / @certifName	205
Attribute cdmfr:examType / cdmfr:examStructure / @examPartStructure	205
Attribute cdmfr:orgUnitSecondName / @secondNameNature	205
Attribute cdmfr:programName / @ordinaryName	205
Attribute cdmfr:programCode / @codeSet	206
Attribute cdmfr:programCode / @libelSet	206
Attribute cdmfr:programDescription / cdmfr:indicators / cdmfr:fieldManagement / @purpose.	206
Attribute cdmfr:programDescription / cdmfr:indicators / @indicator	207
Attribute cdmfr:programDescription / cdmfr:lifelongLearning / @lllValue	207
Attribute cdmfr:programDescription / cdmfr:lifelongLearning / @lllContext	207
Attribute cdmfr:programDescription / cdmfr:globalVolume / @teachingType	207
Attribute cdmfr:programDescription / cdmfr:globalVolume / @coeff	208
Attribute cdmfr:programDescription / @nature	208
Attribute cdmfr:degree / @degree	208
Attribute cdmfr:degree / @degreeCode	208
Attribute cdmfr:profession / cdmfr:romeData / @romecode	209
Attribute cdmfr:profession / cdmfr:romeData / @sspCode	209
Attribute cdmfr:studyQualification / cdmfr:competenceValidity / @limited	209
Attribute cdmfr:ppalTeachingLanguage / @teachingLang	209
Attribute cdmfr:refOrgUnitLeader / @idRef	209
Attribute cdmfr:refOrgUnitLeader / @ref	209
Attribute cdmfr:refOrgUnitLeader / @role	210
Attribute cdmfr:studentStatus / @studentStatusValueType	210
Attribute cdmfr:ectsRequired / @value	210
Attribute cdmfr:credits / @ECTScredits	210
Attribute cdmfr:credits / @hoursPerWeek	210
Attribute cdmfr:credits / @totalWorkLoad	210
Attribute cdmfr:admissionDescription / @equiv	211
Attribute cdmfr:refHabilitation / @idRef	211
Attribute cdmfr:refHabilitation / @ref	211

Resource hierarchy:

Legend:  Import,  Include,  Redefine,  Cycle detected

CDMFR-ext.xsd

 xhtml1-transitional.xsd

 xml.xsd

 l heo.xsd

CDMFR.xsd

 xml.xsd

 xhtml1-transitional.xsd

 xml.xsd

CDMFR-ext.xsd

 xhtml1-transitional.xsd

 xml.xsd

 l heo.xsd

CDMFR.xsd

Namespace: "http://cdm-fr.fr/2011/CDM-frSchema"

Schema(s)

Main schema CDMFR-ext.xsd

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Properties	attribute form default: unqualified
	element form default: qualified
	version: 2.0.2

Element(s)

Element cdmfr:webLink

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Link to a web page. Possibile to describe the role of the web page such as home page and LOM (learning object metadata)				
Diagram					
Properties	content:	complex			
Used by	Elements	cdmfr:habilitationType/cdmfr:contexteEtEnjeux, cdmfr:programDescription/cdmfr:indicators, course, program, subProgram			
	Complex Types	courseType, orgUnitType, programType			
Model	cdmfr:href, cdmfr:linkName*				
Children	cdmfr:href, cdmfr:linkName				
Instance	<pre><cdmfr:webLink role="" userDefined="" > <cdmfr:href>{1,1}</cdmfr:href> <cdmfr:linkName>{0,unbounded}</cdmfr:linkName> </cdmfr:webLink></pre>				
Attributes	QName	Type	Fixed	Default	Use
	role	restriction of xs:token			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="webLink"> <xs:annotation> <xs:documentation>Link to a web page. Possibile to describe the role of the web page such as home page and LOM (learning object metadata)</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:href"/> <xs:element name="linkName" type="xs:token" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Name of the web page</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> <xs:attribute name="role" use="optional"> <xs:simpleType></pre>				

```

<xs:restriction base="xs:token">
  <xs:enumeration value="homepage" />
  <xs:enumeration value="learningObjectMetadata" />
  <xs:enumeration value="catalog" />
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="userDefined" type="xs:token" use="optional" />
</xs:complexType>
</xs:element>

```

Element cdmfr:href

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	URL, ex http://www.estandard.no
Diagram	
Type	xs:token
Properties	content: simple
Used by	Elements cdmfr:affiliation/cdmfr:publications, cdmfr:webLink
Source	<pre> <xs:element name="href" type="xs:token"> <xs:annotation> <xs:documentation>URL, ex http://www.estandard.no</xs:documentation> </xs:annotation> </xs:element> </pre>

Element cdmfr:webLink / cdmfr:linkName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Name of the web page
Diagram	
Type	xs:token
Properties	content: simple minOccurs: 0 maxOccurs: unbounded
Source	<pre> <xs:element name="linkName" type="xs:token" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Name of the web page</xs:documentation> </xs:annotation> </xs:element> </pre>

Element cdmfr:refOrgUnit

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Reference to a orgUnit element
Diagram	

Properties	content: complex				
Used by	Elements admissionInfo, cdmfr:affiliation, cdmfr:cohabilitationType/cdmfr:listOfOrgUnit/ cdmfr:haborgUnit, cdmfr:habilitationType/cdmfr:equivalence, cdmfr:habilitationType/ cdmfr:licProNatName/cdmfr:composante, cdmfr:habilitationType/cdmfr:otherDiploma, cdmfr:habilitationType/cdmfr:partnership, cdmfr:habilitationType/cdmfr:relatedPrograms, cdmfr:i13nProgType/cdmfr:i13nProgPartner, cdmfr:programDescription/cdmfr:researchLink/ cdmfr:relatedOrgUnit, cdmfr:refOrgResp, teachingPlace				
	Complex Type cdmfr:CDMlocation				
Attributes	QName	Type	Fixed	Default	Use
	idRef	xs:IDREF			optional
	ref	xs:token			optional
	role	xs:token			optional
Source	<pre><xs:element name="refOrgUnit"> <xs:annotation> <xs:documentation>Reference to a orgUnit element</xs:documentation> </xs:annotation> <xs:complexType> <xs:attribute name="idRef" type="xs:IDREF" use="optional"/> <xs:attribute name="ref" type="xs:token" use="optional"/> <xs:attribute name="role" type="xs:token" use="optional"/> </xs:complexType> </xs:element></pre>				

Element cdmfr:refProgram

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Reference to a program element				
Diagram					
Properties	content: complex				
Used by	Elements cdmfr:fieldType/cdmfr:speciality, cdmfr:habilitationType/cdmfr:habiliObject, cdmfr:habilitationType/cdmfr:otherDiploma, cdmfr:habilitationType/cdmfr:relatedPrograms, cdmfr:programStructure				
Attributes	QName	Type	Fixed	Default	Use
	idRef	xs:IDREF			optional
	ref	xs:token			optional
	role	xs:token			optional
Source	<pre><xs:element name="refProgram"> <xs:annotation> <xs:documentation>Reference to a program element</xs:documentation> </xs:annotation> <xs:complexType> <xs:attribute name="idRef" type="xs:IDREF" use="optional"/> <xs:attribute name="ref" type="xs:token" use="optional"/> <xs:attribute name="role" type="xs:token" use="optional"/> </xs:complexType> </xs:element></pre>				

Element cdmfr:refCourse

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Reference to a course element				

Diagram					
Properties	content:	complex			
Used by	Elements	cdmfr:courseDescriptionType/cdmfr:courseContentsEC, cdmfr:programStructure			
Attributes	QName	Type	Fixed	Default	Use
	idRef	xs:IDREF			optional
	ref	xs:token			optional
	role	xs:token			optional
Source	<pre><xs:element name="refCourse"> <xs:annotation> <xs:documentation>Reference to a course element</xs:documentation> </xs:annotation> <xs:complexType> <xs:attribute name="idRef" type="xs:IDREF" use="optional"/> <xs:attribute name="ref" type="xs:token" use="optional"/> <xs:attribute name="role" type="xs:token" use="optional"/> </xs:complexType> </xs:element></pre>				

Element cdmfr:refPerson

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Reference to a person element				
Diagram					
Properties	content:	complex			
Used by	Elements	cdmfr:formOfAssessment/cdmfr:juryStruct, cdmfr:teachingTeam			
Attributes	QName	Type	Fixed	Default	Use
	idRef	xs:IDREF			optional
	ref	xs:token			optional
	role	xs:token			optional
Source	<pre><xs:element name="refPerson"> <xs:annotation> <xs:documentation>Reference to a person element</xs:documentation> </xs:annotation> <xs:complexType> <xs:attribute name="idRef" type="xs:IDREF" use="optional"/> <xs:attribute name="ref" type="xs:token" use="optional"/> <xs:attribute name="role" type="xs:token" use="optional"/> </xs:complexType> </xs:element></pre>				

Element cdmfr:searchword


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Annotations	A search text that can be used to identify the enclosing element.
Diagram	<p>The diagram shows a box labeled 'searchword' with 'Type xs:token' below it. A line connects this box to a box labeled 'xs:token'. A callout box points to the 'xs:token' box with the text: 'Built-in derived type. The token datatype represents tokenized strings. The base type of token is normalizedString.' Another callout box points to the 'searchword' box with the text: 'A search text that can be used to identify the enclosing element.'</p>
Type	xs:token
Properties	content: simple
Source	<pre><xs:element name="searchword" type="xs:token"> <xs:annotation> <xs:documentation>A search text that can be used to identify the enclosing element.</ xs:documentation> </xs:annotation> </xs:element></pre>

Element `cdmfr:infoBlock`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Miscellaneous information

Diagram



Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Used by	Elements	cdmfr:credits, cdmfr:formOfAssessment, cdmfr:i13nProgType/cdmfr:i13ProgPartner, cdmfr:orgUnitAip, cdmfr:partnershipInfo, cdmfr:partnershipInfo/cdmfr:students, cdmfr:profession, cdmfr:programDescription, cdmfr:programDescription/cdmfr:indicators, cdmfr:programStructure, cdmfr:qualificationDescription, cdmfr:studyQualification			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:infoBlock blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" " >{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" " >{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:infoBlock></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="infoBlock" type="cdm:infoBlockType"> <xs:annotation> <xs:documentation>Miscellaneous information</xs:documentation> </xs:annotation> </xs:element></pre>				

Element cdmfr:refSpeciality

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Reference to a speciality				
Diagram					
Properties	content:	complex			
Used by	Complex Type	cdmfr:fieldType			
Attributes	QName	Type	Fixed	Default	Use
	idRef	xs:IDREF			optional
	ref	xs:token			optional
Source	<pre><xs:element name="refSpeciality"> <xs:annotation> <xs:documentation>Reference to a speciality</xs:documentation> </xs:annotation> <xs:complexType> <xs:attribute name="idRef" type="xs:IDREF" use="optional"/> <xs:attribute name="ref" type="xs:token" use="optional"/> </xs:complexType> </xs:element></pre>				

Element cdmfr:textType / cdmfr:text

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	The information of this text expressed in a given languages				

Diagram					
Type	extension of xs:string				
Properties	content: complex				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	language	xs:language			optional
Source	<pre> <xs:element name="text"> <xs:annotation> <xs:documentation>The information of this text expressed in a given languages</ xs:documentation> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:string"> <xs:attribute name="language" type="xs:language" use="optional"/> <!-- 2.1: added xs:anyAttribute to permit use of xml:lang --> <xs:anyAttribute/> </xs:extension> </xs:simpleContent> </xs:complexType> </xs:element> </pre>				

Element cdmfr:fieldType / cdmfr:fieldName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content: complex				
	minOccurs: 0				
Model	cdmfr:free , cdmfr:controlled{0,1}				
Children	cdmfr:controlled, cdmfr:free				
Instance	<pre> <cdmfr:fieldName> <cdmfr:free>{1,1}</cdmfr:free> <cdmfr:controlled>{0,1}</cdmfr:controlled> </cdmfr:fieldName> </pre>				
Source	<pre> <xs:element name="fieldName" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="free" type="cdmfr:textType"/> <xs:element name="controlled" type="cdmfr:fieldNameValueSet" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>				

Element cdmfr:fieldType / cdmfr:fieldName / cdmfr:free

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram															
Type	cdmfr:textType														
Properties	<table border="1"> <tr> <td>content:</td> <td colspan="4">complex</td> </tr> <tr> <td>mixed:</td> <td colspan="4">true</td> </tr> </table>					content:	complex				mixed:	true			
content:	complex														
mixed:	true														
Model	cdmfr:text														
Children	cdmfr:text														
Instance	<pre><cdmfr:free> <cdmfr:text language=" " >{1,1}</cdmfr:text> </cdmfr:free></pre>														
Attributes	QName	Type	Fixed	Default	Use										
	ANY attribute from ANY namespace														
Source	<code><xs:element name="free" type="cdmfr:textType"/></code>														

Element cdmfr:fieldType / cdmfr:fieldName / cdmfr:controlled

Namespace	http://cdm-fr.fr/2011/CDM-frSchema														
Diagram															
Type	cdmfr:fieldNameValueSet														
Properties	<table border="1"> <tr> <td>content:</td> <td colspan="4">simple</td> </tr> <tr> <td>minOccurs:</td> <td colspan="4">0</td> </tr> </table>					content:	simple				minOccurs:	0			
content:	simple														
minOccurs:	0														
Facets	enumeration	domaine1													
	enumeration	domaine2													
Source	<code><xs:element name="controlled" type="cdmfr:fieldNameValueSet" minOccurs="0"/></code>														

Element cdmfr:fieldType / cdmfr:speciality


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
-----------	------------------------------------	--	--	--	--

<p>Diagram</p>											
<p>Properties</p>	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded	mixed:	true		
content:	complex										
minOccurs:	0										
maxOccurs:	unbounded										
mixed:	true										
<p>Model</p>	<p>cdmfr:infoBlock*, cdmfr:specialityId, cdmfr:specialityName{0,1}, cdmfr:specialityTimingInfo, cdmfr:cohabilitation+, cdmfr:refProgram+</p>										
<p>Children</p>	<p>cdmfr:cohabilitation, cdmfr:infoBlock, cdmfr:refProgram, cdmfr:specialityId, cdmfr:specialityName, cdmfr:specialityTimingInfo</p>										
<p>Instance</p>	<pre><cdmfr:speciality specialityPurpose=""> <cdmfr:infoBlock blockLang="" userDefined="">{0,unbounded}</cdmfr:infoBlock> <cdmfr:specialityId>{1,1}</cdmfr:specialityId> <cdmfr:specialityName>{0,1}</cdmfr:specialityName> <cdmfr:specialityTimingInfo duration="">{1,1}</cdmfr:specialityTimingInfo> <cdmfr:cohabilitation>{1,unbounded}</cdmfr:cohabilitation> <cdmfr:refProgram idRef="" ref="" role="">{1,unbounded}</cdmfr:refProgram> </cdmfr:speciality></pre>										
<p>Attributes</p>	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>specialityPurpose</td> <td>cdmfr:fsPurposeValueSet</td> <td></td> <td></td> <td>required</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	specialityPurpose	cdmfr:fsPurposeValueSet			required
QName	Type	Fixed	Default	Use							
specialityPurpose	cdmfr:fsPurposeValueSet			required							
<p>Source</p>	<pre><xs:element name="speciality" minOccurs="0" maxOccurs="unbounded"> <xs:complexType mixed="true"> <xs:sequence> <xs:element name="infoBlock" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="specialityId" type="xs:token"> <xs:annotation> <xs:documentation>Shorthand identification of the study speciality</ xs:documentation> </xs:annotation> </xs:element> <xs:element name="specialityName" type="cdmfr:textType" minOccurs="0"/> <xs:element name="specialityTimingInfo" type="cdmfr:timingInfoType" minOccurs="1"/> <xs:element name="cohabilitation" type="cdmfr:cohabilitationType" minOccurs="1" maxOccurs="unbounded" /> <xs:element ref="cdmfr:refProgram" minOccurs="1" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Références vers les programmes faisant l'objet de cette habilitation. Le lien se fait vers l'identifiant unique de chacun des programmes. Plusieurs liens sont possibles pour lier l'ensemble des programmes inclus dans la même habilitation et décrits dans la structure</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> <xs:attribute name="specialityPurpose" type="cdmfr:fsPurposeValueSet" use="required"/> </xs:complexType> </xs:element></pre>										

Element `cdmfr:fieldType` / `cdmfr:speciality` / `cdmfr:infoBlock`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	---

Diagram



Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:infoBlock blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:infoBlock></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="infoBlock" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:fieldType / cdmfr:speciality / cdmfr:specialityId

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Shorthand identification of the study speciality speciality
Diagram	
Type	xs:token
Properties	content: simple
Source	<pre><xs:element name="specialityId" type="xs:token"> <xs:annotation> <xs:documentation>Shorthand identification of the study speciality</xs:documentation> </xs:annotation> </xs:element></pre>

Element cdmfr:fieldType / cdmfr:speciality / cdmfr:specialityName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Type	cdmfr:textType
Properties	content: complex

	minOccurs: 0										
	mixed: true										
Model	cdmfr:text										
Children	cdmfr:text										
Instance	<code><cdmfr:specialityName> <cdmfr:text language="">{1,1}</cdmfr:text> </cdmfr:specialityName></code>										
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace				
QName	Type	Fixed	Default	Use							
ANY attribute from ANY namespace											
Source	<code><xs:element name="specialityName" type="cdmfr:textType" minOccurs="0"/></code>										


Element cdmfr:fieldType / cdmfr:speciality / cdmfr:specialityTimingInfo

Namespace	http://cdm-fr.fr/2011/CDM-frSchema										
Diagram											
Type	cdmfr:timingInfoType										
Properties	content:	complex									
	minOccurs:	1									
	mixed:	true									
Model	cdmfr:openingDate{0,1} cdmfr:renewalDateDate{0,1}										
Children	cdmfr:openingDate, cdmfr:renewalDateDate										
Instance	<code><cdmfr:specialityTimingInfo duration=""> <cdmfr:openingDate blockLang="" date="" userDefined="">{0,1}</cdmfr:openingDate> <cdmfr:renewalDateDate blockLang="" date="" userDefined="">{0,1}</cdmfr:renewalDateDate> </cdmfr:specialityTimingInfo></code>										
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>duration</td> <td>xs:duration</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	duration	xs:duration			optional
QName	Type	Fixed	Default	Use							
duration	xs:duration			optional							
Source	<code><xs:element name="specialityTimingInfo" type="cdmfr:timingInfoType" minOccurs="1"/></code>										

Element cdmfr:timingInfoType / cdmfr:openingDate

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	CDMdate																									
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> CDMdate 																									
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	1	mixed:	true																	
content:	complex																									
minOccurs:	0																									
maxOccurs:	1																									
mixed:	true																									
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*																									
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink																									
Instance	<pre><cdmfr:openingDate blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:openingDate></pre>																									
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>blockLang</td> <td>xs:language</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>date</td> <td>xs:date</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>userDefined</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace					blockLang	xs:language			optional	date	xs:date			optional	userDefined	xs:token			optional
QName	Type	Fixed	Default	Use																						
ANY attribute from ANY namespace																										
blockLang	xs:language			optional																						
date	xs:date			optional																						
userDefined	xs:token			optional																						
Source	<xs:element name="openingDate" minOccurs="0" maxOccurs="1" type="cdm:CDMdate"/>																									

Element cdmfr:timingInfoType / cdmfr:renewalDateDate

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	CDMdate																									
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> CDMdate 																									
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	1	mixed:	true																	
content:	complex																									
minOccurs:	0																									
maxOccurs:	1																									
mixed:	true																									
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*																									
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink																									
Instance	<pre><cdmfr:renewalDateDate blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:renewalDateDate></pre>																									
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>blockLang</td> <td>xs:language</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>date</td> <td>xs:date</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>userDefined</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace					blockLang	xs:language			optional	date	xs:date			optional	userDefined	xs:token			optional
QName	Type	Fixed	Default	Use																						
ANY attribute from ANY namespace																										
blockLang	xs:language			optional																						
date	xs:date			optional																						
userDefined	xs:token			optional																						
Source	<pre><xs:element name="renewalDateDate" minOccurs="0" maxOccurs="1" type="cdm:CDMdate"/></pre>																									

Element cdmfr:fieldType / cdmfr:speciality / cdmfr:cohabilitation


Namespace	http://cdm-fr.fr/2011/CDM-frSchema								
Diagram									
Type	cdmfr:cohabilitationType								
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	unbounded	mixed:	true
content:	complex								
minOccurs:	1								
maxOccurs:	unbounded								
mixed:	true								
Model	cdmfr:exists, cdmfr:listOfOrgUnit								
Children	cdmfr:exists, cdmfr:listOfOrgUnit								
Instance	<pre><cdmfr:cohabilitation> <cdmfr:exists>{1,1}</cdmfr:exists> <cdmfr:listOfOrgUnit cohabilitationRole="">{1,1}</cdmfr:listOfOrgUnit> </cdmfr:cohabilitation></pre>								
Source	<pre><xs:element name="cohabilitation" type="cdmfr:cohabilitationType" minOccurs="1" maxOccurs="unbounded"/></pre>								

Element cdmfr:cohabilitationType / cdmfr:exists


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram							
Type	xs:boolean						
Properties	<table border="1"> <tr> <td>content:</td> <td>simple</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> </table>	content:	simple	minOccurs:	1	maxOccurs:	1
content:	simple						
minOccurs:	1						
maxOccurs:	1						
Source	<code><xs:element name="exists" type="xs:boolean" minOccurs="1" maxOccurs="1"/></code>						

Element cdmfr:cohabilitationType / cdmfr:listOfOrgUnit


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
Model	cdmfr:habOrgUnit+				
Children	cdmfr:habOrgUnit				
Instance	<pre><cdmfr:listOfOrgUnit cohabilitationRole=""> <cdmfr:habOrgUnit>{1,unbounded}</cdmfr:habOrgUnit> </cdmfr:listOfOrgUnit></pre>				
Attributes	QName	Type	Fixed	Default	Use
	cohabilitationRole	cdmfr:habiliRoleValueSet			optional
Source	<pre><xs:element name="listOfOrgUnit"> <xs:complexType> <xs:sequence> <xs:element name="habOrgUnit" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="cdm:infoBlock" minOccurs="0"/> <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="1"/> <xs:element name="primaryDomainName" type="cdmfr:domainNameValueSet"/> <xs:element name="otherDomainName" minOccurs="0" maxOccurs="unbounded" type="cdmfr:domainNameValueSet"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> <xs:attribute name="cohabilitationRole" type="cdmfr:habiliRoleValueSet"/> </xs:element></pre>				

Element cdmfr:cohabilitationType / cdmfr:listOfOrgUnit / cdmfr:habOrgUnit


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
	maxOccurs:	unbounded			

Model	infoBlock{0,1} , cdmfr:refOrgUnit , cdmfr:primaryDomainName , cdmfr:otherDomainName*
Children	cdmfr:otherDomainName, cdmfr:primaryDomainName, cdmfr:refOrgUnit, infoBlock
Instance	<pre><cdmfr:habOrgUnit> <infoBlock blockLang="" userDefined="">{0,1}</infoBlock> <cdmfr:refOrgUnit idRef="" ref="" role="">{1,1}</cdmfr:refOrgUnit> <cdmfr:primaryDomainName>{1,1}</cdmfr:primaryDomainName> <cdmfr:otherDomainName>{0,unbounded}</cdmfr:otherDomainName> </cdmfr:habOrgUnit></pre>
Source	<pre><xs:element name="habOrgUnit" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="cdm:infoBlock" minOccurs="0"/> <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="1"/> <xs:element name="primaryDomainName" type="cdmfr:domainNameValueSet"/> <xs:element name="otherDomainName" minOccurs="0" maxOccurs="unbounded" type="cdmfr:domainNameValueSet"/> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:cohabilitationType / cdmfr:listOfOrgUnit / cdmfr:habOrgUnit / cdmfr:primaryDomainName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema												
Diagram													
Type	cdmfr:domainNameValueSet												
Properties	content: simple												
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Arts, Lettres, Langues</td> </tr> <tr> <td>enumeration</td> <td>Droit, Economie, Gestion</td> </tr> <tr> <td>enumeration</td> <td>Sciences Humaines et Sociales</td> </tr> <tr> <td>enumeration</td> <td>Sciences, Technologies, Santé</td> </tr> <tr> <td>enumeration</td> <td>Sciences et techniques des activités physiques et sportives</td> </tr> <tr> <td>enumeration</td> <td>recherche et professionnel</td> </tr> </table>	enumeration	Arts, Lettres, Langues	enumeration	Droit, Economie, Gestion	enumeration	Sciences Humaines et Sociales	enumeration	Sciences, Technologies, Santé	enumeration	Sciences et techniques des activités physiques et sportives	enumeration	recherche et professionnel
enumeration	Arts, Lettres, Langues												
enumeration	Droit, Economie, Gestion												
enumeration	Sciences Humaines et Sociales												
enumeration	Sciences, Technologies, Santé												
enumeration	Sciences et techniques des activités physiques et sportives												
enumeration	recherche et professionnel												
Source	<xs:element name="primaryDomainName" type="cdmfr:domainNameValueSet"/>												

Element cdmfr:cohabilitationType / cdmfr:listOfOrgUnit / cdmfr:habOrgUnit / cdmfr:otherDomainName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Diagram							
Type	cdmfr:domainNameValueSet						
Properties	<table border="1"> <tr> <td>content:</td> <td>simple</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	simple	minOccurs:	0	maxOccurs:	unbounded
content:	simple						
minOccurs:	0						
maxOccurs:	unbounded						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Arts, Lettres, Langues</td> </tr> <tr> <td>enumeration</td> <td>Droit, Economie, Gestion</td> </tr> <tr> <td>enumeration</td> <td>Sciences Humaines et Sociales</td> </tr> </table>	enumeration	Arts, Lettres, Langues	enumeration	Droit, Economie, Gestion	enumeration	Sciences Humaines et Sociales
enumeration	Arts, Lettres, Langues						
enumeration	Droit, Economie, Gestion						
enumeration	Sciences Humaines et Sociales						

	enumeration	Sciences, Technologies, Santé
	enumeration	Sciences et techniques des activités physiques et sportives
	enumeration	recherche et professionnel
Source	<code><xs:element name="otherDomainName" minOccurs="0" maxOccurs="unbounded" type="cdmfr:domainNameValueSet" /></code>	


Element cdmfr:fieldType / cdmfr:fieldTimingInfo

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	cdmfr:timingInfoType				
Properties	content:	complex			
	mixed:	true			
Model	cdmfr:openingDate{0,1} cdmfr:renewalDateDate{0,1}				
Children	cdmfr:openingDate, cdmfr:renewalDateDate				
Instance	<pre> <cdmfr:fieldTimingInfo duration=""> <cdmfr:openingDate blockLang="" date="" userDefined="">{0,1}</cdmfr:openingDate> <cdmfr:renewalDateDate blockLang="" date="" userDefined="">{0,1}</cdmfr:renewalDateDate> </cdmfr:fieldTimingInfo> </pre>				
Attributes	QName	Type	Fixed	Default	Use
	duration	xs:duration			optional
Source	<code><xs:element name="fieldTimingInfo" type="cdmfr:timingInfoType" /></code>				

Element cdmfr:fieldType / cdmfr:fieldInfo

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



General type for various kind of information

Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:fieldInfo blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" " >{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" " >{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:fieldInfo></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="fieldInfo" type="cdm:infoBlockType"/></code>				

Element cdmfr:i13nProgType / cdmfr:country

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	textType				
Properties	content:	complex			
	minOccurs:	1			
	maxOccurs:	unbounded			
	mixed:	true			
Model	text				
Children	text				
Instance	<pre><cdmfr:country> <text language=" " >{1,1}</text> </cdmfr:country></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<code><xs:element name="country" type="cdm:textType" minOccurs="1" maxOccurs="unbounded" /></code>				

Element cdmfr:i13nProgType / cdmfr:i13ProgPartner

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram							
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	unbounded
content:	complex						
minOccurs:	1						
maxOccurs:	unbounded						
Model	cdmfr:infoBlock , cdmfr:partnerName , cdmfr:partnershipType* , cdmfr:refOrgUnit+ , cdmfr:partnershipInfo{0,1}						
Children	cdmfr:infoBlock, cdmfr:partnerName, cdmfr:partnershipInfo, cdmfr:partnershipType, cdmfr:refOrgUnit						
Instance	<pre><cdmfr:i13ProgPartner> <cdmfr:infoBlock blockLang=" userDefined=" >{1,1}</cdmfr:infoBlock> <cdmfr:partnerName>{1,1}</cdmfr:partnerName> <cdmfr:partnershipType>{0,unbounded}</cdmfr:partnershipType> <cdmfr:refOrgUnit idRef=" ref=" role=" >{1,unbounded}</cdmfr:refOrgUnit> <cdmfr:partnershipInfo>{0,1}</cdmfr:partnershipInfo> </cdmfr:i13ProgPartner></pre>						
Source	<pre><xs:element name="i13ProgPartner" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:infoBlock" /> <xs:element ref="cdmfr:partnerName" maxOccurs="1" minOccurs="1" /> <xs:element ref="cdmfr:partnershipType" minOccurs="0" maxOccurs="unbounded" /> <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="unbounded" /> <xs:element ref="cdmfr:partnershipInfo" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:element></pre>						

Element cdmfr:partnerName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	cdmfr:textType				
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	mixed:	true
content:	complex				
mixed:	true				
Used by	Elements cdmfr:habilitationType/cdmfr:partnership, cdmfr:i13nProgType/cdmfr:i13ProgPartner				
Model	cdmfr:text				
Children	cdmfr:text				
Instance	<pre><cdmfr:partnerName> <cdmfr:text language=" >{1,1}</cdmfr:text> </cdmfr:partnerName></pre>				

Attributes	QName	Type	Fixed	Default	Use
		ANY attribute from ANY namespace			
Source	<code><xs:element name="partnerName" type="cdmfr:textType" /></code>				

Element `cdmfr:partnershipType`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	cdmfr:partnershipValueSet				
Properties	content:	simple			
Facets	enumeration	académique			
	enumeration	professionnel			
	enumeration	national			
	enumeration	international			
Used by	Elements	cdmfr:habilitationType/cdmfr:partnership, cdmfr:i13nProgType/cdmfr:i13ProgPartner			
Source	<code><xs:element name="partnershipType" type="cdmfr:partnershipValueSet" /></code>				

Element `cdmfr:partnershipInfo`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
Used by	Elements	cdmfr:habilitationType/cdmfr:partnership, cdmfr:i13nProgType/cdmfr:i13ProgPartner			
Model	cdmfr:infoBlock{0,1} , cdmfr:diploma+ , cdmfr:students , cdmfr:management				
Children	cdmfr:diploma, cdmfr:infoBlock, cdmfr:management, cdmfr:students				
Instance	<pre><cdmfr:partnershipInfo> <cdmfr:infoBlock blockLang=" " userDefined=" " >{0,1}</cdmfr:infoBlock> <cdmfr:diploma agreement=" " >{1,unbounded}</cdmfr:diploma> <cdmfr:students number=" " >{1,1}</cdmfr:students> <cdmfr:management blockLang=" " userDefined=" " >{1,1}</cdmfr:management> </cdmfr:partnershipInfo></pre>				
Source	<pre><xs:element name="partnershipInfo"> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:infoBlock" minOccurs="0"/> <xs:element name="diploma" maxOccurs="unbounded"> <xs:complexType> <xs:all> <xs:element name="description" type="cdmfr:textType"/> </xs:all> <xs:attribute name="agreement" type="cdmfr:diplomaAgreementValueSet"/> </xs:complexType> </xs:element> <xs:element name="students"> <xs:complexType> <xs:all> <xs:element ref="cdmfr:infoBlock"/> </xs:all> <xs:attribute name="number" type="xs:integer"/> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>				

```

</xs:element>
<xs:element name="management" type="cdm:infoBlockType"/>
</xs:sequence>
</xs:complexType>
</xs:element>
    
```

Element cdmfr:partnershipInfo / cdmfr:diploma

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
	maxOccurs:	unbounded			
Model	ALL(cdmfr:description)				
Children	cdmfr:description				
Instance	<pre> <cdmfr:diploma agreement=""> <cdmfr:description>{1,1}</cdmfr:description> </cdmfr:diploma> </pre>				
Attributes	QName	Type	Fixed	Default	Use
	agreement	cdmfr:diplomaAgreementValueSet			optional
Source	<pre> <xs:element name="diploma" maxOccurs="unbounded"> <xs:complexType> <xs:all> <xs:element name="description" type="cdmfr:textType"/> </xs:all> <xs:attribute name="agreement" type="cdmfr:diplomaAgreementValueSet"/> </xs:complexType> </xs:element> </pre>				

Element cdmfr:partnershipInfo / cdmfr:diploma / cdmfr:description

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	cdmfr:textType				
Properties	content:	complex			
	mixed:	true			
Model	cdmfr:text				
Children	cdmfr:text				
Instance	<pre> <cdmfr:description> <cdmfr:text language="">{1,1}</cdmfr:text> </cdmfr:description> </pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<pre> <xs:element name="description" type="cdmfr:textType"/> </pre>				


Element cdmfr:partnershipInfo / cdmfr:students

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
Model	ALL(cdmfr:infoBlock)				
Children	cdmfr:infoBlock				
Instance	<pre><cdmfr:students number=""> <cdmfr:infoBlock blockLang="" userDefined="">{1,1}</cdmfr:infoBlock> </cdmfr:students></pre>				
Attributes	QName	Type	Fixed	Default	Use
	number	xs:integer			optional
Source	<pre><xs:element name="students"> <xs:complexType> <xs:all> <xs:element ref="cdmfr:infoBlock" /> </xs:all> <xs:attribute name="number" type="xs:integer" /> </xs:complexType> </xs:element></pre>				

Element cdmfr:partnershipInfo / cdmfr:management

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:management blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:management></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="management" type="cdm:infoBlockType"/></code>				


Element cdmfr:i13nProgType / cdmfr:i13ProgName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	textType				
Properties	content:	complex			
	mixed:	true			
Model	text				
Children	text				
Instance	<pre><cdmfr:i13ProgName> <text language="">{1,1}</text> </cdmfr:i13ProgName></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<code><xs:element name="i13ProgName" type="cdm:textType"/></code>				

Element cdmfr:i13nProgType / cdmfr:i13ProgInfo

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:i13ProgInfo blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:i13ProgInfo></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="i13ProgInfo" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:courseDescriptionType / cdmfr:digitalUse

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Properties	content: complex
Model	cdmfr:percentage, cdmfr:lcms, cdmfr:activities*, cdmfr:prodPeda
Children	cdmfr:activities, cdmfr:lcms, cdmfr:percentage, cdmfr:prodPeda
Instance	<pre><cdmfr:digitalUse> <cdmfr:percentage>{1,1}</cdmfr:percentage> <cdmfr:lcms>{1,1}</cdmfr:lcms> <cdmfr:activities activitiesList="" blockLang="" userDefined="">{0,unbounded}</ cdmfr:activities> <cdmfr:prodPeda>{1,1}</cdmfr:prodPeda> </cdmfr:digitalUse></pre>
Source	<pre><xs:element name="digitalUse"> <xs:complexType> <xs:sequence> <xs:element name="percentage" type="xs:nonNegativeInteger" /> <xs:element name="lcms" type="cdmfr:lcmsType" /> <xs:element name="activities" type="cdmfr:activitiesType" maxOccurs="unbounded" minOccurs="0" /> <xs:element name="prodPeda"> <xs:complexType> <xs:all> <xs:element name="digitProdPercentage" type="xs:nonNegativeInteger" /> <xs:element name="digitProdUNTPercentage" type="xs:nonNegativeInteger" /> </xs:all> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:percentage

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Type	xs:nonNegativeInteger
Properties	content: simple
Source	<code><xs:element name="percentage" type="xs:nonNegativeInteger"/></code>

Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:lcms

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Type	cdmfr:lcmsType
Properties	content: complex
Model	cdmfr:exists, cdmfr:resourceManagement, cdmfr:percentageOfUse
Children	cdmfr:exists, cdmfr:percentageOfUse, cdmfr:resourceManagement
Instance	<pre><cdmfr:lcms> <cdmfr:exists>{1,1}</cdmfr:exists> <cdmfr:resourceManagement blockLang="" userDefined="">{1,1}</cdmfr:resourceManagement> <cdmfr:percentageOfUse>{1,1}</cdmfr:percentageOfUse> </cdmfr:lcms></pre>
Source	<code><xs:element name="lcms" type="cdmfr:lcmsType"/></code>


Element cdmfr:lcmsType / cdmfr:exists

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Type	xs:boolean
Properties	content: simple
Source	<code><xs:element name="exists" type="xs:boolean"/></code>

Element cdmfr:lcmsType / cdmfr:resourceManagement

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml' , header{0,1} , (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture) , extension{0,1} , subBlock* , altLangBlock* , searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:resourceManagement blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" ">{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" ">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:resourceManagement></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="resourceManagement" type="cdm:infoBlockType"/></code>				


Element cdmfr:lcmsType / cdmfr:percentageOfUse

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	xs:nonNegativeInteger				
Properties	content:	simple			
Source	<code><xs:element name="percentageOfUse" type="xs:nonNegativeInteger"/></code>				

Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:activities

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
-----------	------------------------------------	--	--	--	--

Diagram



Type	cdmfr:activitiesType																									
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> cdmfr:activitiesType 																									
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded																			
content:	complex																									
minOccurs:	0																									
maxOccurs:	unbounded																									
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*																									
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink																									
Instance	<pre><cdmfr:activities activitiesList="" blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:activities></pre>																									
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>activitiesList</td> <td>cdmfr:activitiesListValueSet</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>blockLang</td> <td>xs:language</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>userDefined</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace					activitiesList	cdmfr:activitiesListValueSet			optional	blockLang	xs:language			optional	userDefined	xs:token			optional
QName	Type	Fixed	Default	Use																						
ANY attribute from ANY namespace																										
activitiesList	cdmfr:activitiesListValueSet			optional																						
blockLang	xs:language			optional																						
userDefined	xs:token			optional																						
Source	<pre><xs:element name="activities" type="cdmfr:activitiesType" maxOccurs="unbounded" minOccurs="0"/></pre>																									

Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:prodPeda


Namespace	http://cdm-fr.fr/2011/CDM-frSchema		
Diagram			
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> </table>	content:	complex
content:	complex		
Model	ALL(cdmfr:digitProdPercentage cdmfr:digitProdUNTPercentage)		
Children	cdmfr:digitProdPercentage, cdmfr:digitProdUNTPercentage		
Instance	<pre><cdmfr:prodPeda> <cdmfr:digitProdPercentage>{1,1}</cdmfr:digitProdPercentage> <cdmfr:digitProdUNTPercentage>{1,1}</cdmfr:digitProdUNTPercentage> </cdmfr:prodPeda></pre>		
Source	<pre><xs:element name="prodPeda"> <xs:complexType> <xs:all> <xs:element name="digitProdPercentage" type="xs:nonNegativeInteger"/> <xs:element name="digitProdUNTPercentage" type="xs:nonNegativeInteger"/> </xs:all> </xs:complexType> </xs:element></pre>		

Element cdmfr:courseDescriptionType / cdmfr:digitalUse / cdmfr:prodPeda / cdmfr:digitProdPercentage

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Type	xs:nonNegativeInteger

Properties	content: simple
Source	<code><xs:element name="digitProdPercentage" type="xs:nonNegativeInteger"/></code>


Element `cdmfr:courseDescriptionType` / `cdmfr:digitalUse` / `cdmfr:prodPeda` / `cdmfr:digitProdUNTPercentage`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Type	xs:nonNegativeInteger
Properties	content: simple
Source	<code><xs:element name="digitProdUNTPercentage" type="xs:nonNegativeInteger"/></code>

Element `cdmfr:courseDescriptionType` / `cdmfr:infoBlock`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:infoBlock blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:infoBlock></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="infoBlock" type="cdm:infoBlockType"/></code>				

Element cdmfr:courseDescriptionType / cdmfr:courseContentsEC

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
	minOccurs:	0			
Model	cdmfr:refCourse+				
Children	cdmfr:refCourse				
Instance	<pre><cdmfr:courseContentsEC> <cdmfr:refCourse idRef="" ref="" role="">{1,unbounded}</cdmfr:refCourse> </cdmfr:courseContentsEC></pre>				
Source	<pre><xs:element name="courseContentsEC" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:refCourse" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element></pre>				

Element cdmfr:habilitationType / cdmfr:habiliId


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	<p>Numéro d'habilitation construit avec les règles d'usage et fourni par l'établissement puis conservé de façon définitive par le ministère.
La construction proposée pour l'identifiant se fait à partir d'éléments internationaux, nationaux et locaux afin de s'assurer de l'unicité de l'identifiant en vue d'une fusion des informations dans un portail national ou européen. L'enchaînement proposé est le suivant :
<CodeISOPays(1)TypeCodeInstitution(2) CodeInstitution(3) FamilleDonnées(4) IdentifiantLocal(5)</p> <ul style="list-style-type: none"> 1. Code du pays ISO 3166-1 : standard international désignant chaque pays par un code à deux lettres (FR pour la France) 2. Type de code institution : nom du code dans lequel est identifiée l'institution (pour les établissements dépendant du MESR le code UAI est utilisé, pour les autres établissements le code SIRET peut être utilisé) 3. Code institution : chaîne de caractères désignant l'institution dans le codage choisi 4. Famille de données : famille de CDMFR à laquelle appartient l'information <ul style="list-style-type: none"> OU (orgUnit) : entité administrative ou organisationnelle 				

	<pre> HA (habilitation) CO (course) : unité d'enseignement PR (program) : formation PE (person) : personne LH (ltheoAdds) : ajouts de compatibilité avec LHÉO 5. Identifiant local : identifiant unique des données au sein du système d'information de l'établissement 6. Pour les spécialités ajouter SP suivi du numéro d'ordre de la spécialité dans l'offre de l'établissement support </pre>						
Diagram							
Type	xs:token						
Properties	<table border="1"> <tr> <td>content:</td> <td>simple</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> </table>	content:	simple	minOccurs:	1	maxOccurs:	1
content:	simple						
minOccurs:	1						
maxOccurs:	1						
Source	<pre> <xs:element name="habiliId" type="xs:token" minOccurs="1" maxOccurs="1"> <xs:annotation> <xs:documentation>Numéro d'habilitation construit avec les règles d'usage et fourni par l'établissement puis conservé de façon définitive par le ministère.
La construction proposée pour l'identifiant se fait à partir d'éléments internationaux, nationaux et locaux afin de s'assurer de l'unicité de l'identifiant en vue d'une fusion des informations dans un portail national ou européen. L'enchaînement proposé est le suivant :
CodeISOPays(1)TypeCodeInstitution(2) CodeInstitution(3) FamilleDonnées(4) IdentifiantLocal(5) 1. Code du pays ISO 3166-1 : standard international désignant chaque pays par un code à deux lettres (FR pour la France) 2. Type de code institution : nom du code dans lequel est identifiée l'institution (pour les établissements dépendant du MESR le code UAI est utilisé, pour les autres établissements le code SIRET peut être utilisé) 3. Code institution : chaîne de caractères désignant l'institution dans le codage choisi 4. Famille de données : famille de CDMFR à laquelle appartient l'information OU (orgUnit) : entité administrative ou organisationnelle HA (habilitation) CO (course) : unité d'enseignement PR (program) : formation PE (person) : personne LH (ltheoAdds) : ajouts de compatibilité avec LHÉO 5. Identifiant local : identifiant unique des données au sein du système d'information de l'établissement 6. Pour les spécialités ajouter SP suivi du numéro d'ordre de la spécialité dans l'offre de l'établissement support </xs:documentation> </xs:annotation> </xs:element> </pre>						

Element cdmfr:habilitationType / cdmfr:legalRef

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Ce champ présente les références des textes légaux de définition de la formation considérée. L'information de ce champ est fournie par la DGESIP et ne doit pas être modifiée par l'établissement. Lors du dépôt initial pour les champs obligatoires l'établissement doit fournir les valeurs correspondant à ses souhaits, les informations seront traitées et modifiées lors de l'examen du dossier. Ces informations n'apparaissent que lorsque des décisions sont expressément fournies sur la durée et les des dates.

Diagram



Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	1			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:legalRef blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:legalRef></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="legalRef" type="cdmfr:infoBlockType" minOccurs="1" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Ce champ présente les références des textes légaux de définition de la formation considérée. L'information de ce champ est fournie par la DGESIP et ne doit pas être modifiée par l'établissement. Lors du dépôt initial pour les champs obligatoires l'établissement doit fournir les valeurs correspondant à ses souhaits, les informations seront traitées et modifiées lors de l'examen du dossier. Ces informations n'apparaissent que lorsque des décisions sont expressément fournies sur la durée et les des dates.</xs:documentation> </xs:annotation> </xs:element></pre>				

Element cdmfr:habilitationType / cdmfr:field

Namespace	http://cdm-fr.fr/2011/CDM-frSchema	
Annotations	Description de la mention habilitée, la cardinalité vaut [0,n] car les licences Pro n'ont pas de spécialité.	
Diagram		
Type	cdmfr:fieldType	
Properties	content:	complex
	minOccurs:	0
	maxOccurs:	1

	mixed: true										
Model	cdmfr:fieldName{0,1} , cdmfr:speciality* , cdmfr:refSpeciality+ , cdmfr:fieldTimingInfo , cdmfr:fieldInfo										
Children	cdmfr:fieldInfo, cdmfr:fieldName, cdmfr:fieldTimingInfo, cdmfr:refSpeciality, cdmfr:speciality										
Instance	<pre><cdmfr:field fieldPurpose=""> <cdmfr:fieldName>{0,1}</cdmfr:fieldName> <cdmfr:speciality specialityPurpose="">{0,unbounded}</cdmfr:speciality> <cdmfr:refSpeciality idRef="" ref="">{1,unbounded}</cdmfr:refSpeciality> <cdmfr:fieldTimingInfo duration="">{1,1}</cdmfr:fieldTimingInfo> <cdmfr:fieldInfo blockLang="" userDefined="">{1,1}</cdmfr:fieldInfo> </cdmfr:field></pre>										
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>fieldPurpose</td> <td>cdmfr:fsPurposeValueSet</td> <td></td> <td></td> <td>required</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	fieldPurpose	cdmfr:fsPurposeValueSet			required
QName	Type	Fixed	Default	Use							
fieldPurpose	cdmfr:fsPurposeValueSet			required							
Source	<pre><xs:element name="field" type="cdmfr:fieldType" minOccurs="0" maxOccurs="1"> <xs:annotation> <xs:documentation>Description de la mention habilitée, la cardinalité vaut [0,n] car les licences Pro n'ont pas de spécialité.</xs:documentation> </xs:annotation> </xs:element></pre>										

Element cdmfr:habilitationType / cdmfr:licProNatName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Annotations	.						
Diagram							
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded
content:	complex						
minOccurs:	0						
maxOccurs:	unbounded						
Model	cdmfr:Name , cdmfr:sectAct , cdmfr:composante+						
Children	cdmfr:Name, cdmfr:composante, cdmfr:sectAct						
Instance	<pre><cdmfr:licProNatName> <cdmfr:Name>{1,1}</cdmfr:Name> <cdmfr:sectAct>{1,1}</cdmfr:sectAct> <cdmfr:composante typeCompLicPro="">{1,unbounded}</cdmfr:composante> </cdmfr:licProNatName></pre>						
Source	<pre><xs:element name="licProNatName" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="Name" type="cdmfr:licProNatNameValueSet" /> <xs:element name="sectAct" type="cdmfr:licProSectActValueSet" /> <xs:element name="composante" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:refOrgUnit" /> <xs:element name="compName" type="cdm:textType" /> </xs:sequence> <xs:attribute name="typeCompLicPro" type="cdmfr:typeCompLicProValueSet" /> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>						

Element cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:Name

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	

Type	cdmfr:licProNatNameValueSet
Properties	content: simple
Facets	enumeration nom1
	enumeration nom2
Source	<xs:element name="Name" type="cdmfr:licProNatNameValueSet" />

Element cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:sectAct

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Type	cdmfr:licProSectActValueSet
Properties	content: simple
Facets	enumeration sect1
	enumeration sect2
Source	<xs:element name="sectAct" type="cdmfr:licProSectActValueSet" />

Element cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:composante

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
	maxOccurs:	unbounded			
Model	cdmfr:refOrgUnit , cdmfr:compName				
Children	cdmfr:compName, cdmfr:refOrgUnit				
Instance	<pre><cdmfr:composante typeCompLicPro=" " > <cdmfr:refOrgUnit idRef=" " ref=" " role=" " >{1,1}</cdmfr:refOrgUnit> <cdmfr:compName>{1,1}</cdmfr:compName> </cdmfr:composante></pre>				
Attributes	QName	Type	Fixed	Default	Use
	typeCompLicPro	cdmfr:typeCompLicProValueSet			optional
Source	<pre><xs:element name="composante" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:refOrgUnit" /> <xs:element name="compName" type="cdm:textType" /> </xs:sequence> <xs:attribute name="typeCompLicPro" type="cdmfr:typeCompLicProValueSet" /> </xs:complexType> </xs:element></pre>				

Element cdmfr:habilitationType / cdmfr:licProNatName / cdmfr:composante / cdmfr:compName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram					
Type	textType				
Properties	content:	complex			
	mixed:	true			
Model	text				
Children	text				
Instance	<pre><cdmfr:compName> <text language="">{1,1}</text> </cdmfr:compName></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<code><xs:element name="compName" type="cdm:textType"/></code>				

Element cdmfr:habilitationType / cdmfr:otherDiploma

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	.				
Diagram					
Properties	content:	complex			
	minOccurs:	0			
Model	cdmfr:name , cdmfr:otherDiplomaInfo{0,1} , cdmfr:refOrgUnit{0,1} , cdmfr:refProgram{0,1}				
Children	cdmfr:name, cdmfr:otherDiplomaInfo, cdmfr:refOrgUnit, cdmfr:refProgram				
Instance	<pre><cdmfr:otherDiploma> <cdmfr:name>{1,1}</cdmfr:name> <cdmfr:otherDiplomaInfo blockLang="" userDefined="">{0,1}</cdmfr:otherDiplomaInfo> <cdmfr:refOrgUnit idRef="" ref="" role="">{0,1}</cdmfr:refOrgUnit> <cdmfr:refProgram idRef="" ref="" role="">{0,1}</cdmfr:refProgram> </cdmfr:otherDiploma></pre>				
Source	<pre><xs:element name="otherDiploma" minOccurs="0"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="name" type="cdmfr:textType" minOccurs="1"/> <xs:element name="otherDiplomaInfo" type="cdm:infoBlockType" minOccurs="0"/> <xs:element ref="cdmfr:refOrgUnit" minOccurs="0"/> <xs:element ref="cdmfr:refProgram" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>				


Element cdmfr:habilitationType / cdmfr:otherDiploma / cdmfr:name

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	cdmfr:textType				
Properties	content:	complex			
	minOccurs:	1			
	mixed:	true			
Model	cdmfr:text				
Children	cdmfr:text				
Instance	<pre><cdmfr:name> <cdmfr:text language="">{1,1}</cdmfr:text> </cdmfr:name></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<pre><xs:element name="name" type="cdmfr:textType" minOccurs="1"/></pre>				

Element cdmfr:habilitationType / cdmfr:otherDiploma / cdmfr:otherDiplomaInfo

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1} , (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture) , extension{0,1} , subBlock* , altLangBlock* , searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:otherDiplomaInfo blockLang="" userDefined="" > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:otherDiplomaInfo></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="otherDiplomaInfo" type="cdm:infoBlockType" minOccurs="0"/></pre>				


Element cdmfr:habilitationType / cdmfr:contexteEtEnjeux

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Présentation du contexte et des enjeux de la formation soumise à l'habilitation.
Diagram	<p>Présentation du contexte et des enjeux de la formation soumise à l'habilitation.</p> <p>Link to a web page. Possible to describe the role of the web page such as home page and LOM (learning object metadata)</p>
Properties	content: complex
Model	cdmfr:contexteEtEnjeuxInfo , cdmfr:webLink{0,1}
Children	cdmfr:contexteEtEnjeuxInfo, cdmfr:webLink
Instance	<pre><cdmfr:contexteEtEnjeux> <cdmfr:contexteEtEnjeuxInfo blockLang="" userDefined="">{1,1}</cdmfr:contexteEtEnjeuxInfo> <cdmfr:webLink role="" userDefined="">{0,1}</cdmfr:webLink> </cdmfr:contexteEtEnjeux></pre>
Source	<pre><xs:element name="contexteEtEnjeux"> <xs:annotation> <xs:documentation>Présentation du contexte et des enjeux de la formation soumise à l'habilitation.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="contexteEtEnjeuxInfo" type="cdm:infoBlockType" minOccurs="1"/> <xs:element ref="cdmfr:webLink" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:habilitationType / cdmfr:contexteEtEnjeux / cdmfr:contexteEtEnjeuxInfo

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	1			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1} , (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture) , extension{0,1} , subBlock* , altLangBlock* , searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:contexteEtEnjeuxInfo blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" " >{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" " >{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:contexteEtEnjeuxInfo></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="contexteEtEnjeuxInfo" type="cdm:infoBlockType" minOccurs="1"/></pre>				

Element cdmfr:habilitationType / cdmfr:habiliRequest

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	.
Diagram	
Properties	content: complex
	minOccurs: 0
	maxOccurs: unbounded
Model	cdmfr:habiliTiming , cdmfr:habilistatus , cdmfr:habiliReqType , cdmfr:habiliReqDates{0,1}
Children	cdmfr:habiliReqDates, cdmfr:habiliReqType, cdmfr:habiliTiming, cdmfr:habilistatus
Instance	<pre><cdmfr:habiliRequest> <cdmfr:habiliTiming>{1,1}</cdmfr:habiliTiming> <cdmfr:habilistatus blockLang=" " habilistatusValue=" " userDefined=" " >{1,1}</ cdmfr:habilistatus> <cdmfr:habiliReqType>{1,1}</cdmfr:habiliReqType> <cdmfr:habiliReqDates>{0,1}</cdmfr:habiliReqDates> </cdmfr:habiliRequest></pre>
Source	<pre><xs:element name="habiliRequest" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="habiliTiming" minOccurs="1" maxOccurs="1"> <xs:complexType> <xs:sequence> <xs:choice> <xs:element name="habiliCreatDate" type="cdm:CDMdate" maxOccurs="1" minOccurs="1"/> <xs:element name="habiliRenewDate" type="cdm:CDMdate" minOccurs="0" maxOccurs="unbounded"/> </xs:choice> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="habiliOpeningWhishDate" type="cdm:CDMdate" maxOccurs="1" minOccurs="1"/> </xs:sequence> </xs:complexType> </xs:element></pre>

```

        <xs:element name="habiliWishDuration" type="xs:duration" minOccurs="1"
maxOccurs="1"/>
        <xs:element name="habiliValidDuration" type="xs:duration" maxOccurs="1"
minOccurs="1"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="habiliStatus" maxOccurs="1" minOccurs="1"
type="cdmfr:habiliStatusValueType"/>
<xs:element name="habiliReqType" maxOccurs="1" minOccurs="1"
type="cdmfr:habiliReqTypeValueSet"/>
<xs:element name="habiliReqDates" minOccurs="0">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="dateCS" type="cdm:CDMdate" minOccurs="0"/>
            <xs:element name="dateCA" type="cdm:CDMdate" minOccurs="0"/>
            <xs:element name="dateCEVU" type="cdm:CDMdate" minOccurs="0"/>
            <xs:element name="dateCNESR" type="cdm:CDMdate" minOccurs="0"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming


Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Diagram							
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	1
content:	complex						
minOccurs:	1						
maxOccurs:	1						
Model	(cdmfr:habiliCreatDate cdmfr:habiliRenewDate*), cdmfr:habiliOpeningWhishDate , cdmfr:habiliWishDuration , cdmfr:habiliValidDuration						
Children	cdmfr:habiliCreatDate, cdmfr:habiliOpeningWhishDate, cdmfr:habiliRenewDate, cdmfr:habiliValidDuration, cdmfr:habiliWishDuration						
Instance	<pre> <cdmfr:habiliTiming> <cdmfr:habiliCreatDate blockLang="" date="" userDefined="">{1,1}</cdmfr:habiliCreatDate> <cdmfr:habiliRenewDate blockLang="" date="" userDefined="">{0,unbounded}</ cdmfr:habiliRenewDate> <cdmfr:habiliOpeningWhishDate blockLang="" date="" userDefined="">{1,1}</ cdmfr:habiliOpeningWhishDate> <cdmfr:habiliWishDuration>{1,1}</cdmfr:habiliWishDuration> <cdmfr:habiliValidDuration>{1,1}</cdmfr:habiliValidDuration> </cdmfr:habiliTiming> </pre>						
Source	<pre> <xs:element name="habiliTiming" minOccurs="1" maxOccurs="1"> <xs:complexType> <xs:sequence> <xs:choice> <xs:element name="habiliCreatDate" type="cdm:CDMdate" maxOccurs="1" minOccurs="1"/ > <xs:element name="habiliRenewDate" type="cdm:CDMdate" minOccurs="0" maxOccurs="unbounded"/> </xs:choice> <xs:element name="habiliOpeningWhishDate" type="cdm:CDMdate" maxOccurs="1" minOccurs="1"/> <xs:element name="habiliWishDuration" type="xs:duration" minOccurs="1" maxOccurs="1"/> <xs:element name="habiliValidDuration" type="xs:duration" maxOccurs="1" minOccurs="1"/> </xs:sequence> </xs:complexType> </xs:element> </pre>						

	<pre></xs:complexType> </xs:element></pre>
--	--

Element `cdmfr:habilitationType` / `cdmfr:habiliRequest` / `cdmfr:habiliTiming` / `cdmfr:habiliCreatDate`

Namespace	<code>http://cdm-fr.fr/2011/CDM-frSchema</code>
-----------	---

Diagram




Type	CDMdate				
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> CDMdate 				
Properties	content:	complex			
	minOccurs:	1			
	maxOccurs:	1			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:habiliCreatDate blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:habiliCreatDate></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	date	xs:date			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="habiliCreatDate" type="cdm:CDMdate" maxOccurs="1" minOccurs="1"/></code>				

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliRenewDate

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	CDMdate																									
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> CDMdate 																									
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded	mixed:	true																	
content:	complex																									
minOccurs:	0																									
maxOccurs:	unbounded																									
mixed:	true																									
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*																									
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink																									
Instance	<pre><cdmfr:habiliRenewDate blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:habiliRenewDate></pre>																									
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>blockLang</td> <td>xs:language</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>date</td> <td>xs:date</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>userDefined</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace					blockLang	xs:language			optional	date	xs:date			optional	userDefined	xs:token			optional
QName	Type	Fixed	Default	Use																						
ANY attribute from ANY namespace																										
blockLang	xs:language			optional																						
date	xs:date			optional																						
userDefined	xs:token			optional																						
Source	<pre><xs:element name="habiliRenewDate" type="cdm:CDMdate" minOccurs="0" maxOccurs="unbounded" /></pre>																									

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliOpeningWhishDate


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	CDMdate																									
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> CDMdate 																									
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	1	mixed:	true																	
content:	complex																									
minOccurs:	1																									
maxOccurs:	1																									
mixed:	true																									
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*																									
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink																									
Instance	<pre><cdmfr:habiliOpeningWhishDate blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:habiliOpeningWhishDate></pre>																									
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>blockLang</td> <td>xs:language</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>date</td> <td>xs:date</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>userDefined</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace					blockLang	xs:language			optional	date	xs:date			optional	userDefined	xs:token			optional
QName	Type	Fixed	Default	Use																						
ANY attribute from ANY namespace																										
blockLang	xs:language			optional																						
date	xs:date			optional																						
userDefined	xs:token			optional																						
Source	<code><xs:element name="habiliOpeningWhishDate" type="cdm:CDMdate" maxOccurs="1" minOccurs="1"/></code>																									

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliWishDuration

Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Diagram							
Type	xs:duration						
Properties	<table border="1"> <tr> <td>content:</td> <td>simple</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> </table>	content:	simple	minOccurs:	1	maxOccurs:	1
content:	simple						
minOccurs:	1						
maxOccurs:	1						
Source	<code><xs:element name="habiliWishDuration" type="xs:duration" minOccurs="1" maxOccurs="1"/></code>						

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliTiming / cdmfr:habiliValidDuration


Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Diagram							
Type	xs:duration						
Properties	<table border="1"> <tr> <td>content:</td> <td>simple</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> </table>	content:	simple	minOccurs:	1	maxOccurs:	1
content:	simple						
minOccurs:	1						
maxOccurs:	1						
Source	<code><xs:element name="habiliValidDuration" type="xs:duration" maxOccurs="1" minOccurs="1"/></code>						

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habilistatus

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram

habilistatus
Type cdmfr:habilistatusValueType



Attributes

Type	cdmfr:habiliStatusValueType																									
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> cdmfr:habiliStatusValueType 																									
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	1	mixed:	true																	
content:	complex																									
minOccurs:	1																									
maxOccurs:	1																									
mixed:	true																									
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*																									
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink																									
Instance	<pre><cdmfr:habilistatus blockLang=" " habilistatusValue=" " userDefined=" "> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" ">{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" ">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:habilistatus></pre>																									
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>blockLang</td> <td>xs:language</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>habilistatusValue</td> <td>cdmfr:habiliStatusValueSet</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>userDefined</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace					blockLang	xs:language			optional	habilistatusValue	cdmfr:habiliStatusValueSet			optional	userDefined	xs:token			optional
QName	Type	Fixed	Default	Use																						
ANY attribute from ANY namespace																										
blockLang	xs:language			optional																						
habilistatusValue	cdmfr:habiliStatusValueSet			optional																						
userDefined	xs:token			optional																						
Source	<pre><xs:element name="habilistatus" maxOccurs="1" minOccurs="1" type="cdmfr:habiliStatusValueType" /></pre>																									

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema								
Diagram									
Type	cdmfr:habiliReqTypeValueSet								
Properties	<table border="1"> <tr> <td>content:</td> <td>simple</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>1</td> </tr> </table>	content:	simple	minOccurs:	1	maxOccurs:	1		
content:	simple								
minOccurs:	1								
maxOccurs:	1								
Facets	<table border="1"> <tr> <td>enumeration</td> <td>renouvellement</td> </tr> <tr> <td>enumeration</td> <td>création ex nihilo</td> </tr> <tr> <td>enumeration</td> <td>fusion</td> </tr> <tr> <td>enumeration</td> <td>restructuration</td> </tr> </table>	enumeration	renouvellement	enumeration	création ex nihilo	enumeration	fusion	enumeration	restructuration
enumeration	renouvellement								
enumeration	création ex nihilo								
enumeration	fusion								
enumeration	restructuration								
Source	<pre><xs:element name="habiliReqType" maxOccurs="1" minOccurs="1" type="cdmfr:habiliReqTypeValueSet" /></pre>								

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram	<pre> graph LR habiliReqDates((habiliReqDates)) --- dateCS[dateCS] habiliReqDates --- dateCA[dateCA] habiliReqDates --- dateCEVU[dateCEVU] habiliReqDates --- dateCNESR[dateCNESR] style dateCS fill:#e0e0e0,stroke:#333,stroke-width:1px style dateCA fill:#e0e0e0,stroke:#333,stroke-width:1px style dateCEVU fill:#e0e0e0,stroke:#333,stroke-width:1px style dateCNESR fill:#e0e0e0,stroke:#333,stroke-width:1px </pre>				
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> </table>	content:	complex	minOccurs:	0
content:	complex				
minOccurs:	0				
Model	<p>cdmfr:dateCS{0,1} , cdmfr:dateCA{0,1} , cdmfr:dateCEVU{0,1} , cdmfr:dateCNESR{0,1}</p>				
Children	<p>cdmfr:dateCA, cdmfr:dateCEVU, cdmfr:dateCNESR, cdmfr:dateCS</p>				
Instance	<pre> <cdmfr:habiliReqDates> <cdmfr:dateCS blockLang="" date="" userDefined="">{0,1}</cdmfr:dateCS> <cdmfr:dateCA blockLang="" date="" userDefined="">{0,1}</cdmfr:dateCA> <cdmfr:dateCEVU blockLang="" date="" userDefined="">{0,1}</cdmfr:dateCEVU> <cdmfr:dateCNESR blockLang="" date="" userDefined="">{0,1}</cdmfr:dateCNESR> </cdmfr:habiliReqDates> </pre>				
Source	<pre> <xs:element name="habiliReqDates" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="dateCS" type="cdm:CDMdate" minOccurs="0"/> <xs:element name="dateCA" type="cdm:CDMdate" minOccurs="0"/> <xs:element name="dateCEVU" type="cdm:CDMdate" minOccurs="0"/> <xs:element name="dateCNESR" type="cdm:CDMdate" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>				

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates / cdmfr:dateCS

Namespace	<p>http://cdm-fr.fr/2011/CDM-frSchema</p>
-----------	---

Diagram




Type	CDMdate				
Type hierarchy	<ul style="list-style-type: none"> • infoBlockType <ul style="list-style-type: none"> • CDMdate 				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1} , (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture) , extension{0,1} , subBlock* , altLangBlock* , searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:dateCS blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:dateCS></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	date	xs:date			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="dateCS" type="cdm:CDMdate" minOccurs="0"/></pre>				

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates / cdmfr:dateCA

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	CDMdate				
Type hierarchy	<ul style="list-style-type: none"> • infoBlockType <ul style="list-style-type: none"> • CDMdate 				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:dateCA blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:dateCA></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	date	xs:date			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="dateCA" type="cdm:CDMdate" minOccurs="0"/></pre>				

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates / cdmfr:dateCEVU

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	CDMdate				
Type hierarchy	<ul style="list-style-type: none"> • infoBlockType <ul style="list-style-type: none"> • CDMdate 				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:dateCEVU blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:dateCEVU></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	date	xs:date			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="dateCEVU" type="cdm:CDMdate" minOccurs="0"/></pre>				

Element cdmfr:habilitationType / cdmfr:habiliRequest / cdmfr:habiliReqDates / cdmfr:dateCNESR

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	CDMdate																									
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> CDMdate 																									
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	0	mixed:	true																			
content:	complex																									
minOccurs:	0																									
mixed:	true																									
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*																									
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink																									
Instance	<pre><cdmfr:dateCNESR blockLang="" date="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:dateCNESR></pre>																									
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>blockLang</td> <td>xs:language</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>date</td> <td>xs:date</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>userDefined</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace					blockLang	xs:language			optional	date	xs:date			optional	userDefined	xs:token			optional
QName	Type	Fixed	Default	Use																						
ANY attribute from ANY namespace																										
blockLang	xs:language			optional																						
date	xs:date			optional																						
userDefined	xs:token			optional																						
Source	<xs:element name="dateCNESR" type="cdm:CDMdate" minOccurs="0"/>																									

Element cdmfr:habilitationType / cdmfr:cohabilitation

Namespace	http://cdm-fr.fr/2011/CDM-frSchema								
Diagram									
Type	cdmfr:cohabilitationType								
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded	mixed:	true
content:	complex								
minOccurs:	0								
maxOccurs:	unbounded								
mixed:	true								
Model	cdmfr:exists, cdmfr:listOfOrgUnit								
Children	cdmfr:exists, cdmfr:listOfOrgUnit								
Instance	<pre><cdmfr:cohabilitation> <cdmfr:exists>{1,1}</cdmfr:exists> <cdmfr:listOfOrgUnit cohabilitationRole="">{1,1}</cdmfr:listOfOrgUnit> </cdmfr:cohabilitation></pre>								
Source	<xs:element name="cohabilitation" type="cdmfr:cohabilitationType" maxOccurs="unbounded" minOccurs="0"/>								

Element cdmfr:habilitationType / cdmfr:habiliObject

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Formation(s) concernées par cette habilitation.

Diagram							
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>1</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	unbounded
content:	complex						
minOccurs:	1						
maxOccurs:	unbounded						
Model	cdmfr:refProgram+						
Children	cdmfr:refProgram						
Instance	<pre><cdmfr:habiliObject> <cdmfr:refProgram idRef="" ref="" role="">{1,unbounded}</cdmfr:refProgram> </cdmfr:habiliObject></pre>						
Source	<pre><xs:element name="habiliObject" minOccurs="1" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Formation(s) concernées par cette habilitation.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:refProgram" minOccurs="1" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element></pre>						

Element cdmfr:habilitationType / cdmfr:partnership

Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Annotations	Partenariats nationaux autres qu'une cohabilitation.						
Diagram							
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded
content:	complex						
minOccurs:	0						
maxOccurs:	unbounded						
Model	cdmfr:partnerName , cdmfr:partnershipType*, cdmfr:partnershipInfo{0,1} , cdmfr:refOrgUnit+ , cdmfr:training*						
Children	cdmfr:partnerName, cdmfr:partnershipInfo, cdmfr:partnershipType, cdmfr:refOrgUnit, cdmfr:training						
Instance	<pre><cdmfr:partnership> <cdmfr:partnerName>{1,1}</cdmfr:partnerName> <cdmfr:partnershipType>{0,unbounded}</cdmfr:partnershipType> <cdmfr:partnershipInfo>{0,1}</cdmfr:partnershipInfo> <cdmfr:refOrgUnit idRef="" ref="" role="">{1,unbounded}</cdmfr:refOrgUnit> <cdmfr:training>{0,unbounded}</cdmfr:training> </cdmfr:partnership></pre>						
Source	<pre><xs:element name="partnership" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Partenariats nationaux autres qu'une cohabilitation.</ xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:partnerName" maxOccurs="1" minOccurs="1"/> <xs:element ref="cdmfr:partnershipType" minOccurs="0" maxOccurs="unbounded"/> <xs:element ref="cdmfr:partnershipInfo" minOccurs="0"/> <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="unbounded"/> <xs:element name="training" minOccurs="0" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="trainingOrganization"></pre>						

	<pre> <xs:complexType> <xs:sequence> <xs:element name="learningTrainingOrg" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="organization" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="admRules" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="acadFrame" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="defense" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="trainingOrganisationInfo" minOccurs="0" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="trainingStrategy" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training

Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Diagram							
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded
content:	complex						
minOccurs:	0						
maxOccurs:	unbounded						
Model	cdmfr:trainingOrganization , cdmfr:trainingStrategy*						
Children	cdmfr:trainingOrganization, cdmfr:trainingStrategy						
Instance	<pre> <cdmfr:training> <cdmfr:trainingOrganization>{1,1}</cdmfr:trainingOrganization> <cdmfr:trainingStrategy blockLang="" userDefined="">{0,unbounded}</ cdmfr:trainingStrategy> </cdmfr:training> </pre>						
Source	<pre> <xs:element name="training" minOccurs="0" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="trainingOrganization"> <xs:complexType> <xs:sequence> <xs:element name="learningTrainingOrg" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="organization" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="admRules" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="acadFrame" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="defense" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="trainingOrganisationInfo" minOccurs="0" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="trainingStrategy" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </xs:element> </pre>						

Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram	<pre> classDiagram class trainingOrganization { learningTrainingOrg 0..∞ organization 0..∞ admRules 0..∞ acadFrame 0..∞ defense 0..∞ trainingOrganisationInfo 0..∞ } class learningTrainingOrg { Type cdm:infoBlockType } class organization { Type cdm:infoBlockType } class admRules { Type cdm:infoBlockType } class acadFrame { Type cdm:infoBlockType } class defense { Type cdm:infoBlockType } class trainingOrganisationInfo </pre>
Properties	content: complex
Model	cdmfr:learningTrainingOrg*, cdmfr:organization*, cdmfr:admRules*, cdmfr:acadFrame*, cdmfr:defense*, cdmfr:trainingOrganisationInfo*
Children	cdmfr:acadFrame, cdmfr:admRules, cdmfr:defense, cdmfr:learningTrainingOrg, cdmfr:organization, cdmfr:trainingOrganisationInfo
Instance	<pre> <cdmfr:trainingOrganization> <cdmfr:learningTrainingOrg blockLang=" " userDefined="">{0,unbounded}</ cdmfr:learningTrainingOrg> <cdmfr:organization blockLang=" " userDefined="">{0,unbounded}</cdmfr:organization> <cdmfr:admRules blockLang=" " userDefined="">{0,unbounded}</cdmfr:admRules> <cdmfr:acadFrame blockLang=" " userDefined="">{0,unbounded}</cdmfr:acadFrame> <cdmfr:defense blockLang=" " userDefined="">{0,unbounded}</cdmfr:defense> <cdmfr:trainingOrganisationInfo>{0,unbounded}</cdmfr:trainingOrganisationInfo> </cdmfr:trainingOrganization> </pre>
Source	<pre> <xs:element name="trainingOrganization"> <xs:complexType> <xs:sequence> <xs:element name="learningTrainingOrg" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="organization" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="admRules" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="acadFrame" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="defense" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="trainingOrganisationInfo" minOccurs="0" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </xs:element> </pre>

Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:learningTrainingOrg

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:learningTrainingOrg blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:learningTrainingOrg></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="learningTrainingOrg" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:organization

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:organization blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:organization></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="organization" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:admRules

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




admRules
Type cdm:infoBlockType

Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:admRules blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:admRules></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="admRules" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded"/></pre>				

Element `cdmfr:habilitationType` / `cdmfr:partnership` / `cdmfr:training` / `cdmfr:trainingOrganization` / `cdmfr:acadFrame`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:acadFrame blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:acadFrame></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="acadFrame" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:defense

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:defense blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" " >{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" " >{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:defense></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="defense" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /></pre>				


Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingOrganization / cdmfr:trainingOrganisationInfo

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	minOccurs:	0			
	maxOccurs:	unbounded			
Source	<pre><xs:element name="trainingOrganisationInfo" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:habilitationType / cdmfr:partnership / cdmfr:training / cdmfr:trainingStrategy

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
-----------	------------------------------------	--	--	--	--

Diagram



Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:trainingStrategy blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:trainingStrategy></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="trainingStrategy" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:habilitationType / cdmfr:equivalence

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Description des règles d'équivalence.
Diagram	<p>The diagram illustrates the 'equivalence' element structure. It is a complex type containing an optional 'equivRefReg' element (type cdmfr:textType) and a required 'cdmfr:refOrgUnit' element (1..∞). The 'equivRefReg' element is shown with a circle and a plus sign, indicating it is optional. The 'cdmfr:refOrgUnit' element is shown with a circle and a plus sign, indicating it is required. A note below the 'cdmfr:refOrgUnit' element states 'Reference to a orgUnit element'.</p>
Properties	content: complex
	minOccurs: 0
	maxOccurs: unbounded
Model	cdmfr:equivRefReg, cdmfr:refOrgUnit+
Children	cdmfr:equivRefReg, cdmfr:refOrgUnit
Instance	<pre><cdmfr:equivalence> <cdmfr:equivRefReg>{1,1}</cdmfr:equivRefReg> <cdmfr:refOrgUnit idRef="" ref="" role="">{1,unbounded}</cdmfr:refOrgUnit> </cdmfr:equivalence></pre>
Source	<pre><xs:element name="equivalence" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Description des règles d'équivalence.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="equivRefReg" type="cdmfr:textType" /> <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:habilitationType / cdmfr:equivalence / cdmfr:equivRefReg

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram															
Type	cdmfr:textType														
Properties	<table border="1"> <tr> <td>content:</td> <td colspan="4">complex</td> </tr> <tr> <td>mixed:</td> <td colspan="4">true</td> </tr> </table>					content:	complex				mixed:	true			
content:	complex														
mixed:	true														
Model	cdmfr:text														
Children	cdmfr:text														
Instance	<pre><cdmfr:equivRefReg> <cdmfr:text language="">{1,1}</cdmfr:text> </cdmfr:equivRefReg></pre>														
Attributes	QName	Type	Fixed	Default	Use										
	ANY attribute from ANY namespace														
Source	<code><xs:element name="equivRefReg" type="cdmfr:textType" /></code>														

Element cdmfr:habilitationType / cdmfr:i13nProg

Namespace	http://cdm-fr.fr/2011/CDM-frSchema																			
Annotations	.																			
Diagram																				
Type	cdmfr:i13nProgType																			
Properties	<table border="1"> <tr> <td>content:</td> <td colspan="4">complex</td> </tr> <tr> <td>minOccurs:</td> <td colspan="4">0</td> </tr> <tr> <td>maxOccurs:</td> <td colspan="4">unbounded</td> </tr> </table>					content:	complex				minOccurs:	0				maxOccurs:	unbounded			
content:	complex																			
minOccurs:	0																			
maxOccurs:	unbounded																			
Model	cdmfr:country+, cdmfr:i13ProgPartner+, cdmfr:i13ProgName, cdmfr:i13ProgInfo*																			
Children	cdmfr:country, cdmfr:i13ProgInfo, cdmfr:i13ProgName, cdmfr:i13ProgPartner																			
Instance	<pre><cdmfr:i13nProg> <cdmfr:country>{1,unbounded}</cdmfr:country> <cdmfr:i13ProgPartner>{1,unbounded}</cdmfr:i13ProgPartner> <cdmfr:i13ProgName>{1,1}</cdmfr:i13ProgName> <cdmfr:i13ProgInfo blockLang="" userDefined="">{0,unbounded}</cdmfr:i13ProgInfo> </cdmfr:i13nProg></pre>																			
Source	<pre><xs:element name="i13nProg" type="cdmfr:i13nProgType" maxOccurs="unbounded" minOccurs="0"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> </xs:element></pre>																			


Element cdmfr:habilitationType / cdmfr:relatedPrograms

Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Annotations	.						
Diagram	<pre> graph LR RP[relatedPrograms] --- Seq(()) Seq --- ROU[cdmfr:refOrgUnit] Seq --- RPR[cdmfr:refProgram] Seq --- RI[relationInfo] ROU --- ROU1[1..∞] RPR --- RPR0[0..∞] RI --- RI01[0,1] ROU --- ROU1T[Reference to a orgUnit element] RPR --- RPR0T[Reference to a program element] RI --- RI01T[Type: cdm:infoBlockType] </pre>						
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded
content:	complex						
minOccurs:	0						
maxOccurs:	unbounded						
Model	cdmfr:refOrgUnit+, cdmfr:refProgram*, cdmfr:relationInfo{0,1}						
Children	cdmfr:refOrgUnit, cdmfr:refProgram, cdmfr:relationInfo						
Instance	<pre> <cdmfr:relatedPrograms> <cdmfr:refOrgUnit idRef="" ref="" role="">{1,unbounded}</cdmfr:refOrgUnit> <cdmfr:refProgram idRef="" ref="" role="">{0,unbounded}</cdmfr:refProgram> <cdmfr:relationInfo blockLang="" userDefined="">{0,1}</cdmfr:relationInfo> </cdmfr:relatedPrograms> </pre>						
Source	<pre> <xs:element name="relatedPrograms" maxOccurs="unbounded" minOccurs="0"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:refOrgUnit" maxOccurs="unbounded" minOccurs="1"/> <xs:element ref="cdmfr:refProgram" minOccurs="0" maxOccurs="unbounded"/> <xs:element name="relationInfo" type="cdm:infoBlockType" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>						

Element cdmfr:habilitationType / cdmfr:relatedPrograms / cdmfr:relationInfo

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:relationInfo blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:relationInfo></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="relationInfo" type="cdm:infoBlockType" minOccurs="0"/></code>				

Element cdmfr:habilitationType / cdmfr:infoBlock


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:infoBlock blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" ">{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" ">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:infoBlock></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="infoBlock" type="cdm:infoBlockType"/></code>				


Element cdmfr:lheoAddsType / cdmfr:SIRET

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	l heo:SIRET-type				
Type hierarchy	<ul style="list-style-type: none"> xs:string l heo:SIRET-subtype l heo:SIRET-type 				
Properties	content:	complex			
Attributes	QName	Type	Fixed	Default	Use
	id	xs:Name			optional
	info	xs:string			optional
	numero	xs:string			optional
	ref	xs:string			optional
	tag	xs:string			optional
Source	<code><xs:element name="SIRET" type="l heo:SIRET-type"/></code>				

Element cdmfr:admDescType / cdmfr:infoBlock

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml' , header{0,1} , (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture) , extension{0,1} , subBlock* , altLangBlock* , searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:infoBlock blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" " >{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" " >{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:infoBlock></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="infoBlock" type="cdm:infoBlockType"/></code>				

Element cdmfr:examType / cdmfr:examName


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Name of the exam				
Diagram					
Type	textType				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	text				
Children	text				
Instance	<pre><cdmfr:examName> <text language=" " >{1,1}</text> </cdmfr:examName></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<pre><xs:element name="examName" type="cdm:textType" minOccurs="0" > <xs:annotation> <xs:documentation>Name of the exam</xs:documentation> </xs:annotation> </xs:element></pre>				

Element cdmfr:examType / cdmfr:examKind

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Type of assessment: e.g. oral examination, written examination, oral presentation, test, paper, portfolio, thesis, report about an internship, report on fieldwork, continuous assessment. Kind of exam:

e.g. ordinary, extraordinary examination.

Diagram




Type	extension of infoBlockType				
Type hierarchy	• infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:examKind blockLang="" examForm="" examKind="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:examKind></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	examForm	examFormValueType			optional
	examKind	examKindValueType			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="examKind" minOccurs="0"> <xs:annotation> <xs:documentation>Type of assessment: e.g. oral examination, written examination, oral presentation, test, paper, portfolio, thesis, report about an internship, report on fieldwork, continuous assessment. Kind of exam: e.g. ordinary, extraordinary examination.</xs:documentation> </xs:annotation> <xs:complexType mixed="true"> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="examKind" type="cdm:examKindValueType" use="optional"/> <xs:attribute name="examForm" type="cdm:examFormValueType" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element `cdmfr:examType` / `cdmfr:examDuration`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Duration of the exam.

Diagram



Type	extension of infoBlockType				
Type hierarchy	• infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:examDuration blockLang="" duration="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:examDuration></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	duration	xs:duration			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="examDuration" minOccurs="0"> <xs:annotation> <xs:documentation>Duration of the exam.</xs:documentation> </xs:annotation> <xs:complexType mixed="true"> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="duration" type="xs:duration" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:examType / cdmfr:examStructure


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Exam part structure
Diagram	
Properties	content: complex minOccurs: 0
Model	cdmfr:partStructure{0,1}, cdmfr:examParts*
Children	cdmfr:examParts, cdmfr:partStructure
Instance	<pre><cdmfr:examStructure examPartStructure=""> <cdmfr:partStructure blockLang="" userDefined="">{0,1}</cdmfr:partStructure> <cdmfr:examParts>{0,unbounded}</cdmfr:examParts> </cdmfr:examStructure></pre>

Attributes	QName	Type	Fixed	Default	Use
	examPartStructure	partStructureValue- Type			optional
Source	<pre> <xs:element name="examStructure" minOccurs="0"> <xs:annotation> <xs:documentation>Exam part structure</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="partStructure" type="cdm:infoBlockType" minOccurs="0"> <xs:annotation> <xs:documentation>Description of relationships between the exam parts</ xs:documentation> </xs:annotation> </xs:element> <xs:element name="examParts" type="cdmfr:examType" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>List of exam parts</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> <xs:attribute name="examPartStructure" type="cdm:partStructureValueType" use="optional"/> </xs:complexType> </xs:element> </pre>				

Element cdmfr:examType / cdmfr:examStructure / cdmfr:partStructure

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Description of relationships between the exam parts

Diagram




Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml' , header{0,1} , (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture) , extension{0,1} , subBlock* , altLangBlock* , searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:partStructure blockLang="" userDefined="" > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:partStructure></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="partStructure" type="cdm:infoBlockType" minOccurs="0"> <xs:annotation> <xs:documentation>Description of relationships between the exam parts</ </xs:documentation> </xs:annotation> </xs:element></pre>				

Element cdmfr:examType / cdmfr:examStructure / cdmfr:examParts

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	List of exam parts

Diagram



Type	cdmfr:examType						
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	minOccurs:	0	maxOccurs:	unbounded
content:	complex						
minOccurs:	0						
maxOccurs:	unbounded						
Model	cdmfr:examName{0,1} , cdmfr:examKind{0,1} , registrationDeadline{0,1} , cancelDeadline{0,1} , evaluationDeadline{0,1} , examStart{0,1} , examEnd{0,1} , cdmfr:examDuration{0,1} , examLocation{0,1} , contacts{0,1} , infoBlock{0,1} , cdmfr:examStructure{0,1} , cdmfr:certifCompetence{0,1}						
Children	cancelDeadline, cdmfr:certifCompetence, cdmfr:examDuration, cdmfr:examKind, cdmfr:examName, cdmfr:examStructure, contacts, evaluationDeadline, examEnd, examLocation, examStart, infoBlock, registrationDeadline						
Instance	<pre> <cdmfr:examParts> <cdmfr:examName>{0,1}</cdmfr:examName> <cdmfr:examKind blockLang="" examForm="" examKind="" userDefined="">{0,1}</ cdmfr:examKind> <registrationDeadline blockLang="" date="" time="" userDefined="">{0,1}</ registrationDeadline> <cancelDeadline blockLang="" date="" time="" userDefined="">{0,1}</cancelDeadline> <evaluationDeadline blockLang="" date="" time="" userDefined="">{0,1}</ evaluationDeadline> <examStart blockLang="" date="" time="" userDefined="">{0,1}</examStart> <examEnd blockLang="" date="" time="" userDefined="">{0,1}</examEnd> </pre>						

	<pre><cdmfr:examDuration blockLang="" duration="" userDefined="">{0,1}</cdmfr:examDuration> <examLocation building="" room="">{0,1}</examLocation> <contacts>{0,1}</contacts> <infoBlock blockLang="" userDefined="">{0,1}</infoBlock> <cdmfr:examStructure examPartStructure="">{0,1}</cdmfr:examStructure> <cdmfr:certifCompetence certifName="">{0,1}</cdmfr:certifCompetence> </cdmfr:examParts></pre>
Source	<pre><xs:element name="examParts" type="cdmfr:examType" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>List of exam parts</xs:documentation> </xs:annotation> </xs:element></pre>

Element `cdmfr:examType` / `cdmfr:certifCompetence`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
	minOccurs:	0			
Model	ALL(cdmfr:compEval)				
Children	cdmfr:compEval				
Instance	<pre><cdmfr:certifCompetence certifName=""> <cdmfr:compEval>{1,1}</cdmfr:compEval> </cdmfr:certifCompetence></pre>				
Attributes	QName	Type	Fixed	Default	Use
	certifName	xs:string			optional
Source	<pre><xs:element name="certifCompetence" minOccurs="0"> <xs:complexType> <xs:all> <xs:element name="compEval" type="xs:boolean"/> </xs:all> <xs:attribute name="certifName" type="xs:string"/> </xs:complexType> </xs:element></pre>				

Element `cdmfr:examType` / `cdmfr:certifCompetence` / `cdmfr:compEval`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	xs:boolean				
Properties	content:	simple			
Source	<pre><xs:element name="compEval" type="xs:boolean"/></pre>				

Element `cdmfr:orgUnitSecondName`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Second name of the organisation unit				
Diagram					

Properties	content:	complex			
Used by	Complex Type	orgUnitType			
Model	cdmfr:secondName				
Children	cdmfr:secondName				
Instance	<pre><cdmfr:orgUnitSecondName secondNameNature=" " > <cdmfr:secondName>{1,1}</cdmfr:secondName> </cdmfr:orgUnitSecondName></pre>				
Attributes	QName	Type	Fixed	Default	Use
	secondNameNature	cdmfr:secondNameValueSet			optional
Source	<pre><xs:element name="orgUnitSecondName"> <xs:annotation> <xs:documentation>Second name of the organisation unit</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="secondName" type="cdmfr:textType"/> </xs:sequence> <xs:attribute name="secondNameNature" type="cdmfr:secondNameValueSet" use="optional"/> </xs:complexType> </xs:element></pre>				

Element cdmfr:orgUnitSecondName / cdmfr:secondName

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	cdmfr:textType				
Properties	content:	complex			
	mixed:	true			
Model	cdmfr:text				
Children	cdmfr:text				
Instance	<pre><cdmfr:secondName> <cdmfr:text language=" " >{1,1}</cdmfr:text> </cdmfr:secondName></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<pre><xs:element name="secondName" type="cdmfr:textType"/></pre>				

Element cdmfr:orgUnitAip


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Professional insertion help				
Diagram					

Properties	content: complex
Used by	Complex Type orgUnitType
Model	cdmfr:infoBlock{0,1} , cdmfr:alumni{0,1}
Children	cdmfr:alumni, cdmfr:infoBlock
Instance	<pre><cdmfr:orgUnitAip> <cdmfr:infoBlock blockLang=" " userDefined="">{0,1}</cdmfr:infoBlock> <cdmfr:alumni blockLang=" " userDefined="">{0,1}</cdmfr:alumni> </cdmfr:orgUnitAip></pre>
Source	<pre><xs:element name="orgUnitAip"> <xs:annotation> <xs:documentation>Professionnal insertion help</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:infoBlock" minOccurs="0"/> <xs:element name="alumni" type="cdm:infoBlockType" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:orgUnitAip / cdmfr:alumni

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:alumni blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:alumni></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="alumni" type="cdm:infoBlockType" minOccurs="0"/></code>				

Element `cdmfr:programName`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Full name of the study program				
Diagram					
Type	extension of cdmfr:textType				
Type hierarchy	• cdmfr:textType				
Properties	content:	complex			
	Used by	Complex Type	programType		
	Elements	program, subProgram			
Model	cdmfr:text				
Children	cdmfr:text				
Instance	<pre><cdmfr:programName ordinaryName=""> <cdmfr:text language="">{1,1}</cdmfr:text> </cdmfr:programName></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	ordinaryName	xs:boolean			optional

Source	<pre> <xs:element name="programName"> <xs:annotation> <xs:documentation>Full name of the study program</xs:documentation> </xs:annotation> <xs:complexType> <xs:complexContent> <xs:extension base="cdmfr:textType"> <xs:attribute name="ordinaryName" type="xs:boolean"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> </pre>
--------	--

Element cdmfr:programCode

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	A study program code according to a codification scheme. The choice of codification rule can be given by the attribute codeSet.				
Diagram					
Type	extension of xs:token				
Properties	content:	complex			
Used by	Complex Type	programType			
	Elements	program, subProgram			
Attributes	QName	Type	Fixed	Default	Use
	codeSet	cdmfr:programCodeValueSet			optional
	libelSet	cdmfr:programLibelValueSet			optional
Source	<pre> <xs:element name="programCode"> <xs:annotation> <xs:documentation>A study program code according to a codification scheme. The choice of codification rule can be given by the attribute codeSet.</xs:documentation> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:token"> <xs:attribute name="codeSet" type="cdmfr:programCodeValueSet" use="optional"/> <xs:attribute name="libelSet" type="cdmfr:programLibelValueSet" use="optional"/> </xs:extension> </xs:simpleContent> </xs:complexType> </xs:element> </pre>				

Element cdmfr:programDescription

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	A (short) general description of the study program

<p>Diagram</p>															
<p>Properties</p>	<p>content:</p>	<p>complex</p>													
<p>Used by</p>	<p>Complex Type</p>	<p>programType</p>													
<p>Elements</p>	<p>program, subProgram</p>														
<p>Model</p>	<p>cdmfr:infoBlock* cdmfr:indicators* cdmfr:lifelongLearning{0,1} cdmfr:researchLink cdmfr:globalVolume+</p>														
<p>Children</p>	<p>cdmfr:globalVolume, cdmfr:indicators, cdmfr:infoBlock, cdmfr:lifelongLearning, cdmfr:researchLink</p>														
<p>Instance</p>	<pre><cdmfr:programDescription nature=" " > <cdmfr:infoBlock blockLang=" " userDefined=" " >{0,unbounded}</cdmfr:infoBlock> <cdmfr:indicators indicator=" " >{0,unbounded}</cdmfr:indicators> <cdmfr:lifelongLearning blockLang=" " l1lContext=" " l1lValue=" " userDefined=" " >{0,1}</cdmfr:lifelongLearning> <cdmfr:researchLink>{1,1}</cdmfr:researchLink> <cdmfr:globalVolume coeff=" " teachingType=" " >{1,unbounded}</cdmfr:globalVolume> </cdmfr:programDescription></pre>														
<p>Attributes</p>	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>nature</td> <td>cdmfr:programNatureValueSet</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	nature	cdmfr:programNatureValueSet			optional				
QName	Type	Fixed	Default	Use											
nature	cdmfr:programNatureValueSet			optional											
<p>Source</p>	<pre><xs:element name="programDescription"> <xs:annotation> <xs:documentation>A (short) general description of the study program</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element ref="cdmfr:infoBlock" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="indicators" minOccurs="0" maxOccurs="unbounded"> <xs:complexType> <xs:choice maxOccurs="unbounded"> <xs:element ref="cdmfr:infoBlock" minOccurs="0" maxOccurs="unbounded" /> <xs:element ref="cdmfr:webLink" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="actions" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="prospective" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> <xs:element name="fieldManagement"> <xs:complexType> <xs:complexContent> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="purpose" type="cdmfr:purposeValueSet" /> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> </xs:choice> </xs:complexType> </xs:element> <xs:attribute name="indicator" type="cdmfr:indicatorValueSet" /> </xs:choice> </xs:complexType> <xs:element name="lifelongLearning" minOccurs="0"> <xs:complexType mixed="true"> <xs:complexContent> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="l1lValue" type="cdmfr:l1lValueValueSet" /> <xs:attribute name="l1lContext" type="cdmfr:l1lContextValueSet" /> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> </xs:element></pre>														

```

</xs:element>
<xs:element name="researchLink">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="relatedOrgUnit" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="relationType" type="cdmfr:relationTypeValueSet"/>
            <xs:element ref="cdmfr:refOrgUnit"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="globalVolume" maxOccurs="unbounded">
  <xs:complexType mixed="true">
    <xs:simpleContent>
      <xs:extension base="xs:nonNegativeInteger">
        <xs:attribute name="teachingType" type="cdmfr:teachingTypeValueSet"/>
        <xs:attribute name="coeff" type="xs:decimal"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element>
</xs:choice>
<xs:attribute name="nature" type="cdmfr:programNatureValueSet"/>
</xs:complexType>
</xs:element>

```

Element cdmfr:programDescription / cdmfr:indicators

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
Model	cdmfr:infoBlock* cdmfr:webLink* cdmfr:actions* cdmfr:prospective* cdmfr:fieldManagement				
Children	cdmfr:actions, cdmfr:fieldManagement, cdmfr:infoBlock, cdmfr:prospective, cdmfr:webLink				
Instance	<pre> <cdmfr:indicators indicator=""> <cdmfr:infoBlock blockLang="" userDefined="">{0,unbounded}</cdmfr:infoBlock> <cdmfr:webLink role="" userDefined="">{0,unbounded}</cdmfr:webLink> <cdmfr:actions blockLang="" userDefined="">{0,unbounded}</cdmfr:actions> <cdmfr:prospective blockLang="" userDefined="">{0,unbounded}</cdmfr:prospective> <cdmfr:fieldManagement blockLang="" purpose="" userDefined="">{1,1}</ cdmfr:fieldManagement> </cdmfr:indicators> </pre>				
Attributes	QName	Type	Fixed	Default	Use
	indicator	cdmfr:indicatorValueSet			optional
Source	<pre> <xs:element name="indicators" minOccurs="0" maxOccurs="unbounded"> </pre>				

```


<xs:complexType>
  <xs:choice maxOccurs="unbounded">
    <xs:element ref="cdmfr:infoBlock" minOccurs="0" maxOccurs="unbounded" />
    <xs:element ref="cdmfr:webLink" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="actions" type="cdm:infoBlockType" minOccurs="0"
maxOccurs="unbounded" />
    <xs:element name="prospective" type="cdm:infoBlockType" minOccurs="0"
maxOccurs="unbounded" />
    <xs:element name="fieldManagement">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base=" cdm:infoBlockType">
            <xs:attribute name="purpose" type="cdmfr:purposeValueSet" />
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
  </xs:choice>
  <xs:attribute name="indicator" type="cdmfr:indicatorValueSet" />
</xs:complexType>
</xs:element>

```

Element `cdmfr:programDescription` / `cdmfr:indicators` / `cdmfr:actions`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	---

Diagram




Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:actions blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:actions></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="actions" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded"/></code>				

Element cdmfr:programDescription / cdmfr:indicators / cdmfr:prospective

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:prospective blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" " >{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" " >{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:prospective></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="prospective" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:programDescription / cdmfr:indicators / cdmfr:fieldManagement

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram

fieldManagement
Type extension of 'cdm:infoBlockType'




Type	extension of infoBlockType				
Type hierarchy	• infoBlockType				
Properties	content: complex				
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml' , header{0,1} , (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture) , extension{0,1} , subBlock* , altLangBlock* , searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:fieldManagement blockLang=" " purpose=" " userDefined=" "> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" ">{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" ">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:fieldManagement></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	purpose	cdmfr:purposeValueSet			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="fieldManagement"> <xs:complexType> <xs:complexContent> <xs:extension base=" cdm:infoBlockType"> <xs:attribute name="purpose" type="cdmfr:purposeValueSet" /> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:programDescription / cdmfr:lifelongLearning

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram

lifelongLearning
Type: extension of 'cdm:infoBlockType'



Type	extension of infoBlockType				
Type hierarchy	• infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:lifelongLearning blockLang="" lllContext="" lllValue="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:lifelongLearning></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	lllContext	cdmfr:lllContextValueSet			optional
	lllValue	cdmfr:lllValueValueSet			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="lifelongLearning" minOccurs="0"> <xs:complexType mixed="true"> <xs:complexContent> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="lllValue" type="cdmfr:lllValueValueSet"/> <xs:attribute name="lllContext" type="cdmfr:lllContextValueSet"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:programDescription / cdmfr:researchLink

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Properties	content: complex
Model	cdmfr:relatedOrgUnit+
Children	cdmfr:relatedOrgUnit
Instance	<pre><cdmfr:researchLink> <cdmfr:relatedOrgUnit>{1,unbounded}</cdmfr:relatedOrgUnit> </cdmfr:researchLink></pre>
Source	<pre><xs:element name="researchLink"> <xs:complexType> <xs:sequence> <xs:element name="relatedOrgUnit" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relationType" type="cdmfr:relationTypeValueSet"/> <xs:element ref="cdmfr:refOrgUnit"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:programDescription / cdmfr:researchLink / cdmfr:relatedOrgUnit

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram					
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	cdmfr:relationType , cdmfr:refOrgUnit				
Children	cdmfr:refOrgUnit, cdmfr:relationType				
Instance	<pre><cdmfr:relatedOrgUnit> <cdmfr:relationType>{1,1}</cdmfr:relationType> <cdmfr:refOrgUnit idRef="" ref="" role="">{1,1}</cdmfr:refOrgUnit> </cdmfr:relatedOrgUnit></pre>				
Source	<pre><xs:element name="relatedOrgUnit" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relationType" type="cdmfr:relationTypeValueSet" /> <xs:element ref="cdmfr:refOrgUnit" /> </xs:sequence> </xs:complexType> </xs:element></pre>				

Element cdmfr:programDescription / cdmfr:researchLink / cdmfr:relatedOrgUnit / cdmfr:relationType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema														
Diagram															
Type	cdmfr:relationTypeValueSet														
Properties	<table border="1"> <tr> <td>content:</td> <td>simple</td> </tr> </table>	content:	simple												
content:	simple														
Facets	<table border="1"> <tr> <td>enumeration</td> <td>année</td> </tr> <tr> <td>enumeration</td> <td>semestre</td> </tr> <tr> <td>enumeration</td> <td>parcours</td> </tr> <tr> <td>enumeration</td> <td>mention</td> </tr> <tr> <td>enumeration</td> <td>spécialité</td> </tr> <tr> <td>enumeration</td> <td>certification</td> </tr> <tr> <td>enumeration</td> <td>C2i</td> </tr> </table>	enumeration	année	enumeration	semestre	enumeration	parcours	enumeration	mention	enumeration	spécialité	enumeration	certification	enumeration	C2i
enumeration	année														
enumeration	semestre														
enumeration	parcours														
enumeration	mention														
enumeration	spécialité														
enumeration	certification														
enumeration	C2i														
Source	<pre><xs:element name="relationType" type="cdmfr:relationTypeValueSet" /></pre>														

Element cdmfr:programDescription / cdmfr:globalVolume

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	extension of xs:nonNegativeInteger				
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				

	mixed:	true			
Attributes	QName	Type	Fixed	Default	Use
	coeff	xs:decimal			optional
	teachingType	cdmfr:teachingTypeValueSet			optional
Source	<pre><xs:element name="globalVolume" maxOccurs="unbounded"> <xs:complexType mixed="true"> <xs:simpleContent> <xs:extension base="xs:nonNegativeInteger"> <xs:attribute name="teachingType" type="cdmfr:teachingTypeValueSet"/> <xs:attribute name="coeff" type="xs:decimal"/> </xs:extension> </xs:simpleContent> </xs:complexType> </xs:element></pre>				


Element cdmfr:aip

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	mixed:	true
content:	complex				
mixed:	true				
Used by	<table border="1"> <tr> <td>Complex Type</td> <td>programType</td> </tr> <tr> <td>Elements</td> <td>program, subProgram</td> </tr> </table>	Complex Type	programType	Elements	program, subProgram
Complex Type	programType				
Elements	program, subProgram				
Model	cdmfr:possibleFollowUp* cdmfr:successSupport* cdmfr:learningPathStrategySupport* cdmfr:professTrainingSupport*				
Children	cdmfr:learningPathStrategySupport, cdmfr:possibleFollowUp, cdmfr:professTrainingSupport, cdmfr:successSupport				
Instance	<pre><cdmfr:aip> <cdmfr:possibleFollowUp blockLang=" " userDefined=" " >{0,unbounded}</ cdmfr:possibleFollowUp> <cdmfr:successSupport blockLang=" " userDefined=" " >{0,unbounded}</cdmfr:successSupport> <cdmfr:learningPathStrategySupport blockLang=" " userDefined=" " >{0,unbounded}</ cdmfr:learningPathStrategySupport> <cdmfr:professTrainingSupport blockLang=" " userDefined=" " >{0,unbounded}</ cdmfr:professTrainingSupport> </cdmfr:aip></pre>				
Source	<pre><xs:element name="aip"> <xs:complexType mixed="true"> <xs:choice> <xs:element name="possibleFollowUp" minOccurs="0" maxOccurs="unbounded" type="cdm:infoBlockType" /> <xs:element name="successSupport" minOccurs="0" maxOccurs="unbounded" type="cdm:infoBlockType" /> <xs:element name="learningPathStrategySupport" minOccurs="0" maxOccurs="unbounded" type="cdm:infoBlockType" /> <xs:element name="professTrainingSupport" minOccurs="0" maxOccurs="unbounded" type="cdm:infoBlockType" /> </xs:choice> </xs:complexType> </xs:element></pre>				

Element cdmfr:aip / cdmfr:possibleFollowUp

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




General type for various kind of information

Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:possibleFollowUp blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:possibleFollowUp></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="possibleFollowUp" minOccurs="0" maxOccurs="unbounded" type="cdm:infoBlockType"/></pre>				

Element cdmfr:aip / cdmfr:successSupport

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:successSupport blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:successSupport></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="successSupport" minOccurs="0" maxOccurs="unbounded" type="cdm:infoBlockType"/></pre>				

Element `cdmfr:aip` / `cdmfr:learningPathStrategySupport`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




General type for various kind of information

Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:learningPathStrategySupport blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:learningPathStrategySupport></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="learningPathStrategySupport" minOccurs="0" maxOccurs="unbounded" type="cdm:infoBlockType"/></pre>				

Element cdmfr:aip / cdmfr:professTrainingSupport

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



General type for various kind of information

Type	infoBlockType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:professTrainingSupport blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:professTrainingSupport></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="professTrainingSupport" minOccurs="0" maxOccurs="unbounded" type="cdm:infoBlockType" /></pre>				

Element cdmfr:qualificationDescription

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	content:	complex			
	mixed:	true			
Used by	Element	qualification			
Model	cdmfr:infoBlock+, cdmfr:statistics*				
Children	cdmfr:infoBlock, cdmfr:statistics				
Instance	<pre><cdmfr:qualificationDescription> <cdmfr:infoBlock blockLang="" userDefined="">{1,unbounded}</cdmfr:infoBlock> <cdmfr:statistics>{0,unbounded}</cdmfr:statistics> </cdmfr:qualificationDescription></pre>				
Source	<pre><xs:element name="qualificationDescription"> <xs:complexType mixed="true"> <xs:sequence> <xs:element ref="cdmfr:infoBlock" maxOccurs="unbounded" /> <xs:element name="statistics" minOccurs="0" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </xs:element></pre>				


Element cdmfr:qualificationDescription / cdmfr:statistics

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	minOccurs:	0			
	maxOccurs:	unbounded			
Source	<pre><xs:element name="statistics" minOccurs="0" maxOccurs="unbounded" /></pre>				

Element cdmfr:degree

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Degree describes the qualification awarded by a higher education institution after successful completion of a prescribed study programme.

Diagram



Type	extension of infoBlockType				
Type hierarchy	• infoBlockType				
Properties	content:	complex			
	mixed:	true			
Used by	Element	qualification			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:degree blockLang="" degree="" degreeCode="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:degree></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	degree	cdmfr:degreeValueSet			optional
	degreeCode	cdmfr:degreeCodeValueSet			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="degree"> <xs:annotation> <xs:documentation>Degree describes the qualification awarded by a higher education institution after successful completion of a prescribed study programme.</ xs:documentation> </xs:annotation> <xs:complexType mixed="true"> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="degree" type="cdmfr:degreeValueSet" use="optional"/> <xs:attribute name="degreeCode" type="cdmfr:degreeCodeValueSet" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:profession

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Learning outcomes, skills, job opportunities. What does the qualification give in terms of employment or professional practice.				
Diagram	<pre> classDiagram class profession { Learning outcomes, skills, job opportunities. What does the qualification give in terms of employment or professional... } class cdmfr_infoBlock { Type cdm:infoBlockType } class miscellaneous_information { Miscellaneous information } class romeData { Type extension of 'cdmfr:textType' } profession -- > cdmfr_infoBlock profession -- miscellaneous_information profession -- romeData </pre>				
Properties	content:	complex			
	mixed:	true			
Used by	Element	qualification			
Model	cdmfr:infoBlock, cdmfr:romeData				
Children	cdmfr:infoBlock, cdmfr:romeData				
Instance	<code><cdmfr:profession></code>				

	<pre><cdmfr:infoBlock blockLang="" userDefined="">{1,1}</cdmfr:infoBlock> <cdmfr:romeData romecode="" sspCode="">{1,1}</cdmfr:romeData> </cdmfr:profession></pre>
Source	<pre><xs:element name="profession"> <xs:annotation> <xs:documentation>Learning outcomes, skills, job opportunities. What does the qualification give in terms of employment or professional practice.</xs:documentation> </xs:annotation> <xs:complexType mixed="true"> <xs:sequence> <xs:element ref="cdmfr:infoBlock" /> <xs:element name="romeData"> <xs:complexType> <xs:complexContent> <xs:extension base="cdmfr:textType"> <xs:attribute name="romecode" type="cdmfr:romeCodeValueSet" use="optional" /> <xs:attribute name="sspCode" type="cdmfr:sspCodeValueSet" use="optional" /> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:profession / cdmfr:romeData

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	extension of cdmfr:textType				
Type hierarchy	• cdmfr:textType				
Properties	content: complex				
Model	cdmfr:text				
Children	cdmfr:text				
Instance	<pre><cdmfr:romeData romecode="" sspCode=""> <cdmfr:text language="">{1,1}</cdmfr:text> </cdmfr:romeData></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	romecode	cdmfr:romeCodeValueSet			optional
	sspCode	cdmfr:sspCodeValueSet			optional
Source	<pre><xs:element name="romeData"> <xs:complexType> <xs:complexContent> <xs:extension base="cdmfr:textType"> <xs:attribute name="romecode" type="cdmfr:romeCodeValueSet" use="optional" /> <xs:attribute name="sspCode" type="cdmfr:sspCodeValueSet" use="optional" /> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

```

</xs:complexContent>
</xs:complexType>
</xs:element>
    
```

Element `cdmfr:studyQualification`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Qualification giving access to further study.
Diagram	
Properties	content: complex
Used by	Element qualification
Model	cdmfr:infoBlock , cdmfr:competenceDesc , cdmfr:competenceValidity
Children	cdmfr:competenceDesc , cdmfr:competenceValidity , cdmfr:infoBlock
Instance	<pre> <cdmfr:studyQualification> <cdmfr:infoBlock blockLang="" userDefined="">{1,1}</cdmfr:infoBlock> <cdmfr:competenceDesc>{1,1}</cdmfr:competenceDesc> <cdmfr:competenceValidity blockLang="" date="" limited="" time="" userDefined="">{1,1}</cdmfr:competenceValidity> </cdmfr:studyQualification> </pre>
Source	<pre> <xs:element name="studyQualification"> <xs:annotation> <xs:documentation>Qualification giving access to further study.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:infoBlock" /> <xs:element name="competenceDesc" type="cdmfr:textType" /> <xs:element name="competenceValidity"> <xs:complexType> <xs:complexContent> <xs:extension base="cdm:CDMdateTime"> <xs:attribute name="limited" type="xs:boolean" use="required" /> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

Element `cdmfr:studyQualification / cdmfr:competenceDesc`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Type	cdmfr:textType
Properties	content: complex


	mixed: true				
Model	cdmfr:text				
Children	cdmfr:text				
Instance	<pre><cdmfr:competenceDesc> <cdmfr:text language="">{1,1}</cdmfr:text> </cdmfr:competenceDesc></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<pre><xs:element name="competenceDesc" type="cdmfr:textType"/></pre>				

Element cdmfr:studyQualification / cdmfr:competenceValidity

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	---

Diagram

competenceValidity
Type extension of 'cdm:CDMdateTime'




Type	extension of CDMdateTime				
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> CDMdateTime 				
Properties	content:	complex			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:competenceValidity blockLang="" date="" limited="" time="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:competenceValidity></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	date	xs:date			optional
	limited	xs:boolean			required
	time	xs:time			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="competenceValidity"> <xs:complexType> <xs:complexContent> <xs:extension base="cdm:CDMdateTime"> <xs:attribute name="limited" type="xs:boolean" use="required" /> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:ppalTeachingLanguage


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	extension of cdmfr:textType				
Type hierarchy	<ul style="list-style-type: none"> cdmfr:textType 				
Properties	content:	complex			
Used by	Complex Type	programType			
	Elements	program, subProgram			
Model	cdmfr:text				

Children	cdmfr:text				
Instance	<pre><cdmfr:ppalTeachingLanguage teachingLang="" > <cdmfr:text language="" >{1,1}</cdmfr:text> </cdmfr:ppalTeachingLanguage></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	teachingLang	xs:language			required
Source	<pre><xs:element name="ppalTeachingLanguage" > <xs:complexType> <xs:complexContent> <xs:extension base="cdmfr:textType" > <xs:attribute name="teachingLang" type="xs:language" use="required" /> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:registrationDetail

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Properties	content: complex
Used by	Element admissionInfo
Model	cdmfr:registrationProcess , cdmfr:registrationStart
Children	cdmfr:registrationProcess, cdmfr:registrationStart
Instance	<pre><cdmfr:registrationDetail> <cdmfr:registrationProcess>{1,1}</cdmfr:registrationProcess> <cdmfr:registrationStart blockLang="" date="" time="" userDefined="" >{1,1}</cdmfr:registrationStart> </cdmfr:registrationDetail></pre>
Source	<pre><xs:element name="registrationDetail" > <xs:complexType> <xs:sequence> <xs:element name="registrationProcess" > <xs:complexType> <xs:sequence> <xs:element name="registrationLocation" type="cdm:infoBlockType" /> <xs:element name="registrationModalities" type="cdm:infoBlockType" /> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="registrationStart" type="cdm:CDMdateTime" /> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:registrationDetail / cdmfr:registrationProcess


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Properties	content: complex
Model	cdmfr:registrationLocation , cdmfr:registrationModalities
Children	cdmfr:registrationLocation, cdmfr:registrationModalities
Instance	<pre><cdmfr:registrationProcess> <cdmfr:registrationLocation blockLang="" userDefined="" >{1,1}</cdmfr:registrationLocation> </cdmfr:registrationProcess></pre>

	<pre><cdmfr:registrationModalities blockLang="" userDefined="">{1,1}</ cdmfr:registrationModalities> </cdmfr:registrationProcess></pre>
Source	<pre><xs:element name="registrationProcess"> <xs:complexType> <xs:sequence> <xs:element name="registrationLocation" type="cdm:infoBlockType" /> <xs:element name="registrationModalities" type="cdm:infoBlockType" /> </xs:sequence> </xs:complexType> </xs:element></pre>

Element cdmfr:registrationDetail / cdmfr:registrationProcess / cdmfr:registrationLocation

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




General type for various kind of information

Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:registrationLocation blockLang=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" ">{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" ">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:registrationLocation></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="registrationLocation" type="cdm:infoBlockType"/></code>				

Element cdmfr:registrationDetail / cdmfr:registrationProcess / cdmfr:registrationModalities

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram




Type	infoBlockType				
Properties	content:	complex			
	mixed:	true			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml' , header{0,1} , (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture) , extension{0,1} , subBlock* , altLangBlock* , searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:registrationModalities blockLang="" userDefined=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:registrationModalities></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<code><xs:element name="registrationModalities" type="cdm:infoBlockType" /></code>				

Element cdmfr:registrationDetail / cdmfr:registrationStart

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram



registrationStart
Type cdm:CDMdateTime

General type for various kind of information

attributes

Type	CDMdateTime																														
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> CDMdateTime 																														
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	mixed:	true																										
content:	complex																														
mixed:	true																														
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*																														
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink																														
Instance	<pre><cdmfr:registrationStart blockLang=" " date=" " time=" " userDefined=" "> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" ">{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" ">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:registrationStart></pre>																														
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>ANY attribute from ANY namespace</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>blockLang</td> <td>xs:language</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>date</td> <td>xs:date</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>time</td> <td>xs:time</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>userDefined</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	ANY attribute from ANY namespace					blockLang	xs:language			optional	date	xs:date			optional	time	xs:time			optional	userDefined	xs:token			optional
QName	Type	Fixed	Default	Use																											
ANY attribute from ANY namespace																															
blockLang	xs:language			optional																											
date	xs:date			optional																											
time	xs:time			optional																											
userDefined	xs:token			optional																											
Source	<code><xs:element name="registrationStart" type="cdm:CDMdateTime" /></code>																														

Element cdmfr:refOrgUnitLeader


Namespace	http://cdm-fr.fr/2011/CDM-frSchema																				
Annotations	Reference to a orgUnit element																				
Diagram																					
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> </table>	content:	complex																		
content:	complex																				
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Fixed</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>idRef</td> <td>xs:IDREF</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>ref</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> <tr> <td>role</td> <td>xs:token</td> <td></td> <td></td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Fixed	Default	Use	idRef	xs:IDREF			optional	ref	xs:token			optional	role	xs:token			optional
QName	Type	Fixed	Default	Use																	
idRef	xs:IDREF			optional																	
ref	xs:token			optional																	
role	xs:token			optional																	
Source	<pre><xs:element name="refOrgUnitLeader"> <xs:annotation> <xs:documentation>Reference to a orgUnit element</xs:documentation> </xs:annotation> <xs:complexType> <xs:attribute name="idRef" type="xs:IDREF" use="optional"/> <xs:attribute name="ref" type="xs:token" use="optional"/> <xs:attribute name="role" type="xs:token" use="optional"/> </xs:complexType> </xs:element></pre>																				

Element cdmfr:studentStatus

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram

studentStatus
Type extension of 'cdm:infoBlockType'




Type	extension of infoBlockType				
Type hierarchy	• infoBlockType				
Properties	content:	complex			
	mixed:	true			
Used by	Element	admissionInfo			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:studentStatus blockLang=" " studentStatusValueType=" " userDefined=" "> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" ">{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" ">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:studentStatus></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	studentStatusValue-Type	cdmfr:studentStatusValueSet			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="studentStatus"> <xs:complexType mixed="true"> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="studentStatusValueType" type="cdmfr:studentStatusValueSet"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:ectsRequired

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram

elementsRequired
Type extension of 'cdm:infoBlockType'



Type	extension of infoBlockType				
Type hierarchy	• infoBlockType				
Properties	content:	complex			
	mixed:	true			
Used by	Element	admissionInfo			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:ectsRequired blockLang="" userDefined="" value=""> <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang="" userDefined="">{0,unbounded}</subBlock> <altLangBlock blockLang="" userDefined="">{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:ectsRequired></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	userDefined	xs:token			optional
	value	xs:nonNegativeInteger			optional
Source	<pre><xs:element name="ectsRequired"> <xs:complexType mixed="true"> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="value" type="xs:nonNegativeInteger"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:formOfAssessment

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Informations concerning assessment including jury structure and membership.				
Diagram					
Properties	content:	complex			
Used by	Complex Type	programType			
	Elements	program, subProgram			
Model	cdmfr:infoBlock, cdmfr:juryStruct				
Children	cdmfr:infoBlock, cdmfr:juryStruct				
Instance	<pre><cdmfr:formOfAssessment> <cdmfr:infoBlock blockLang="" userDefined="">{1,1}</cdmfr:infoBlock> <cdmfr:juryStruct>{1,1}</cdmfr:juryStruct> </cdmfr:formOfAssessment></pre>				
Source	<pre><xs:element name="formOfAssessment"> <xs:annotation> <xs:documentation>Informations concerning assessment including jury structure and membership.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:infoBlock"/> <xs:element name="juryStruct"></pre>				

```

<xs:complexType>
  <xs:sequence>
    <xs:element name="juryStructDesc" type="cdmfr:textType"/>
    <xs:element ref="cdmfr:refPerson" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

Element cdmfr:formOfAssessment / cdmfr:juryStruct

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Properties	content: complex
Model	cdmfr:juryStructDesc , cdmfr:refPerson+
Children	cdmfr:juryStructDesc, cdmfr:refPerson
Instance	<pre> <cdmfr:juryStruct> <cdmfr:juryStructDesc>{1,1}</cdmfr:juryStructDesc> <cdmfr:refPerson idRef=" " ref=" " role=" " >{1,unbounded}</cdmfr:refPerson> </cdmfr:juryStruct> </pre>
Source	<pre> <xs:element name="juryStruct" > <xs:complexType> <xs:sequence> <xs:element name="juryStructDesc" type="cdmfr:textType"/> <xs:element ref="cdmfr:refPerson" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

Element cdmfr:formOfAssessment / cdmfr:juryStruct / cdmfr:juryStructDesc

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	cdmfr:textType				
Properties	content: complex				
	mixed: true				
Model	cdmfr:text				
Children	cdmfr:text				
Instance	<pre> <cdmfr:juryStructDesc> <cdmfr:text language=" " >{1,1}</cdmfr:text> </cdmfr:juryStructDesc> </pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<pre> <xs:element name="juryStructDesc" type="cdmfr:textType" /> </pre>				

Element `cdmfr:programStructure`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Information about how the study program is structured, e.g. as a course structure diagram, all courses and programs belonging to the formation can be linked here
Diagram	<p>The diagram shows the structure of the <code>cdmfr:programStructure</code> element. It is a complex type containing three elements: <code>cdmfr:infoBlock</code> (Type: <code>cdmfr:infoBlockType</code>), <code>cdmfr:refProgram</code> (Type: <code>cdmfr:refProgramType</code>), and <code>cdmfr:refCourse</code> (Type: <code>cdmfr:refCourseType</code>). The cardinality for each element is 1..∞. A note indicates that the element contains information about how the study program is structured, such as a course structure diagram, all courses and programs...</p>
Properties	content: complex
Used by	Complex Type: <code>programType</code> Elements: <code>program</code> , <code>subProgram</code>
Model	<code>cdmfr:infoBlock</code> , <code>cdmfr:refProgram+</code> , <code>cdmfr:refCourse</code>
Children	<code>cdmfr:infoBlock</code> , <code>cdmfr:refCourse</code> , <code>cdmfr:refProgram</code>
Instance	<pre><cdmfr:programStructure> <cdmfr:infoBlock blockLang="" userDefined="">{1,1}</cdmfr:infoBlock> <cdmfr:refProgram idRef="" ref="" role="">{1,unbounded}</cdmfr:refProgram> <cdmfr:refCourse idRef="" ref="" role="">{1,1}</cdmfr:refCourse> </cdmfr:programStructure></pre>
Source	<pre><xs:element name="programStructure"> <xs:annotation> <xs:documentation>Information about how the study program is structured, e.g. as a course structure diagram, all courses and programs belonging to the formation can be linked here</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:infoBlock" /> <xs:element ref="cdmfr:refProgram" maxOccurs="unbounded" /> <xs:element ref="cdmfr:refCourse" /> </xs:sequence> </xs:complexType> </xs:element></pre>

Element `cdmfr:credits`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Indication of the student workload as ECTS (European Credit Transfer System)-credits and/or as hours per week and/or as text.
Diagram	<p>The diagram shows the structure of the <code>cdmfr:credits</code> element. It is a complex type containing an attributes group with three attributes: <code>ECTScredits</code> (Type: <code>xs:decimal</code>), <code>hoursPerWeek</code> (Type: <code>xs:nonNegativeInteger</code>), and <code>totalWorkLoad</code> (Type: <code>xs:nonNegativeInteger</code>). It also contains two elements: <code>cdmfr:infoBlock</code> (Type: <code>cdmfr:infoBlockType</code>) and <code>globalVolume</code> (Type: <code>cdmfr:globalVolumeType</code>). The cardinality for both elements is 0..∞. A note indicates that the element contains information about the student workload as ECTS (European Credit Transfer System)-credits and/or as hours per week and/or as text.</p>
Properties	content: complex mixed: true

Used by	Elements	course, qualification			
	Complex Type	courseType			
Model	cdmfr:infoBlock , cdmfr:globalVolume*				
Children	cdmfr:globalVolume, cdmfr:infoBlock				
Instance	<pre><cdmfr:credits ECTScredits="" hoursPerWeek="" totalWorkLoad=""> <cdmfr:infoBlock blockLang="" userDefined="">{1,1}</cdmfr:infoBlock> <cdmfr:globalVolume coeff="" teachingtype="">{0,unbounded}</cdmfr:globalVolume> </cdmfr:credits></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ECTScredits	xs:decimal			optional
	hoursPerWeek	xs:nonNegativeInteger			optional
	totalWorkLoad	xs:nonNegativeInteger			optional
Source	<pre><xs:element name="credits"> <xs:annotation> <xs:documentation>Indication of the student workload as ECTS (European Credit Transfer System)-credits and/or as hours per week and/or as text.</xs:documentation> </xs:annotation> <xs:complexType mixed="true"> <xs:sequence> <xs:element ref="cdmfr:infoBlock" /> <xs:element name="globalVolume" type="cdmfr:globalVolumeType" minOccurs="0" maxOccurs="unbounded" /> </xs:sequence> <xs:attribute name="ECTScredits" type="xs:decimal" use="optional" /> <xs:attribute name="hoursPerWeek" type="xs:nonNegativeInteger" use="optional" /> <xs:attribute name="totalWorkLoad" type="xs:nonNegativeInteger" use="optional" /> </xs:complexType> </xs:element></pre>				

Element cdmfr:credits / cdmfr:globalVolume


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	cdmfr:globalVolumeType				
Properties	content:	complex			
	minOccurs:	0			
	maxOccurs:	unbounded			
Attributes	QName	Type	Fixed	Default	Use
	coeff	xs:nonNegativeInteger			optional
	teachingtype	cdmfr:teachingTypeValueSet			optional
	Source	<pre><xs:element name="globalVolume" type="cdmfr:globalVolumeType" minOccurs="0" maxOccurs="unbounded" /></pre>			

Element cdmfr:admissionDescription

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	------------------------------------

Diagram

admissionDescription
Type extension of 'cdm:infoBlockType'




Type	extension of infoBlockType				
Type hierarchy	• infoBlockType				
Properties	content:	complex			
Used by	Element	admissionInfo			
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Instance	<pre><cdmfr:admissionDescription blockLang=" " equiv=" " userDefined=" " > <header>{0,1}</header> <extension>{0,1}</extension> <subBlock blockLang=" " userDefined=" " >{0,unbounded}</subBlock> <altLangBlock blockLang=" " userDefined=" " >{0,unbounded}</altLangBlock> <searchword>{0,unbounded}</searchword> </cdmfr:admissionDescription></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	equiv	cdmfr:equivValueSet			optional
	userDefined	xs:token			optional
Source	<pre><xs:element name="admissionDescription"> <xs:complexType> <xs:complexContent> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="equiv" type="cdmfr:equivValueSet" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:habilitation

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	A description of habilitation provided by the ministry.

Diagram



Type	extension of cdmfr:habilitationType
Type hierarchy	• cdmfr:habilitationType
Properties	content: complex
Used by	Element CDM

Model	cdmfr:habiliId cdmfr:legalRef+ cdmfr:field{0,1} cdmfr:licProNatName* cdmfr:otherDiploma{0,1} cdmfr:contexteEtEnjeux cdmfr:habiliRequest* cdmfr:cohabilitation* cdmfr:habiliObject+ cdmfr:partnership* cdmfr:equivalence* cdmfr:i13nProg* cdmfr:relatedPrograms* cdmfr:infoBlock				
Children	cdmfr:cohabilitation, cdmfr:contexteEtEnjeux, cdmfr:equivalence, cdmfr:field, cdmfr:habiliId, cdmfr:habiliObject, cdmfr:habiliRequest, cdmfr:i13nProg, cdmfr:infoBlock, cdmfr:legalRef, cdmfr:licProNatName, cdmfr:otherDiploma, cdmfr:partnership, cdmfr:relatedPrograms				
Instance	<pre><cdmfr:habilitation diplomaType="" id="" ident="" language="" Organization=""> <cdmfr:habiliId>{1,1}</cdmfr:habiliId> <cdmfr:legalRef blockLang="" userDefined="">{1,unbounded}</cdmfr:legalRef> <cdmfr:field fieldPurpose="">{0,1}</cdmfr:field> <cdmfr:licProNatName>{0,unbounded}</cdmfr:licProNatName> <cdmfr:otherDiploma>{0,1}</cdmfr:otherDiploma> <cdmfr:contexteEtEnjeux>{1,1}</cdmfr:contexteEtEnjeux> <cdmfr:habiliRequest>{0,unbounded}</cdmfr:habiliRequest> <cdmfr:cohabilitation>{0,unbounded}</cdmfr:cohabilitation> <cdmfr:habiliObject>{1,unbounded}</cdmfr:habiliObject> <cdmfr:partnership>{0,unbounded}</cdmfr:partnership> <cdmfr:equivalence>{0,unbounded}</cdmfr:equivalence> <cdmfr:i13nProg>{0,unbounded}</cdmfr:i13nProg> <cdmfr:relatedPrograms>{0,unbounded}</cdmfr:relatedPrograms> <cdmfr:infoBlock blockLang="" userDefined="">{1,1}</cdmfr:infoBlock> </cdmfr:habilitation></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	Organization	cdmfr:organizationValueSet			optional
	diplomaType	cdmfr:diplomaTypeValueSet			optional
	id	xs:ID			optional
	ident	xs:token			optional
	language	xs:language			optional
Source	<pre><xs:element name="habilitation"> <xs:annotation> <xs:documentation>A description of habilitation provided by the ministry.</xs:documentation> </xs:annotation> <xs:complexType> <xs:complexContent> <xs:extension base="cdmfr:habilitationType"/> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Element cdmfr:refHabilitation

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Reference to an Habilitation element				
Diagram					
Properties	content:	complex			
Used by	Complex Type	programType			
	Elements	program, subProgram			
Attributes	QName	Type	Fixed	Default	Use
	idRef	xs:IDREF			optional
	ref	xs:token			optional
Source	<pre><xs:element name="refHabilitation"> <xs:annotation> <xs:documentation>Reference to an Habilitation element</xs:documentation> </xs:annotation> </xs:complexType></pre>				

```
<xs:attribute name="idRef" type="xs:IDREF" use="optional"/>
<xs:attribute name="ref" type="xs:token" use="optional"/>
</xs:complexType>
</xs:element>
```

Element cdmfr:lheoAdds

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	A description of addendums derived from LHEO standard.				
Diagram					
Type	extension of cdmfr:lheoAddsType				
Type hierarchy	• cdmfr:lheoAddsType				
Properties	content:	complex			
Used by	Element	CDM			
Model	ALL(cdmfr:SIRET)				
Children	cdmfr:SIRET				
Instance	<pre><cdmfr:lheoAdds id="" ident="" language=""> <cdmfr:SIRET id="" info="" numero="" ref="" tag="">{1,1}</cdmfr:SIRET> </cdmfr:lheoAdds></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	id	xs:ID			optional
	ident	xs:token			optional
	language	xs:language			optional
Source	<pre><xs:element name="lheoAdds"> <xs:annotation> <xs:documentation>A description of addendums derived from LHEO standard.</xs:documentation> </xs:annotation> <xs:complexType> <xs:complexContent> <xs:extension base="cdmfr:lheoAddsType"/> </xs:complexContent> </xs:complexType> </xs:element></pre>				

Complex Type(s)

Complex Type cdmfr:title

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Titre et corps de la personne

Diagram					
Type	extension of textType				
Type hierarchy	<ul style="list-style-type: none"> textType <ul style="list-style-type: none"> cdmfr:title 				
Used by	Element	personType/title			
Model	text				
Children	text				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	corps	cdmfr:corpsValueSet			optional
Source	<pre> <xs:complexType name="title"> <xs:annotation> <xs:documentation>Titre et corps de la personne</xs:documentation> </xs:annotation> <xs:complexContent mixed="true"> <xs:extension base="cdm:textType"> <xs:attribute name="corps" type="cdmfr:corpsValueSet" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </pre>				

Complex Type cdmfr:textType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Text expressed in one or more languages				
Diagram					
Properties	mixed:	true			
Used by	Elements	cdmfr:activities/cdmfr:otherActivities, cdmfr:activities/cdmfr:teachingMajor, cdmfr:affiliation/cdmfr:professField, cdmfr:fieldType/cdmfr:fieldName/cdmfr:free, cdmfr:fieldType/cdmfr:speciality/cdmfr:specialityName, cdmfr:formOfAssessment/cdmfr:juryStruct/cdmfr:juryStructDesc, cdmfr:habilitationType/cdmfr:equivalence/cdmfr:equivRefReg, cdmfr:habilitationType/cdmfr:otherDiploma/cdmfr:name, cdmfr:orgUnitSecondName/cdmfr:secondName, cdmfr:partnerName, cdmfr:partnershipInfo/cdmfr:diploma/cdmfr:description, cdmfr:ppalTeachingLanguage, cdmfr:profession/cdmfr:romeData, cdmfr:programName, cdmfr:studyQualification/cdmfr:competenceDesc			
Model	cdmfr:text				
Children	cdmfr:text				

Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
Source	<pre> <xs:complexType name="textType" mixed="true"> <xs:annotation> <xs:documentation>Text expressed in one or more languages</xs:documentation> </xs:annotation> <xs:sequence maxOccurs="unbounded" minOccurs="0"> <xs:element name="text"> <xs:annotation> <xs:documentation>The information of this text expressed in a given languages</ xs:documentation> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:string"> <xs:attribute name="language" type="xs:language" use="optional"/> <!-- 2.1: added xs:anyAttribute to permit use of xml:lang --> <xs:anyAttribute/> </xs:extension> </xs:simpleContent> </xs:complexType> </xs:element> </xs:sequence> <!-- 2.1: added xs:anyAttribute to permit use of xml:lang --> <xs:anyAttribute/> </xs:complexType> </pre>				

Complex Type `cdmfr:fieldType`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Text expressed in one or more languages				
Diagram					
Properties	mixed:	true			
Used by	Element	cdmfr:habilitationType/cdmfr:field			
Model	cdmfr:fieldName{0,1} , cdmfr:speciality* , cdmfr:refSpeciality+ , cdmfr:fieldTimingInfo , cdmfr:fieldInfo				
Children	cdmfr:fieldInfo, cdmfr:fieldName, cdmfr:fieldTimingInfo, cdmfr:refSpeciality, cdmfr:speciality				
Attributes	QName	Type	Fixed	Default	Use
	fieldPurpose	cdmfr:fsPurposeValueSet			required
Source	<pre> <xs:complexType name="fieldType" mixed="true"> <xs:annotation> <xs:documentation>Text expressed in one or more languages</xs:documentation> </xs:annotation> <xs:sequence minOccurs="0" maxOccurs="unbounded"> <xs:element name="fieldName" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="free" type="cdmfr:textType"/> <xs:element name="controlled" type="cdmfr:fieldNameValueSet" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="speciality" minOccurs="0" maxOccurs="unbounded"> </pre>				

```

<xs:complexType mixed="true">
  <xs:sequence>
    <xs:element name="infoBlock" type="cdm:infoBlockType" minOccurs="0"
maxOccurs="unbounded" />
    <xs:element name="specialityId" type="xs:token">
      <xs:annotation>
        <xs:documentation>Shorthand identification of the study speciality</
xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="specialityName" type="cdmfr:textType" minOccurs="0" />
    <xs:element name="specialityTimingInfo" type="cdmfr:timingInfoType"
minOccurs="1" />
    <xs:element name="cohabilitation" type="cdmfr:cohabilitationType" minOccurs="1"
maxOccurs="unbounded" />
    <xs:element ref="cdmfr:refProgram" minOccurs="1" maxOccurs="unbounded">
      <xs:annotation>
        <xs:documentation>Références vers les programmes faisant l'objet de cette
habilitation. Le lien se fait vers l'identifiant unique de chacun des programmes.
Plusieurs liens sont possibles pour lier l'ensemble des programmes inclus dans la même
habilitation et décrits dans la structure</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
  <xs:attribute name="specialityPurpose" type="cdmfr:fsPurposeValueSet"
use="required" />
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute name="specialityPurpose" type="cdmfr:fsPurposeValueSet"
use="required" />
</xs:complexType>
</xs:element>
<xs:element ref="cdmfr:refSpeciality" maxOccurs="unbounded" />
<xs:element name="fieldTimingInfo" type="cdmfr:timingInfoType" />
<xs:element name="fieldInfo" type="cdm:infoBlockType" />
</xs:sequence>
<xs:attribute name="fieldPurpose" type="cdmfr:fsPurposeValueSet" use="required" />
</xs:complexType>

```

Complex Type cdmfr:timingInfoType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Properties	mixed:	true			
Used by	Elements	cdmfr:fieldType/cdmfr:fieldTimingInfo, cdmfr:fieldType/cdmfr:speciality/cdmfr:specialityTimingInfo			
Model	cdmfr:openingDate{0,1} cdmfr:renewalDateDate{0,1}				
Children	cdmfr:openingDate, cdmfr:renewalDateDate				
Attributes	QName	Type	Fixed	Default	Use
	duration	xs:duration			optional
Source	<pre> <xs:complexType name="timingInfoType" mixed="true"> <xs:choice> <xs:element name="openingDate" minOccurs="0" maxOccurs="1" type="cdm:CDMdate" /> <xs:element name="renewalDateDate" minOccurs="0" maxOccurs="1" type="cdm:CDMdate" /> </xs:choice> <xs:attribute name="duration" type="xs:duration" use="optional" /> </xs:complexType> </pre>				

Complex Type cdmfr:cohabilitationType


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	.

Diagram	
Properties	mixed: true
Used by	Elements cdmfr:fieldType/cdmfr:speciality/cdmfr:cohabilitation, cdmfr:habilitationType/cdmfr:cohabilitation
Model	cdmfr:exists , cdmfr:listOfOrgUnit
Children	cdmfr:exists, cdmfr:listOfOrgUnit
Source	<pre> <xs:complexType name="cohabilitationType" mixed="true"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="exists" type="xs:boolean" minOccurs="1" maxOccurs="1"/> <xs:element name="listOfOrgUnit"> <xs:complexType> <xs:sequence> <xs:element name="habOrgUnit" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="cdm:infoBlock" minOccurs="0"/> <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="1"/> <xs:element name="primaryDomainName" type="cdmfr:domainNameValueSet"/> <xs:element name="otherDomainName" minOccurs="0" maxOccurs="unbounded" type="cdmfr:domainNameValueSet"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> <xs:attribute name="cohabilitationRole" type="cdmfr:habiliRoleValueSet"/> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>

Complex Type cdmfr:habiliStatusValueType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Status of the habilitation process

Diagram



Type	extension of infoBlockType				
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> cdmfr:habiliStatusValueType 				
Properties	mixed: true				
Used by	Element cdmfr:habilitationType/cdmfr:habiliRequest/cdmfr:habilistatus				
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	blockLang	xs:language			optional
	habiliStatusValue	cdmfr:habiliStatusValueSet			optional
	userDefined	xs:token			optional
Source	<pre> <xs:complexType name="habiliStatusValueType" mixed="true"> <xs:annotation> <xs:documentation>Status of the habilitation process</xs:documentation> </xs:annotation> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="habiliStatusValue" type="cdmfr:habiliStatusValueSet" use="optional" /> </xs:extension> </xs:complexContent> </xs:complexType> </pre>				

Complex Type cdmfr:i13nProgType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	.
Diagram	
Used by	Element cdmfr:habilitationType/cdmfr:i13nProg
Model	cdmfr:country+, cdmfr:i13ProgPartner+, cdmfr:i13ProgName, cdmfr:i13ProgInfo*
Children	cdmfr:country, cdmfr:i13ProgInfo, cdmfr:i13ProgName, cdmfr:i13ProgPartner
Source	<pre> <xs:complexType name="i13nProgType"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="country" type="cdm:textType" minOccurs="1" maxOccurs="unbounded" /> <xs:element name="i13ProgPartner" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:infoBlock" /> <xs:element ref="cdmfr:partnerName" maxOccurs="1" minOccurs="1" /> <xs:element ref="cdmfr:partnershipType" minOccurs="0" maxOccurs="unbounded" /> <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="unbounded" /> <xs:element ref="cdmfr:partnershipInfo" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="i13ProgName" type="cdm:textType" /> <xs:element name="i13ProgInfo" type="cdm:infoBlockType" minOccurs="0" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </pre>


```
</xs:sequence>
</xs:complexType>
```

Complex Type `cdmfr:courseDescriptionType`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	.
Diagram	
Properties	mixed: true
Used by	Element courseType/courseDescription
Model	cdmfr:digitalUse , cdmfr:infoBlock , cdmfr:courseContentsEC{0,1}
Children	cdmfr:courseContentsEC, cdmfr:digitalUse, cdmfr:infoBlock
Source	<pre><xs:complexType name="courseDescriptionType" mixed="true"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="digitalUse"> <xs:complexType> <xs:sequence> <xs:element name="percentage" type="xs:nonNegativeInteger"/> <xs:element name="lcms" type="cdmfr:lcmsType"/> <xs:element name="activities" type="cdmfr:activitiesType" maxOccurs="unbounded" minOccurs="0"/> <xs:element name="prodPeda"> <xs:complexType> <xs:all> <xs:element name="digitProdPercentage" type="xs:nonNegativeInteger"/> <xs:element name="digitProdUNTPercentage" type="xs:nonNegativeInteger"/> </xs:all> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="infoBlock" type="cdm:infoBlockType"/> <xs:element name="courseContentsEC" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element ref="cdmfr:refCourse" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType></pre>

Complex Type `cdmfr:lcmsType`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Diagram	
Used by	Element cdmfr:courseDescriptionType/cdmfr:digitalUse/cdmfr:lcms
Model	cdmfr:exists , cdmfr:resourceManagement , cdmfr:percentageOfUse
Children	cdmfr:exists, cdmfr:percentageOfUse, cdmfr:resourceManagement
Source	<pre><xs:complexType name="lcmsType"> <xs:sequence></pre>

```
<xs:element name="exists" type="xs:boolean"/>
<xs:element name="resourceManagement" type="cdm:infoBlockType"/>
<xs:element name="percentageOfUse" type="xs:nonNegativeInteger"/>
</xs:sequence>
</xs:complexType>
```

Complex Type `cdmfr:activitiesType`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
-----------	---

Diagram




Type	extension of infoBlockType				
Type hierarchy	<ul style="list-style-type: none"> infoBlockType <ul style="list-style-type: none"> cdmfr:activitiesType 				
Used by	Element cdmfr:courseDescriptionType/cdmfr:digitalUse/cdmfr:activities				
Model	ANY element from namespace(s) 'http://www.w3.org/1999/xhtml', header{0,1}, (bold italic p br list email webLink refOrgUnit refProgram refCourse refPerson picture), extension{0,1}, subBlock*, altLangBlock*, searchword*				
Children	altLangBlock, bold, br, email, extension, header, italic, list, p, picture, refCourse, refOrgUnit, refPerson, refProgram, searchword, subBlock, webLink				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	activitiesList	cdmfr:activitiesListValueSet			optional
	blockLang	xs:language			optional
	userDefined	xs:token			optional
Source	<pre><xs:complexType name="activitiesType"> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="activitiesList" type="cdmfr:activitiesListValueSet"/> </xs:extension> </xs:complexContent> </xs:complexType></pre>				

Complex Type cdmfr:habilitationType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Description of an habilitation.

Diagram



Used by

Element

cdmfr:habilitation

Model	cdmfr:habiliId cdmfr:legalRef+ cdmfr:field{0,1} cdmfr:licProNatName* cdmfr:otherDiploma{0,1} cdmfr:contexteEtEnjeux cdmfr:habiliRequest* cdmfr:cohabilitation* cdmfr:habiliObject+ cdmfr:partnership* cdmfr:equivalence* cdmfr:i13nProg* cdmfr:relatedPrograms* cdmfr:infoBlock				
Children	cdmfr:cohabilitation, cdmfr:contexteEtEnjeux, cdmfr:equivalence, cdmfr:field, cdmfr:habiliId, cdmfr:habiliObject, cdmfr:habiliRequest, cdmfr:i13nProg, cdmfr:infoBlock, cdmfr:legalRef, cdmfr:licProNatName, cdmfr:otherDiploma, cdmfr:partnership, cdmfr:relatedPrograms				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	Organization	cdmfr:organizationValueSet			optional
	diplomaType	cdmfr:diplomaTypeValueSet			optional
	id	xs:ID			optional
	ident	xs:token			optional
	language	xs:language			optional
Source	<pre> <xs:complexType name="habilitationType"> <xs:annotation> <xs:documentation>Description of an habilitation.</xs:documentation> </xs:annotation> <xs:choice maxOccurs="unbounded"> <xs:element name="habiliId" type="xs:token" minOccurs="1" maxOccurs="1"> <xs:annotation> <xs:documentation>Numéro d'habilitation construit avec les règles d'usage et fourni par l'établissement puis conservé de façon définitive par le ministère.
La construction proposée pour l'identifiant se fait à partir d'éléments internationaux, nationaux et locaux afin de s'assurer de l'unicité de l'identifiant en vue d'une fusion des informations dans un portail national ou européen. L'enchaînement proposé est le suivant :
CodeISOPays(1)TypeCodeInstitution(2) CodeInstitution(3) FamilleDonnées(4) IdentifiantLocal(5) 1. Code du pays ISO 3166-1 : standard international désignant chaque pays par un code à deux lettres (FR pour la France) 2. Type de code institution : nom du code dans lequel est identifiée l'institution (pour les établissements dépendant du MESR le code UAI est utilisé, pour les autres établissements le code SIRET peut être utilisé) 3. Code institution : chaîne de caractères désignant l'institution dans le codage choisi 4. Famille de données : famille de CDMFR à laquelle appartient l'information OU (orgUnit) : entité administrative ou organisationnelle HA (habilitation) CO (course) : unité d'enseignement PR (program) : formation PE (person) : personne LH (ltheoAdds) : ajouts de compatibilité avec LHÉO 5. Identifiant local : identifiant unique des données au sein du système d'information de l'établissement 6. Pour les spécialités ajouter SP suivi du numéro d'ordre de la spécialité dans l'offre de l'établissement support </xs:documentation> </xs:annotation> </xs:element> <xs:element name="legalRef" type="cdm:infoBlockType" minOccurs="1" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Ce champ présente les références des textes légaux de définition de la formation considérée. L'information de ce champ est fournie par la DGESIP et ne doit pas être modifiée par l'établissement. Lors du dépôt initial pour les champs obligatoires l'établissement doit fournir les valeurs correspondant à ses souhaits, les informations seront traitées et modifiées lors de l'examen du dossier. Ces informations n'apparaissent que lorsque des décisions sont expressément fournies sur la durée et les des dates.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="field" type="cdmfr:fieldType" minOccurs="0" maxOccurs="1"> <xs:annotation> <xs:documentation>Description de la mention habilitée, la cardinalité vaut [0,n] car les licences Pro n'ont pas de spécialité.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="licProNatName" minOccurs="0" maxOccurs="unbounded"> </pre>				

```

<xs:annotation>
  <xs:documentation>.</xs:documentation>
</xs:annotation>
<xs:complexType>
  <xs:sequence>
    <xs:element name="Name" type="cdmfr:licProNatNameValueSet" />
    <xs:element name="sectAct" type="cdmfr:licProSectActValueSet" />
    <xs:element name="composante" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element ref="cdmfr:refOrgUnit" />
          <xs:element name="compName" type="cdm:textType" />
        </xs:sequence>
        <xs:attribute name="typeCompLicPro" type="cdmfr:typeCompLicProValueSet" />
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="otherDiploma" minOccurs="0">
  <xs:annotation>
    <xs:documentation>.</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="name" type="cdmfr:textType" minOccurs="1" />
      <xs:element name="otherDiplomaInfo" type="cdm:infoBlockType" minOccurs="0" />
      <xs:element ref="cdmfr:refOrgUnit" minOccurs="0" />
      <xs:element ref="cdmfr:refProgram" minOccurs="0" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="contexteEtEnjeux">
  <xs:annotation>
    <xs:documentation>Présentation du contexte et des enjeux de la formation soumise à
l'habilitation.</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="contexteEtEnjeuxInfo" type="cdm:infoBlockType" minOccurs="1" />
      <xs:element ref="cdmfr:webLink" minOccurs="0" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="habiliRequest" minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>.</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="habiliTiming" minOccurs="1" maxOccurs="1">
        <xs:complexType>
          <xs:sequence>
            <xs:choice>
              <xs:element name="habiliCreatDate" type="cdm:CDMdate" maxOccurs="1"
minOccurs="1" />
              <xs:element name="habiliRenewDate" type="cdm:CDMdate" minOccurs="0"
maxOccurs="unbounded" />
            </xs:choice>
            <xs:element name="habiliOpeningWhishDate" type="cdm:CDMdate" maxOccurs="1"
minOccurs="1" />
            <xs:element name="habiliWishDuration" type="xs:duration" minOccurs="1"
maxOccurs="1" />
            <xs:element name="habiliValidDuration" type="xs:duration" maxOccurs="1"
minOccurs="1" />
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="habiliStatus" maxOccurs="1" minOccurs="1"
type="cdmfr:habiliStatusValueType" />
      <xs:element name="habiliReqType" maxOccurs="1" minOccurs="1"
type="cdmfr:habiliReqTypeValueSet" />
      <xs:element name="habiliReqDates" minOccurs="0">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="dateCS" type="cdm:CDMdate" minOccurs="0" />
            <xs:element name="dateCA" type="cdm:CDMdate" minOccurs="0" />
            <xs:element name="dateCEVU" type="cdm:CDMdate" minOccurs="0" />
            <xs:element name="dateCNESR" type="cdm:CDMdate" minOccurs="0" />
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>

```

```

    </xs:complexType>
  </xs:element>
  <xs:element name="cohabilitation" type="cdmfr:cohabilitationType"
maxOccurs="unbounded" minOccurs="0"/>
  <xs:element name="habiliObject" minOccurs="1" maxOccurs="unbounded">
    <xs:annotation>
      <xs:documentation>Formation(s) concernées par cette habilitation.</
xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="cdmfr:refProgram" minOccurs="1" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="partnership" minOccurs="0" maxOccurs="unbounded">
    <xs:annotation>
      <xs:documentation>Partenariats nationaux autres qu'une cohabilitation.</
xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="cdmfr:partnerName" maxOccurs="1" minOccurs="1"/>
        <xs:element ref="cdmfr:partnershipType" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element ref="cdmfr:partnershipInfo" minOccurs="0"/>
        <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="unbounded"/>
        <xs:element name="training" minOccurs="0" maxOccurs="unbounded">
          <xs:complexType>
            <xs:sequence>
              <xs:element name="trainingOrganization">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element name="learningTrainingOrg" type="cdm:infoBlockType"
minOccurs="0" maxOccurs="unbounded"/>
                    <xs:element name="organization" type="cdm:infoBlockType"
minOccurs="0" maxOccurs="unbounded"/>
                    <xs:element name="admRules" type="cdm:infoBlockType" minOccurs="0"
maxOccurs="unbounded"/>
                    <xs:element name="acadFrame" type="cdm:infoBlockType" minOccurs="0"
maxOccurs="unbounded"/>
                    <xs:element name="defense" type="cdm:infoBlockType" minOccurs="0"
maxOccurs="unbounded"/>
                    <xs:element name="trainingOrganisationInfo" minOccurs="0"
maxOccurs="unbounded"/>
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
              <xs:element name="trainingStrategy" type="cdm:infoBlockType" minOccurs="0"
maxOccurs="unbounded"/>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="equivalence" minOccurs="0" maxOccurs="unbounded">
    <xs:annotation>
      <xs:documentation>Description des règles d'équivalence.</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element name="equivRefReg" type="cdmfr:textType"/>
        <xs:element ref="cdmfr:refOrgUnit" minOccurs="1" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="i13nProg" type="cdmfr:i13nProgType" maxOccurs="unbounded"
minOccurs="0">
    <xs:annotation>
      <xs:documentation>.</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:element name="relatedPrograms" maxOccurs="unbounded" minOccurs="0">
    <xs:annotation>
      <xs:documentation>.</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="cdmfr:refOrgUnit" maxOccurs="unbounded" minOccurs="1"/>
        <xs:element ref="cdmfr:refProgram" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="relationInfo" type="cdm:infoBlockType" minOccurs="0"/>
      </xs:sequence>
    </xs:complexType>

```



```

</xs:element>
<xs:element name="infoBlock" type="cdm:infoBlockType"/>
</xs:choice>
<xs:attribute name="diplomaType" type="cdmfr:diplomaTypeValueSet"/>
<xs:attribute name="Organization" type="cdmfr:organizationValueSet"/>
<xs:attribute name="id" type="xs:ID" use="optional"/>
<xs:attribute name="ident" type="xs:token" use="optional"/>
<xs:attribute name="language" type="xs:language" use="optional"/>
<!-- 2.1: added xs:anyAttribute to permit use of xml:lang -->
<xs:anyAttribute/>
</xs:complexType>
    
```

Complex Type cdmfr:lheoAddsType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Addendums from LHEO standard.				
Diagram					
Used by	Element	cdmfr:lheoAdds			
Model	ALL(cdmfr:SIRET)				
Children	cdmfr:SIRET				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	id	xs:ID			optional
	ident	xs:token			optional
	language	xs:language			optional
Source	<pre> <xs:complexType name="lheoAddsType"> <xs:annotation> <xs:documentation>Addendums from LHEO standard.</xs:documentation> </xs:annotation> <xs:all> <xs:element name="SIRET" type="lheo:SIRET-type"/> </xs:all> <xs:attribute name="id" type="xs:ID" use="optional"/> <xs:attribute name="ident" type="xs:token" use="optional"/> <xs:attribute name="language" type="xs:language" use="optional"/> <!-- 2.1: added xs:anyAttribute to permit use of xml:lang --> <xs:anyAttribute/> </xs:complexType> </pre>				

Complex Type cdmfr:admDescType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Model	cdmfr:infoBlock				
Children	cdmfr:infoBlock				

Attributes	QName	Type	Fixed	Default	Use
	equiv	cdmfr:equiValueSet			optional

Source

```
<xs:complexType name="admDescType">
  <xs:sequence>
    <xs:element name="infoBlock" type="cdm:infoBlockType"/>
  </xs:sequence>
  <xs:attribute name="equiv" type="cdmfr:equiValueSet" use="optional"/>
</xs:complexType>
```

Complex Type cdmfr:globalVolumeType

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Diagram					
Type	extension of xs:nonNegativeInteger				
Used by	Element	cdmfr:credits/cdmfr:globalVolume			
Attributes	QName	Type	Fixed	Default	Use
	coeff	xs:nonNegativeInteger			optional
	teachingtype	cdmfr:teachingTypeValueSet			optional
Source	<pre><xs:complexType name="globalVolumeType"> <xs:simpleContent> <xs:extension base="xs:nonNegativeInteger"> <xs:attribute name="teachingtype" type="cdmfr:teachingTypeValueSet"/> <xs:attribute name="coeff" type="xs:nonNegativeInteger"/> </xs:extension> </xs:simpleContent> </xs:complexType></pre>				

Complex Type cdmfr:CDMlocation

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Location given by room and/or building and/or text				
Diagram					
Used by	Element	teachingPlace			
Model	cdmfr:refOrgUnit , adr{0,1} , infoBlock{0,1}				
Children	adr, cdmfr:refOrgUnit, infoBlock				

Attributes	QName	Type	Fixed	Default	Use
		building	xs:token		
	room	xs:token			optional

Source	<pre> <xs:complexType name="CDMlocation"> <xs:annotation> <xs:documentation>Location given by room and/or building and/or text</ </xs:annotation> <xs:sequence> <xs:element ref="cdmfr:refOrgUnit"/> <xs:element ref="cdm:adr" minOccurs="0"/> <xs:element ref="cdm:infoBlock" minOccurs="0"/> </xs:sequence> <xs:attribute name="room" type="xs:token" use="optional"/> <xs:attribute name="building" type="xs:token" use="optional"/> </xs:complexType> </pre>
--------	---

Complex Type `cdmfr:examType`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Exam information
Diagram	
Used by	Elements <code>cdmfr:examType/cdmfr:examStructure/cdmfr:examParts</code> , <code>courseType/exam</code>

Model	cdmfr:examName{0,1} , cdmfr:examKind{0,1} , registrationDeadline{0,1} , cancelDeadline{0,1} , evaluationDeadline{0,1} , examStart{0,1} , examEnd{0,1} , cdmfr:examDuration{0,1} , examLocation{0,1} , contacts{0,1} , infoBlock{0,1} , cdmfr:examStructure{0,1} , cdmfr:certifCompetence{0,1}
Children	cancelDeadline, cdmfr:certifCompetence, cdmfr:examDuration, cdmfr:examKind, cdmfr:examName, cdmfr:examStructure, contacts, evaluationDeadline, examEnd, examLocation, examStart, infoBlock, registrationDeadline
Source	<pre> <xs:complexType name="examType"> <xs:annotation> <xs:documentation>Exam information</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="examName" type="cdm:textType" minOccurs="0"> <xs:annotation> <xs:documentation>Name of the exam</xs:documentation> </xs:annotation> </xs:element> <xs:element name="examKind" minOccurs="0"> <xs:annotation> <xs:documentation>Type of assessment: e.g. oral examination, written examination, oral presentation, test, paper, portfolio, thesis, report about an internship, report on fieldwork, continuous assessment. Kind of exam: e.g. ordinary, extraordinary examination.</xs:documentation> </xs:annotation> <xs:complexType mixed="true"> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="examKind" type="cdm:examKindValueType" use="optional"/> <xs:attribute name="examForm" type="cdm:examFormValueType" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> <xs:element ref="cdm:registrationDeadline" minOccurs="0"/> <xs:element ref="cdm:cancelDeadline" minOccurs="0"/> <xs:element ref="cdm:evaluationDeadline" minOccurs="0"/> <xs:element ref="cdm:examStart" minOccurs="0"/> <xs:element ref="cdm:examEnd" minOccurs="0"/> <xs:element name="examDuration" minOccurs="0"> <xs:annotation> <xs:documentation>Duration of the exam.</xs:documentation> </xs:annotation> <xs:complexType mixed="true"> <xs:complexContent mixed="true"> <xs:extension base="cdm:infoBlockType"> <xs:attribute name="duration" type="xs:duration" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> <xs:element ref="cdm:examLocation" minOccurs="0"/> <xs:element ref="cdm:contacts" minOccurs="0"/> <xs:element ref="cdm:infoBlock" minOccurs="0"/> <xs:element name="examStructure" minOccurs="0"> <xs:annotation> <xs:documentation>Exam part structure</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="partStructure" type="cdm:infoBlockType" minOccurs="0"> <xs:annotation> <xs:documentation>Description of relationships between the exam parts</xs:documentation> </xs:annotation> </xs:element> <xs:element name="examParts" type="cdmfr:examType" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>List of exam parts</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> <xs:attribute name="examPartStructure" type="cdm:partStructureValueType" use="optional"/> </xs:complexType> </xs:element> <xs:element name="certifCompetence" minOccurs="0"> <xs:complexType> <xs:all> <xs:element name="compEval" type="xs:boolean"/> </xs:all> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>

```
<xs:attribute name="certifName" type="xs:string" />
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
```

Simple Type(s)

Simple Type `cdmfr:corpsValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema										
Annotations	Enumeration set of values for equivalences										
Diagram											
Type	restriction of xs:token										
Facets	<table border="1"> <tr><td>enumeration</td><td>PUPH</td></tr> <tr><td>enumeration</td><td>PU</td></tr> <tr><td>enumeration</td><td>MCF</td></tr> <tr><td>enumeration</td><td>ATER</td></tr> <tr><td>enumeration</td><td>Mon</td></tr> </table>	enumeration	PUPH	enumeration	PU	enumeration	MCF	enumeration	ATER	enumeration	Mon
enumeration	PUPH										
enumeration	PU										
enumeration	MCF										
enumeration	ATER										
enumeration	Mon										
Used by	Attribute <code>cdmfr:title/@corps</code>										
Source	<pre><xs:simpleType name="corpsValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for equivalences</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="PUPH" /> <xs:enumeration value="PU" /> <xs:enumeration value="MCF" /> <xs:enumeration value="ATER" /> <xs:enumeration value="Mon" /> </xs:restriction> </xs:simpleType></pre>										

Simple Type `cdmfr:fieldNameValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	liste des noms de domaine contrôlée.				
Diagram					
Type	restriction of xs:token				
Facets	<table border="1"> <tr><td>enumeration</td><td>domaine1</td></tr> <tr><td>enumeration</td><td>domaine2</td></tr> </table>	enumeration	domaine1	enumeration	domaine2
enumeration	domaine1				
enumeration	domaine2				
Used by	Element <code>cdmfr:fieldType/cdmfr:fieldName/cdmfr:controlled</code>				
Source	<pre><xs:simpleType name="fieldNameValueSet"> <xs:annotation> <xs:documentation>liste des noms de domaine contrôlée.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="domaine1" /> <xs:enumeration value="domaine2" /> </xs:restriction> </xs:simpleType></pre>				

Simple Type `cdmfr:domainNameValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	liste des noms de domaine peut-être transformée en liste

	ouverte.						
Diagram							
Type	restriction of xs:token						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>SVS</td> </tr> <tr> <td>enumeration</td> <td>SHS</td> </tr> <tr> <td>enumeration</td> <td>recherche et professionnel</td> </tr> </table>	enumeration	SVS	enumeration	SHS	enumeration	recherche et professionnel
enumeration	SVS						
enumeration	SHS						
enumeration	recherche et professionnel						
Used by	Elements cdmfr:cohabilitationType/cdmfr:listOfOrgUnit/cdmfr:habOrgUnit/cdmfr:otherDomainName, cdmfr:cohabilitationType/cdmfr:listOfOrgUnit/cdmfr:habOrgUnit/ cdmfr:primaryDomainName						
Source	<pre><xs:simpleType name="domainNameValueSet"> <xs:annotation> <xs:documentation>liste des noms de domaine peut-être transformée en liste ouverte.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="Arts, Lettres, Langues"/> <xs:enumeration value="Droit, Economie, Gestion"/> <xs:enumeration value="Sciences Humaines et Sociales"/> <xs:enumeration value="Sciences, Technologies, Santé"/> <xs:enumeration value="Sciences et techniques des activités physiques et sportives"/> <xs:enumeration value="recherche et professionnel"/> </xs:restriction> </xs:simpleType></pre>						

Simple Type cdmfr:habiliRoleValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	liste des rôles d'un établissement.				
Diagram					
Type	restriction of xs:token				
Facets	<table border="1"> <tr> <td>enumeration</td> <td>support</td> </tr> <tr> <td>enumeration</td> <td>cohabilité</td> </tr> </table>	enumeration	support	enumeration	cohabilité
enumeration	support				
enumeration	cohabilité				
Used by	Attribute cdmfr:cohabilitationType/cdmfr:listOfOrgUnit/@cohabilitationRole				
Source	<pre><xs:simpleType name="habiliRoleValueSet"> <xs:annotation> <xs:documentation>liste des rôles d'un établissement.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="support"/> <xs:enumeration value="cohabilité"/> </xs:restriction> </xs:simpleType></pre>				

Simple Type cdmfr:fsPurposeValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	finalité de la formation.				
Diagram					
Type	restriction of xs:token				
Facets	<table border="1"> <tr> <td>enumeration</td> <td>recherche</td> </tr> <tr> <td>enumeration</td> <td>professionnel</td> </tr> </table>	enumeration	recherche	enumeration	professionnel
enumeration	recherche				
enumeration	professionnel				

	enumeration	recherche et professionnel
Used by	Attributes	cdmfr:fieldType/@fieldPurpose, cdmfr:fieldType/cdmfr:speciality/@specialityPurpose
Source	<pre><xs:simpleType name="fsPurposeValueSet"> <xs:annotation> <xs:documentation>finalité de la formation.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="recherche"/> <xs:enumeration value="professionnel"/> <xs:enumeration value="recherche et professionnel"/> </xs:restriction> </xs:simpleType></pre>	

Simple Type cdmfr:habiliStatusValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema	
Annotations	.	
Diagram		
Type	restriction of xs:token	
Facets	enumeration	habilité
	enumeration	non habilité
	enumeration	en cours d'habilitation
Used by	Attribute	cdmfr:habiliStatusValueType/@habiliStatusValue
Source	<pre><xs:simpleType name="habiliStatusValueSet"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="habilité"/> <xs:enumeration value="non habilité"/> <xs:enumeration value="en cours d'habilitation"/> </xs:restriction> </xs:simpleType></pre>	

Simple Type cdmfr:partnershipValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema	
Annotations	Liste des types de partenariats	
Diagram		
Type	restriction of xs:token	
Facets	enumeration	académique
	enumeration	professionnel
	enumeration	national
	enumeration	international
Used by	Element	cdmfr:partnershipType
Source	<pre><xs:simpleType name="partnershipValueSet"> <xs:annotation> <xs:documentation>Liste des types de partenariats</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="académique"/> <xs:enumeration value="professionnel"/> <xs:enumeration value="national"/> <xs:enumeration value="international"/> </xs:restriction> </xs:simpleType></pre>	

</xs:simpleType>

Simple Type `cdmfr:diplomaAgreementValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Annotations	Liste des accords de diplomation entre établissements						
Diagram							
Type	restriction of xs:token						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>bidiplomation</td> </tr> <tr> <td>enumeration</td> <td>diplômes conjoints</td> </tr> <tr> <td>enumeration</td> <td>diplômes séparés</td> </tr> </table>	enumeration	bidiplomation	enumeration	diplômes conjoints	enumeration	diplômes séparés
enumeration	bidiplomation						
enumeration	diplômes conjoints						
enumeration	diplômes séparés						
Used by	Attribute <code>cdmfr:partnershipInfo/cdmfr:diploma/@agreement</code>						
Source	<pre><xs:simpleType name="diplomaAgreementValueSet"> <xs:annotation> <xs:documentation>Liste des accords de diplomation entre établissements</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="bidiplomation"/> <xs:enumeration value="diplômes conjoints"/> <xs:enumeration value="diplômes séparés"/> </xs:restriction> </xs:simpleType></pre>						

Simple Type `cdmfr:activitiesListValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema												
Annotations	Enumeration set of values forLMS activities.												
Diagram													
Type	restriction of xs:token												
Facets	<table border="1"> <tr> <td>enumeration</td> <td>student productions dropping</td> </tr> <tr> <td>enumeration</td> <td>pedagogical forums</td> </tr> <tr> <td>enumeration</td> <td>distance classroom</td> </tr> <tr> <td>enumeration</td> <td>digital networks</td> </tr> <tr> <td>enumeration</td> <td>mcq</td> </tr> <tr> <td>enumeration</td> <td>other</td> </tr> </table>	enumeration	student productions dropping	enumeration	pedagogical forums	enumeration	distance classroom	enumeration	digital networks	enumeration	mcq	enumeration	other
enumeration	student productions dropping												
enumeration	pedagogical forums												
enumeration	distance classroom												
enumeration	digital networks												
enumeration	mcq												
enumeration	other												
Used by	Attribute <code>cdmfr:activitiesType/@activitiesList</code>												
Source	<pre><xs:simpleType name="activitiesListValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values forLMS activities.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="student productions dropping"/> <xs:enumeration value="pedagogical forums"/> <xs:enumeration value="distance classroom"/> <xs:enumeration value="digital networks"/> <xs:enumeration value="mcq"/> <xs:enumeration value="other"/> </xs:restriction> </xs:simpleType></pre>												

Simple Type `cdmfr:licProNatNameValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	liste des noms de licence Pro.

Diagram					
Type	restriction of xs:token				
Facets	<table border="1"> <tr> <td>enumeration</td> <td>nom1</td> </tr> <tr> <td>enumeration</td> <td>nom2</td> </tr> </table>	enumeration	nom1	enumeration	nom2
enumeration	nom1				
enumeration	nom2				
Used by	Element cdmfr:habilitationType/cdmfr:licProNatName/cdmfr:Name				
Source	<pre><xs:simpleType name="licProNatNameValueSet"> <xs:annotation> <xs:documentation>liste des noms de licence Pro.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="nom1"/> <xs:enumeration value="nom2"/> </xs:restriction> </xs:simpleType></pre>				

Simple Type cdmfr:licProSectActValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	liste des secteurs de licence Pro.				
Diagram					
Type	restriction of xs:token				
Facets	<table border="1"> <tr> <td>enumeration</td> <td>sect1</td> </tr> <tr> <td>enumeration</td> <td>sect2</td> </tr> </table>	enumeration	sect1	enumeration	sect2
enumeration	sect1				
enumeration	sect2				
Used by	Element cdmfr:habilitationType/cdmfr:licProNatName/cdmfr:sectAct				
Source	<pre><xs:simpleType name="licProSectActValueSet"> <xs:annotation> <xs:documentation>liste des secteurs de licence Pro.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="sect1"/> <xs:enumeration value="sect2"/> </xs:restriction> </xs:simpleType></pre>				

Simple Type cdmfr:typeCompLicProValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Liste des types de composantes d'une licence pro				
Diagram					
Type	restriction of xs:token				
Facets	<table border="1"> <tr> <td>enumeration</td> <td>associée</td> </tr> <tr> <td>enumeration</td> <td>principale</td> </tr> </table>	enumeration	associée	enumeration	principale
enumeration	associée				
enumeration	principale				
Used by	Attribute cdmfr:habilitationType/cdmfr:licProNatName/cdmfr:composante/@typeCompLicPro				
Source	<pre><xs:simpleType name="typeCompLicProValueSet"> <xs:annotation> <xs:documentation>Liste des types de composantes d'une licence pro</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="associée"/> <xs:enumeration value="principale"/> </xs:restriction> </xs:simpleType></pre>				

Simple Type `cdmfr:habiliReqTypeValueSet`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema								
Annotations	.								
Diagram									
Type	restriction of xs:token								
Facets	<table border="1"> <tr> <td>enumeration</td> <td>renouvellement</td> </tr> <tr> <td>enumeration</td> <td>création ex nihilo</td> </tr> <tr> <td>enumeration</td> <td>fusion</td> </tr> <tr> <td>enumeration</td> <td>restructuration</td> </tr> </table>	enumeration	renouvellement	enumeration	création ex nihilo	enumeration	fusion	enumeration	restructuration
enumeration	renouvellement								
enumeration	création ex nihilo								
enumeration	fusion								
enumeration	restructuration								
Used by	Element <code>cdmfr:habilitationType/cdmfr:habiliRequest/cdmfr:habiliReqType</code>								
Source	<pre><xs:simpleType name="habiliReqTypeValueSet"> <xs:annotation> <xs:documentation>.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="renouvellement"/> <xs:enumeration value="création ex nihilo"/> <xs:enumeration value="fusion"/> <xs:enumeration value="restructuration"/> </xs:restriction> </xs:simpleType></pre>								

Simple Type `cdmfr:diplomaTypeValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema								
Annotations	Liste des types de partenariats								
Diagram									
Type	restriction of xs:token								
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Lpro</td> </tr> <tr> <td>enumeration</td> <td>L</td> </tr> <tr> <td>enumeration</td> <td>M</td> </tr> <tr> <td>enumeration</td> <td>autre</td> </tr> </table>	enumeration	Lpro	enumeration	L	enumeration	M	enumeration	autre
enumeration	Lpro								
enumeration	L								
enumeration	M								
enumeration	autre								
Used by	Attribute <code>cdmfr:habilitationType/@diplomaType</code>								
Source	<pre><xs:simpleType name="diplomaTypeValueSet"> <xs:annotation> <xs:documentation>Liste des types de partenariats</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="Lpro"/> <xs:enumeration value="L"/> <xs:enumeration value="M"/> <xs:enumeration value="autre"/> </xs:restriction> </xs:simpleType></pre>								

Simple Type `cdmfr:organizationValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Liste des types de partenariats
Diagram	

Type	restriction of xs:token
Facets	enumeration 1/23
	enumeration 12/3
	enumeration 123
	enumeration 12
	enumeration 1/2
Used by	Attribute cdmfr:habilitationType/@Organization
Source	<pre><xs:simpleType name="organizationValueSet"> <xs:annotation> <xs:documentation>Liste des types de partenariats</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="1/23"/> <xs:enumeration value="12/3"/> <xs:enumeration value="123"/> <xs:enumeration value="12"/> <xs:enumeration value="1/2"/> </xs:restriction> </xs:simpleType></pre>

Simple Type cdmfr:equiValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Enumeration set of values for equivalences.
Diagram	
Type	restriction of xs:token
Facets	enumeration VAE
	enumeration VAP
	enumeration VES
Used by	Attribute cdmfr:admDescType/@equiv
Source	<pre><xs:simpleType name="equiValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for equivalences.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="VAE"/> <xs:enumeration value="VAP"/> <xs:enumeration value="VES"/> </xs:restriction> </xs:simpleType></pre>

Simple Type cdmfr:teachingTypeValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Liste des accords de diplomation entre établissements
Diagram	
Type	restriction of xs:token
Facets	enumeration CM
	enumeration TD
	enumeration TP
	enumeration trainingWeeks
	enumeration ProfesTraining
	enumeration homeWork

	enumeration	all
Used by	Attributes	cdmfr:globalVolumeType/@teachingtype, cdmfr:programDescription/cdmfr:globalVolume/@teachingType
Source	<pre><xs:simpleType name="teachingTypeValueSet"> <xs:annotation> <xs:documentation>Liste des accords de diplomation entre établissements</ xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="CM"/> <xs:enumeration value="TD"/> <xs:enumeration value="TP"/> <xs:enumeration value="trainingWeeks"/> <xs:enumeration value="ProfessTraining"/> <xs:enumeration value="homeWork"/> <xs:enumeration value="all"/> </xs:restriction> </xs:simpleType></pre>	

Simple Type cdmfr:secondNameValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema	
Annotations	Enumeration set of values for secondary names of the orgUnit.	
Diagram		
Type	restriction of xs:token	
Facets	enumeration	patronyme
	enumeration	nom courant
Used by	Attribute	cdmfr:orgUnitSecondName/@secondNameNature
Source	<pre><xs:simpleType name="secondNameValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for secondary names of the orgUnit.</ xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="patronyme"/> <xs:enumeration value="nom courant"/> </xs:restriction> </xs:simpleType></pre>	

Simple Type cdmfr:orgUnitCodeValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema	
Annotations	Enumeration set of values for orgUnitCode (national codesets in France).	
Diagram		
Type	restriction of xs:token	
Facets	enumeration	codeUAI
	enumeration	codeRNE
	enumeration	codeEtablissement
Source	<pre><xs:simpleType name="orgUnitCodeValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for orgUnitCode (national codesets in France).</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="codeUAI"/> <xs:enumeration value="codeRNE"/> <xs:enumeration value="codeEtablissement"/> </xs:restriction> </xs:simpleType></pre>	

```
</xs:restriction>
</xs:simpleType>
```

Simple Type `cdmfr:orgUnitKindValueType`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema																										
Annotations	Enumeration set of values for orgUnitKind (university, high school etc)																										
Diagram																											
Type	restriction of xs:token																										
Facets	<table border="1"> <tr><td>enumeration</td><td>université</td></tr> <tr><td>enumeration</td><td>IEP</td></tr> <tr><td>enumeration</td><td>UFR</td></tr> <tr><td>enumeration</td><td>ecole</td></tr> <tr><td>enumeration</td><td>ecoleIngenieur</td></tr> <tr><td>enumeration</td><td>IUT</td></tr> <tr><td>enumeration</td><td>IUFM</td></tr> <tr><td>enumeration</td><td>institut</td></tr> <tr><td>enumeration</td><td>conservatoire</td></tr> <tr><td>enumeration</td><td>INSA</td></tr> <tr><td>enumeration</td><td>INP</td></tr> <tr><td>enumeration</td><td>departement</td></tr> <tr><td>enumeration</td><td>ENS</td></tr> </table>	enumeration	université	enumeration	IEP	enumeration	UFR	enumeration	ecole	enumeration	ecoleIngenieur	enumeration	IUT	enumeration	IUFM	enumeration	institut	enumeration	conservatoire	enumeration	INSA	enumeration	INP	enumeration	departement	enumeration	ENS
enumeration	université																										
enumeration	IEP																										
enumeration	UFR																										
enumeration	ecole																										
enumeration	ecoleIngenieur																										
enumeration	IUT																										
enumeration	IUFM																										
enumeration	institut																										
enumeration	conservatoire																										
enumeration	INSA																										
enumeration	INP																										
enumeration	departement																										
enumeration	ENS																										
Source	<pre><xs:simpleType name="orgUnitKindValueType"> <xs:annotation> <xs:documentation>Enumeration set of values for orgUnitKind (university, high school etc)</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="université"/> <xs:enumeration value="IEP"/> <xs:enumeration value="UFR"/> <xs:enumeration value="ecole"/> <xs:enumeration value="ecoleIngenieur"/> <xs:enumeration value="IUT"/> <xs:enumeration value="IUFM"/> <xs:enumeration value="institut"/> <xs:enumeration value="conservatoire"/> <xs:enumeration value="INSA"/> <xs:enumeration value="INP"/> <xs:enumeration value="departement"/> <xs:enumeration value="ENS"/> </xs:restriction> </xs:simpleType></pre>																										

Simple Type `cdmfr:respBodyValueType`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema								
Annotations	Enumeration set of values for respBody								
Diagram									
Type	restriction of xs:token								
Facets	<table border="1"> <tr><td>enumeration</td><td>publicSuperieur</td></tr> <tr><td>enumeration</td><td>publicAgriculture</td></tr> <tr><td>enumeration</td><td>publicIndustrie</td></tr> <tr><td>enumeration</td><td>publicAffaires Sociales</td></tr> </table>	enumeration	publicSuperieur	enumeration	publicAgriculture	enumeration	publicIndustrie	enumeration	publicAffaires Sociales
enumeration	publicSuperieur								
enumeration	publicAgriculture								
enumeration	publicIndustrie								
enumeration	publicAffaires Sociales								

	enumeration publicDefense
	enumeration publicCulture
	enumeration prive
Source	<pre><xs:simpleType name="respBodyValueType"> <xs:annotation> <xs:documentation>Enumeration set of values for respBody</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="publicSuperieur"/> <xs:enumeration value="publicAgriculture"/> <xs:enumeration value="publicIndustrie"/> <xs:enumeration value="publicAffairesSociales"/> <xs:enumeration value="publicDefense"/> <xs:enumeration value="publicCulture"/> <xs:enumeration value="prive"/> </xs:restriction> </xs:simpleType></pre>

Simple Type cdmfr:diplomaValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Annotations	Enumeration set of values for diplomas structures.						
Diagram							
Type	restriction of xs:token						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>bidiplomation</td> </tr> <tr> <td>enumeration</td> <td>diplomes conjoints</td> </tr> <tr> <td>enumeration</td> <td>diplomes separes</td> </tr> </table>	enumeration	bidiplomation	enumeration	diplomes conjoints	enumeration	diplomes separes
enumeration	bidiplomation						
enumeration	diplomes conjoints						
enumeration	diplomes separes						
Source	<pre><xs:simpleType name="diplomaValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for diplomas structures.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="bidiplomation"/> <xs:enumeration value="diplomes conjoints"/> <xs:enumeration value="diplomes separes"/> </xs:restriction> </xs:simpleType></pre>						

Simple Type cdmfr:fieldCodeValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema		
Annotations	peut-être transformée en liste ouverte.		
Diagram			
Type	restriction of xs:token		
Facets	<table border="1"> <tr> <td>enumeration</td> <td>code1</td> </tr> </table>	enumeration	code1
enumeration	code1		
Source	<pre><xs:simpleType name="fieldCodeValueSet"> <xs:annotation> <xs:documentation>peut-être transformée en liste ouverte.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="code1"/> </xs:restriction> </xs:simpleType></pre>		

Simple Type cdmfr:programCodeValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema
Annotations	Enumeration set of values for programCode numerical


	values.														
Diagram	<p>Enumeration set of values for programCode numerical values.</p> <p>Built-in derived type. The token datatype represents tokenized strings. The base type of token is normalizedString.</p>														
Type	restriction of xs:token														
Facets	<table border="1"> <tr><td>enumeration</td><td>sectDGESIP</td></tr> <tr><td>enumeration</td><td>sectDiscipSISE</td></tr> <tr><td>enumeration</td><td>codeCNIS-NSF</td></tr> <tr><td>enumeration</td><td>cite97</td></tr> <tr><td>enumeration</td><td>ERASMUS</td></tr> <tr><td>enumeration</td><td>FAP</td></tr> <tr><td>enumeration</td><td>userDefined</td></tr> </table>	enumeration	sectDGESIP	enumeration	sectDiscipSISE	enumeration	codeCNIS-NSF	enumeration	cite97	enumeration	ERASMUS	enumeration	FAP	enumeration	userDefined
enumeration	sectDGESIP														
enumeration	sectDiscipSISE														
enumeration	codeCNIS-NSF														
enumeration	cite97														
enumeration	ERASMUS														
enumeration	FAP														
enumeration	userDefined														
Used by	Attribute cdmfr:programCode/@codeSet														
Source	<pre><xs:simpleType name="programCodeValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode numerical values.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="sectDGESIP" /> <xs:enumeration value="sectDiscipSISE" /> <xs:enumeration value="codeCNIS-NSF" /> <xs:enumeration value="cite97" /> <xs:enumeration value="ERASMUS" /> <xs:enumeration value="FAP" /> <xs:enumeration value="userDefined" /> </xs:restriction> </xs:simpleType></pre>														

Simple Type cdmfr:programLibelValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema														
Annotations	Enumeration set of values for programCode textual values.														
Diagram	<p>Enumeration set of values for programCode textual values.</p> <p>Built-in derived type. The token datatype represents tokenized strings. The base type of token is normalizedString.</p>														
Type	restriction of xs:token														
Facets	<table border="1"> <tr><td>enumeration</td><td>sectDGESIP</td></tr> <tr><td>enumeration</td><td>sectDiscipSISE</td></tr> <tr><td>enumeration</td><td>codeCNIS-NSF</td></tr> <tr><td>enumeration</td><td>cite97</td></tr> <tr><td>enumeration</td><td>ERASMUS</td></tr> <tr><td>enumeration</td><td>FAP</td></tr> <tr><td>enumeration</td><td>userDefined</td></tr> </table>	enumeration	sectDGESIP	enumeration	sectDiscipSISE	enumeration	codeCNIS-NSF	enumeration	cite97	enumeration	ERASMUS	enumeration	FAP	enumeration	userDefined
enumeration	sectDGESIP														
enumeration	sectDiscipSISE														
enumeration	codeCNIS-NSF														
enumeration	cite97														
enumeration	ERASMUS														
enumeration	FAP														
enumeration	userDefined														
Used by	Attribute cdmfr:programCode/@libelSet														
Source	<pre><xs:simpleType name="programLibelValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode textual values.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="sectDGESIP" /> <xs:enumeration value="sectDiscipSISE" /> <xs:enumeration value="codeCNIS-NSF" /> <xs:enumeration value="cite97" /> <xs:enumeration value="ERASMUS" /> <xs:enumeration value="FAP" /> <xs:enumeration value="userDefined" /> </xs:restriction> </xs:simpleType></pre>														

</xs:simpleType>

Simple Type cdmfr:programNatureValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema														
Annotations	Enumeration set of values for programCode textual values.														
Diagram															
Type	restriction of xs:token														
Facets	<table border="1"> <tr><td>enumeration</td><td>année</td></tr> <tr><td>enumeration</td><td>semestre</td></tr> <tr><td>enumeration</td><td>parcours</td></tr> <tr><td>enumeration</td><td>mention</td></tr> <tr><td>enumeration</td><td>spécialité</td></tr> <tr><td>enumeration</td><td>certification</td></tr> <tr><td>enumeration</td><td>C2i</td></tr> </table>	enumeration	année	enumeration	semestre	enumeration	parcours	enumeration	mention	enumeration	spécialité	enumeration	certification	enumeration	C2i
enumeration	année														
enumeration	semestre														
enumeration	parcours														
enumeration	mention														
enumeration	spécialité														
enumeration	certification														
enumeration	C2i														
Used by	Attribute cdmfr:programDescription/@nature														
Source	<pre><xs:simpleType name="programNatureValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode textual values.</ xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="année"/> <xs:enumeration value="semestre"/> <xs:enumeration value="parcours"/> <xs:enumeration value="mention"/> <xs:enumeration value="spécialité"/> <xs:enumeration value="certification"/> <xs:enumeration value="C2i"/> </xs:restriction> </xs:simpleType></pre>														

Simple Type cdmfr:relationTypeValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema														
Annotations	Enumeration set of values for programCode textual values.														
Diagram															
Type	restriction of xs:token														
Facets	<table border="1"> <tr><td>enumeration</td><td>année</td></tr> <tr><td>enumeration</td><td>semestre</td></tr> <tr><td>enumeration</td><td>parcours</td></tr> <tr><td>enumeration</td><td>mention</td></tr> <tr><td>enumeration</td><td>spécialité</td></tr> <tr><td>enumeration</td><td>certification</td></tr> <tr><td>enumeration</td><td>C2i</td></tr> </table>	enumeration	année	enumeration	semestre	enumeration	parcours	enumeration	mention	enumeration	spécialité	enumeration	certification	enumeration	C2i
enumeration	année														
enumeration	semestre														
enumeration	parcours														
enumeration	mention														
enumeration	spécialité														
enumeration	certification														
enumeration	C2i														
Used by	Element cdmfr:programDescription/cdmfr:researchLink/cdmfr:relatedOrgUnit/cdmfr:relationType														
Source	<pre><xs:simpleType name="relationTypeValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode textual values.</ xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="année"/> </xs:restriction> </xs:simpleType></pre>														


```

<xs:enumeration value="semestre" />
<xs:enumeration value="parcours" />
<xs:enumeration value="mention" />
<xs:enumeration value="spécialité" />
<xs:enumeration value="certification" />
<xs:enumeration value="C2i" />
</xs:restriction>
</xs:simpleType>

```

Simple Type cdmfr:l11ValueValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Annotations	Enumeration set of values for programCode textual values.						
Diagram							
Type	restriction of xs:token						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>formation continue</td> </tr> <tr> <td>enumeration</td> <td>formation continue en alternance</td> </tr> <tr> <td>enumeration</td> <td>formation professionnelle</td> </tr> </table>	enumeration	formation continue	enumeration	formation continue en alternance	enumeration	formation professionnelle
enumeration	formation continue						
enumeration	formation continue en alternance						
enumeration	formation professionnelle						
Used by	Attribute cdmfr:programDescription/cdmfr:lifelongLearning/@l11Value						
Source	<pre> <xs:simpleType name="l11ValueValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode textual values.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="formation continue" /> <xs:enumeration value="formation continue en alternance" /> <xs:enumeration value="formation professionnelle" /> </xs:restriction> </xs:simpleType> </pre>						

Simple Type cdmfr:l11ContextValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema										
Annotations	Enumeration set of values for programCode textual values.										
Diagram											
Type	restriction of xs:token										
Facets	<table border="1"> <tr> <td>enumeration</td> <td>adossProf</td> </tr> <tr> <td>enumeration</td> <td>adossRech</td> </tr> <tr> <td>enumeration</td> <td>formCont</td> </tr> <tr> <td>enumeration</td> <td>formContAlt</td> </tr> <tr> <td>enumeration</td> <td>formProf</td> </tr> </table>	enumeration	adossProf	enumeration	adossRech	enumeration	formCont	enumeration	formContAlt	enumeration	formProf
enumeration	adossProf										
enumeration	adossRech										
enumeration	formCont										
enumeration	formContAlt										
enumeration	formProf										
Used by	Attribute cdmfr:programDescription/cdmfr:lifelongLearning/@l11Context										
Source	<pre> <xs:simpleType name="l11ContextValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode textual values.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="adossProf" /> <xs:enumeration value="adossRech" /> <xs:enumeration value="formCont" /> <xs:enumeration value="formContAlt" /> <xs:enumeration value="formProf" /> </xs:restriction> </xs:simpleType> </pre>										

```
</xs:restriction>
</xs:simpleType>
```

Simple Type `cdmfr:purposeValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Annotations	Enumeration set of values for programCode textual values.						
Diagram							
Type	restriction of xs:token						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>conseils de perfectionnement</td> </tr> <tr> <td>enumeration</td> <td>évaluation des enseignements par les étudiants</td> </tr> <tr> <td>enumeration</td> <td>suivi des étudiants diplômés</td> </tr> </table>	enumeration	conseils de perfectionnement	enumeration	évaluation des enseignements par les étudiants	enumeration	suivi des étudiants diplômés
enumeration	conseils de perfectionnement						
enumeration	évaluation des enseignements par les étudiants						
enumeration	suivi des étudiants diplômés						
Used by	Attribute <code>cdmfr:programDescription/cdmfr:indicators/cdmfr:fieldManagement/@purpose</code>						
Source	<pre><xs:simpleType name="purposeValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode textual values.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="conseils de perfectionnement"/> <xs:enumeration value="évaluation des enseignements par les étudiants"/> <xs:enumeration value="suivi des étudiants diplômés"/> </xs:restriction> </xs:simpleType></pre>						

Simple Type `cdmfr:degreeValueSet`


Namespace	http://cdm-fr.fr/2011/CDM-frSchema												
Annotations	Enumeration set of values for programCode textual values.												
Diagram													
Type	restriction of xs:token												
Facets	<table border="1"> <tr> <td>enumeration</td> <td>licence</td> </tr> <tr> <td>enumeration</td> <td>licencePro</td> </tr> <tr> <td>enumeration</td> <td>master</td> </tr> <tr> <td>enumeration</td> <td>phD</td> </tr> <tr> <td>enumeration</td> <td>preparation aux concours</td> </tr> <tr> <td>enumeration</td> <td>diplôme d'état</td> </tr> </table>	enumeration	licence	enumeration	licencePro	enumeration	master	enumeration	phD	enumeration	preparation aux concours	enumeration	diplôme d'état
enumeration	licence												
enumeration	licencePro												
enumeration	master												
enumeration	phD												
enumeration	preparation aux concours												
enumeration	diplôme d'état												
Used by	Attribute <code>cdmfr:degree/@degree</code>												
Source	<pre><xs:simpleType name="degreeValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode textual values.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="licence"/> <xs:enumeration value="licencePro"/> <xs:enumeration value="master"/> <xs:enumeration value="phD"/> <xs:enumeration value="preparation aux concours"/> <xs:enumeration value="diplôme d'état"/> </xs:restriction> </xs:simpleType></pre>												

```
</xs:restriction>
</xs:simpleType>
```


Simple Type `cdmfr:degreeCodeValueSet`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema						
Annotations	Enumeration set of values for programCode digital values.						
Diagram							
Type	restriction of xs:token						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>06</td> </tr> <tr> <td>enumeration</td> <td>10</td> </tr> <tr> <td>enumeration</td> <td>15</td> </tr> </table>	enumeration	06	enumeration	10	enumeration	15
enumeration	06						
enumeration	10						
enumeration	15						
Used by	Attribute <code>cdmfr:degree/@degreeCode</code>						
Source	<pre><xs:simpleType name="degreeCodeValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for programCode digital values.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="06"/> <xs:enumeration value="10"/> <xs:enumeration value="15"/> </xs:restriction> </xs:simpleType></pre>						

Simple Type `cdmfr:romeCodeValueSet`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema				
Annotations	Enumeration set of values for French Rome Code.				
Diagram					
Type	restriction of xs:token				
Facets	<table border="1"> <tr> <td>enumeration</td> <td>A fournir</td> </tr> <tr> <td>enumeration</td> <td>adresse web?</td> </tr> </table>	enumeration	A fournir	enumeration	adresse web?
enumeration	A fournir				
enumeration	adresse web?				
Used by	Attribute <code>cdmfr:profession/cdmfr:romeData/@romecode</code>				
Source	<pre><xs:simpleType name="romeCodeValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for French Rome Code.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="A fournir"/> <xs:enumeration value="adresse web?"/> </xs:restriction> </xs:simpleType></pre>				

Simple Type `cdmfr:sspCodeValueSet`

Namespace	http://cdm-fr.fr/2011/CDM-frSchema		
Annotations	Enumeration set of values for French Rome Code.		
Diagram			
Type	restriction of xs:token		
Facets	<table border="1"> <tr> <td>enumeration</td> <td>A fournir</td> </tr> </table>	enumeration	A fournir
enumeration	A fournir		

	enumeration	adresse web?
Used by	Attribute	cdmfr:profession/cdmfr:romeData/@sspCode
Source	<pre><xs:simpleType name="sspCodeValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for French Rome Code.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="A fournir"/> <xs:enumeration value="adresse web?"/> </xs:restriction> </xs:simpleType></pre>	

Simple Type cdmfr:studentStatusValueSet


Namespace	http://cdm-fr.fr/2011/CDM-frSchema	
Annotations	Enumeration set of values for student Status.	
Diagram		
Type	restriction of xs:token	
Facets	enumeration	CNCP
	enumeration	BCN
Used by	Attribute	cdmfr:studentStatus/@studentStatusValueType
Source	<pre><xs:simpleType name="studentStatusValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for student Status.</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="CNCP"/> <xs:enumeration value="BCN"/> </xs:restriction> </xs:simpleType></pre>	

Simple Type cdmfr:equivValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema	
Annotations	Enumeration set of values for equivalences	
Diagram		
Type	restriction of xs:token	
Facets	enumeration	VAE
	enumeration	VAP
	enumeration	VES
Used by	Attribute	cdmfr:admissionDescription/@equiv
Source	<pre><xs:simpleType name="equivValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for equivalences</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="VAE"/> <xs:enumeration value="VAP"/> <xs:enumeration value="VES"/> </xs:restriction> </xs:simpleType></pre>	

Simple Type cdmfr:indicatorValueSet

Namespace	http://cdm-fr.fr/2011/CDM-frSchema	
Annotations	Enumeration set of values for indicator Type	

Diagram									
Type	restriction of xs:token								
Facets	<table border="1"> <tr> <td>enumeration</td> <td>autoEval</td> </tr> <tr> <td>enumeration</td> <td>bilanFonct</td> </tr> <tr> <td>enumeration</td> <td>prospective</td> </tr> <tr> <td>enumeration</td> <td>pilotMention</td> </tr> </table>	enumeration	autoEval	enumeration	bilanFonct	enumeration	prospective	enumeration	pilotMention
enumeration	autoEval								
enumeration	bilanFonct								
enumeration	prospective								
enumeration	pilotMention								
Used by	Attribute cdmfr:programDescription/cdmfr:indicators/@indicator								
Source	<pre><xs:simpleType name="indicatorValueSet"> <xs:annotation> <xs:documentation>Enumeration set of values for indicator Type</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="autoEval" /> <xs:enumeration value="bilanFonct" /> <xs:enumeration value="prospective" /> <xs:enumeration value="pilotMention" /> </xs:restriction> </xs:simpleType></pre>								

Namespace: ""

Attribute(s)

Attribute cdmfr:webLink / @role

Namespace	No namespace						
Type	restriction of xs:token						
Properties	use: optional						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>homepage</td> </tr> <tr> <td>enumeration</td> <td>learningObjectMetadata</td> </tr> <tr> <td>enumeration</td> <td>catalog</td> </tr> </table>	enumeration	homepage	enumeration	learningObjectMetadata	enumeration	catalog
enumeration	homepage						
enumeration	learningObjectMetadata						
enumeration	catalog						
Used by	Element cdmfr:webLink						
Source	<pre><xs:attribute name="role" use="optional"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="homepage" /> <xs:enumeration value="learningObjectMetadata" /> <xs:enumeration value="catalog" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>						

Attribute cdmfr:webLink / @userDefined

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:webLink
Source	<pre><xs:attribute name="userDefined" type="xs:token" use="optional" /></pre>

Attribute cdmfr:refOrgUnit / @idRef

Namespace	No namespace
Type	xs:IDREF
Properties	use: optional
Used by	Element cdmfr:refOrgUnit

Source	<code><xs:attribute name="idRef" type="xs:IDREF" use="optional"/></code>
--------	--

Attribute cdmfr:refOrgUnit / @ref

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refOrgUnit
Source	<code><xs:attribute name="ref" type="xs:token" use="optional"/></code>

Attribute cdmfr:refOrgUnit / @role

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refOrgUnit
Source	<code><xs:attribute name="role" type="xs:token" use="optional"/></code>

Attribute cdmfr:refProgram / @idRef

Namespace	No namespace
Type	xs:IDREF
Properties	use: optional
Used by	Element cdmfr:refProgram
Source	<code><xs:attribute name="idRef" type="xs:IDREF" use="optional"/></code>

Attribute cdmfr:refProgram / @ref

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refProgram
Source	<code><xs:attribute name="ref" type="xs:token" use="optional"/></code>

Attribute cdmfr:refProgram / @role

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refProgram
Source	<code><xs:attribute name="role" type="xs:token" use="optional"/></code>

Attribute cdmfr:refCourse / @idRef

Namespace	No namespace
Type	xs:IDREF
Properties	use: optional
Used by	Element cdmfr:refCourse
Source	<code><xs:attribute name="idRef" type="xs:IDREF" use="optional"/></code>

Attribute cdmfr:refCourse / @ref

Namespace	No namespace
-----------	--------------

Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refCourse
Source	<code><xs:attribute name="ref" type="xs:token" use="optional"/></code>

Attribute cdmfr:refCourse / @role

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refCourse
Source	<code><xs:attribute name="role" type="xs:token" use="optional"/></code>

Attribute cdmfr:refPerson / @idRef

Namespace	No namespace
Type	xs:IDREF
Properties	use: optional
Used by	Element cdmfr:refPerson
Source	<code><xs:attribute name="idRef" type="xs:IDREF" use="optional"/></code>

Attribute cdmfr:refPerson / @ref

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refPerson
Source	<code><xs:attribute name="ref" type="xs:token" use="optional"/></code>

Attribute cdmfr:refPerson / @role

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refPerson
Source	<code><xs:attribute name="role" type="xs:token" use="optional"/></code>

Attribute cdmfr:refSpeciality / @idRef

Namespace	No namespace
Type	xs:IDREF
Properties	use: optional
Used by	Element cdmfr:refSpeciality
Source	<code><xs:attribute name="idRef" type="xs:IDREF" use="optional"/></code>

Attribute cdmfr:refSpeciality / @ref

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refSpeciality

Source	<code><xs:attribute name="ref" type="xs:token" use="optional"/></code>
--------	--

Attribute `cdmfr:title` / `@corps`

Namespace	No namespace
Type	<code>cdmfr:corpsValueSet</code>
Properties	use: optional
Facets	enumeration PUPH
	enumeration PU
	enumeration MCF
	enumeration ATER
	enumeration Mon
Used by	Complex Type <code>cdmfr:title</code>
Source	<code><xs:attribute name="corps" type="cdmfr:corpsValueSet" use="optional"/></code>

Attribute `cdmfr:textType` / `cdmfr:text` / `@language`

Namespace	No namespace
Type	<code>xs:language</code>
Properties	use: optional
Used by	Element <code>cdmfr:textType/cdmfr:text</code>
Source	<code><xs:attribute name="language" type="xs:language" use="optional"/></code>

Attribute `cdmfr:timingInfoType` / `@duration`

Namespace	No namespace
Type	<code>xs:duration</code>
Properties	use: optional
Used by	Complex Type <code>cdmfr:timingInfoType</code>
Source	<code><xs:attribute name="duration" type="xs:duration" use="optional"/></code>

Attribute `cdmfr:cohabilitationType` / `cdmfr:listOfOrgUnit` / `@cohabilitationRole`

Namespace	No namespace
Type	<code>cdmfr:habiliRoleValueSet</code>
Properties	content: simple
Facets	enumeration support
	enumeration cohabilité
Used by	Element <code>cdmfr:cohabilitationType/cdmfr:listOfOrgUnit</code>
Source	<code><xs:attribute name="cohabilitationRole" type="cdmfr:habiliRoleValueSet"/></code>

Attribute `cdmfr:fieldType` / `cdmfr:speciality` / `@specialityPurpose`

Namespace	No namespace
Type	<code>cdmfr:fsPurposeValueSet</code>
Properties	use: required
Facets	enumeration recherche
	enumeration professionnel
	enumeration recherche et professionnel
Used by	Element <code>cdmfr:fieldType/cdmfr:speciality</code>

Source	<code><xs:attribute name="specialityPurpose" type="cdmfr:fsPurposeValueSet" use="required"/></code>
--------	---

Attribute cdmfr:fieldType / @fieldPurpose

Namespace	No namespace
Type	cdmfr:fsPurposeValueSet
Properties	use: required
Facets	enumeration recherche enumeration professionnel enumeration recherche et professionnel
Used by	Complex Type cdmfr:fieldType
Source	<code><xs:attribute name="fieldPurpose" type="cdmfr:fsPurposeValueSet" use="required"/></code>

Attribute cdmfr:habiliStatusValueType / @habiliStatusValue

Namespace	No namespace
Type	cdmfr:habiliStatusValueSet
Properties	use: optional
Facets	enumeration habilité enumeration non habilité enumeration en cours d'habilitation
Used by	Complex Type cdmfr:habiliStatusValueType
Source	<code><xs:attribute name="habiliStatusValue" type="cdmfr:habiliStatusValueSet" use="optional"/></code>

Attribute cdmfr:partnershipInfo / cdmfr:diploma / @agreement

Namespace	No namespace
Type	cdmfr:diplomaAgreementValueSet
Properties	content: simple
Facets	enumeration bidiplomation enumeration diplômes conjoints enumeration diplômes séparés
Used by	Element cdmfr:partnershipInfo/cdmfr:diploma
Source	<code><xs:attribute name="agreement" type="cdmfr:diplomaAgreementValueSet"/></code>

Attribute cdmfr:partnershipInfo / cdmfr:students / @number

Namespace	No namespace
Type	xs:integer
Properties	content: simple
Used by	Element cdmfr:partnershipInfo/cdmfr:students
Source	<code><xs:attribute name="number" type="xs:integer"/></code>

Attribute cdmfr:activitiesType / @activitiesList

Namespace	No namespace
Type	cdmfr:activitiesListValueSet
Properties	content: simple
Facets	enumeration student productions dropping

	enumeration	pedagogical forums
	enumeration	distance classroom
	enumeration	digital networks
	enumeration	mcq
	enumeration	other
Used by	Complex Type	cdmfr:activitiesType
Source	<code><xs:attribute name="activitiesList" type="cdmfr:activitiesListValueSet"/></code>	

Attribute `cdmfr:habilitationType` / `cdmfr:licProNatName` / `cdmfr:composante` / `@typeCompLicPro`

Namespace	No namespace	
Type	cdmfr:typeCompLicProValueSet	
Properties	content:	simple
Facets	enumeration	associée
	enumeration	principale
Used by	Element	cdmfr:habilitationType/cdmfr:licProNatName/cdmfr:composante
Source	<code><xs:attribute name="typeCompLicPro" type="cdmfr:typeCompLicProValueSet"/></code>	

Attribute `cdmfr:habilitationType` / `@diplomaType`

Namespace	No namespace	
Type	cdmfr:diplomaTypeValueSet	
Properties	content:	simple
Facets	enumeration	Lpro
	enumeration	L
	enumeration	M
	enumeration	autre
Used by	Complex Type	cdmfr:habilitationType
Source	<code><xs:attribute name="diplomaType" type="cdmfr:diplomaTypeValueSet"/></code>	

Attribute `cdmfr:habilitationType` / `@Organization`

Namespace	No namespace	
Type	cdmfr:organizationValueSet	
Properties	content:	simple
Facets	enumeration	1/23
	enumeration	12/3
	enumeration	123
	enumeration	12
	enumeration	1/2
Used by	Complex Type	cdmfr:habilitationType
Source	<code><xs:attribute name="Organization" type="cdmfr:organizationValueSet"/></code>	

Attribute `cdmfr:habilitationType` / `@id`

Namespace	No namespace	
Type	xs:ID	
Properties	use:	optional
Used by	Complex Type	cdmfr:habilitationType

Source	<code><xs:attribute name="id" type="xs:ID" use="optional"/></code>
--------	--

Attribute cdmfr:habilitationType / @ident

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Complex Type cdmfr:habilitationType
Source	<code><xs:attribute name="ident" type="xs:token" use="optional"/></code>

Attribute cdmfr:habilitationType / @language

Namespace	No namespace
Type	xs:language
Properties	use: optional
Used by	Complex Type cdmfr:habilitationType
Source	<code><xs:attribute name="language" type="xs:language" use="optional"/></code>

Attribute cdmfr:lheoAddsType / @id

Namespace	No namespace
Type	xs:ID
Properties	use: optional
Used by	Complex Type cdmfr:lheoAddsType
Source	<code><xs:attribute name="id" type="xs:ID" use="optional"/></code>

Attribute cdmfr:lheoAddsType / @ident

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Complex Type cdmfr:lheoAddsType
Source	<code><xs:attribute name="ident" type="xs:token" use="optional"/></code>

Attribute cdmfr:lheoAddsType / @language

Namespace	No namespace
Type	xs:language
Properties	use: optional
Used by	Complex Type cdmfr:lheoAddsType
Source	<code><xs:attribute name="language" type="xs:language" use="optional"/></code>

Attribute cdmfr:admDescType / @equiv

Namespace	No namespace
Type	cdmfr:equiValueSet
Properties	use: optional
Facets	enumeration VAE
	enumeration VAP
	enumeration VES
Used by	Complex Type cdmfr:admDescType

Source	<code><xs:attribute name="equiv" type="cdmfr:equiValueSet" use="optional"/></code>
--------	--

Attribute `cdmfr:globalVolumeType` / `@teachingtype`

Namespace	No namespace														
Type	<code>cdmfr:teachingTypeValueSet</code>														
Properties	content: simple														
Facets	<table border="1"> <tr><td>enumeration</td><td>CM</td></tr> <tr><td>enumeration</td><td>TD</td></tr> <tr><td>enumeration</td><td>TP</td></tr> <tr><td>enumeration</td><td>trainingWeeks</td></tr> <tr><td>enumeration</td><td>ProfessTraining</td></tr> <tr><td>enumeration</td><td>homeWork</td></tr> <tr><td>enumeration</td><td>all</td></tr> </table>	enumeration	CM	enumeration	TD	enumeration	TP	enumeration	trainingWeeks	enumeration	ProfessTraining	enumeration	homeWork	enumeration	all
enumeration	CM														
enumeration	TD														
enumeration	TP														
enumeration	trainingWeeks														
enumeration	ProfessTraining														
enumeration	homeWork														
enumeration	all														
Used by	Complex Type <code>cdmfr:globalVolumeType</code>														
Source	<code><xs:attribute name="teachingtype" type="cdmfr:teachingTypeValueSet"/></code>														

Attribute `cdmfr:globalVolumeType` / `@coeff`

Namespace	No namespace
Type	<code>xs:nonNegativeInteger</code>
Properties	content: simple
Used by	Complex Type <code>cdmfr:globalVolumeType</code>
Source	<code><xs:attribute name="coeff" type="xs:nonNegativeInteger"/></code>

Attribute `cdmfr:CDMlocation` / `@room`

Namespace	No namespace
Type	<code>xs:token</code>
Properties	use: optional
Used by	Complex Type <code>cdmfr:CDMlocation</code>
Source	<code><xs:attribute name="room" type="xs:token" use="optional"/></code>

Attribute `cdmfr:CDMlocation` / `@building`

Namespace	No namespace
Type	<code>xs:token</code>
Properties	use: optional
Used by	Complex Type <code>cdmfr:CDMlocation</code>
Source	<code><xs:attribute name="building" type="xs:token" use="optional"/></code>

Attribute `cdmfr:examType` / `cdmfr:examKind` / `@examKind`

Namespace	No namespace						
Type	<code>examKindValueType</code>						
Properties	use: optional						
Facets	<table border="1"> <tr><td>enumeration</td><td>ordinaer</td></tr> <tr><td>enumeration</td><td>kontinuasjon</td></tr> <tr><td>enumeration</td><td>utsatt</td></tr> </table>	enumeration	ordinaer	enumeration	kontinuasjon	enumeration	utsatt
enumeration	ordinaer						
enumeration	kontinuasjon						
enumeration	utsatt						
Used by	Element <code>cdmfr:examType/cdmfr:examKind</code>						
Source	<code><xs:attribute name="examKind" type="cdm:examKindValueType" use="optional"/></code>						

Attribute cdmfr:examType / cdmfr:examKind / @examForm

Namespace	No namespace
Type	examFormValueType
Properties	use: optional
Facets	enumeration skriftlig
	enumeration muntlig
	enumeration mappe
	enumeration hjemmeeksamen
Used by	Element cdmfr:examType/cdmfr:examKind
Source	<code><xs:attribute name="examForm" type="cdm:examFormValueType" use="optional"/></code>

Attribute cdmfr:examType / cdmfr:examDuration / @duration

Namespace	No namespace
Type	xs:duration
Properties	use: optional
Used by	Element cdmfr:examType/cdmfr:examDuration
Source	<code><xs:attribute name="duration" type="xs:duration" use="optional"/></code>

Attribute cdmfr:examType / cdmfr:certifCompetence / @certifName

Namespace	No namespace
Type	xs:string
Properties	content: simple
Used by	Element cdmfr:examType/cdmfr:certifCompetence
Source	<code><xs:attribute name="certifName" type="xs:string"/></code>

Attribute cdmfr:examType / cdmfr:examStructure / @examPartStructure

Namespace	No namespace
Type	partStructureValueType
Properties	use: optional
Facets	enumeration alternative
	enumeration allParts
Used by	Element cdmfr:examType/cdmfr:examStructure
Source	<code><xs:attribute name="examPartStructure" type="cdm:partStructureValueType" use="optional"/></code>

Attribute cdmfr:orgUnitSecondName / @secondNameNature

Namespace	No namespace
Type	cdmfr:secondNameValueSet
Properties	use: optional
Facets	enumeration patronyme
	enumeration nom courant
Used by	Element cdmfr:orgUnitSecondName
Source	<code><xs:attribute name="secondNameNature" type="cdmfr:secondNameValueSet" use="optional"/></code>

Attribute cdmfr:programName / @ordinaryName

Namespace	No namespace
-----------	--------------

Type	xs:boolean
Properties	content: simple
Used by	Element cdmfr:programName
Source	<code><xs:attribute name="ordinaryName" type="xs:boolean"/></code>

Attribute cdmfr:programCode / @codeSet

Namespace	No namespace														
Type	cdmfr:programCodeValueSet														
Properties	use: optional														
Facets	<table border="1"> <tr><td>enumeration</td><td>sectDGESIP</td></tr> <tr><td>enumeration</td><td>sectDiscipSISE</td></tr> <tr><td>enumeration</td><td>codeCNIS-NSF</td></tr> <tr><td>enumeration</td><td>cite97</td></tr> <tr><td>enumeration</td><td>ERASMUS</td></tr> <tr><td>enumeration</td><td>FAP</td></tr> <tr><td>enumeration</td><td>userDefined</td></tr> </table>	enumeration	sectDGESIP	enumeration	sectDiscipSISE	enumeration	codeCNIS-NSF	enumeration	cite97	enumeration	ERASMUS	enumeration	FAP	enumeration	userDefined
enumeration	sectDGESIP														
enumeration	sectDiscipSISE														
enumeration	codeCNIS-NSF														
enumeration	cite97														
enumeration	ERASMUS														
enumeration	FAP														
enumeration	userDefined														
Used by	Element cdmfr:programCode														
Source	<code><xs:attribute name="codeSet" type="cdmfr:programCodeValueSet" use="optional"/></code>														

Attribute cdmfr:programCode / @libelSet

Namespace	No namespace														
Type	cdmfr:programLibelValueSet														
Properties	use: optional														
Facets	<table border="1"> <tr><td>enumeration</td><td>sectDGESIP</td></tr> <tr><td>enumeration</td><td>sectDiscipSISE</td></tr> <tr><td>enumeration</td><td>codeCNIS-NSF</td></tr> <tr><td>enumeration</td><td>cite97</td></tr> <tr><td>enumeration</td><td>ERASMUS</td></tr> <tr><td>enumeration</td><td>FAP</td></tr> <tr><td>enumeration</td><td>userDefined</td></tr> </table>	enumeration	sectDGESIP	enumeration	sectDiscipSISE	enumeration	codeCNIS-NSF	enumeration	cite97	enumeration	ERASMUS	enumeration	FAP	enumeration	userDefined
enumeration	sectDGESIP														
enumeration	sectDiscipSISE														
enumeration	codeCNIS-NSF														
enumeration	cite97														
enumeration	ERASMUS														
enumeration	FAP														
enumeration	userDefined														
Used by	Element cdmfr:programCode														
Source	<code><xs:attribute name="libelSet" type="cdmfr:programLibelValueSet" use="optional"/></code>														

Attribute cdmfr:programDescription / cdmfr:indicators / cdmfr:fieldManagement / @purpose

Namespace	No namespace						
Type	cdmfr:purposeValueSet						
Properties	content: simple						
Facets	<table border="1"> <tr><td>enumeration</td><td>conseils de perfectionnement</td></tr> <tr><td>enumeration</td><td>évaluation des enseignements par les étudiants</td></tr> <tr><td>enumeration</td><td>suivi des étudiants diplômés</td></tr> </table>	enumeration	conseils de perfectionnement	enumeration	évaluation des enseignements par les étudiants	enumeration	suivi des étudiants diplômés
enumeration	conseils de perfectionnement						
enumeration	évaluation des enseignements par les étudiants						
enumeration	suivi des étudiants diplômés						
Used by	Element cdmfr:programDescription/cdmfr:indicators/cdmfr:fieldManagement						
Source	<code><xs:attribute name="purpose" type="cdmfr:purposeValueSet"/></code>						

Attribute cdmfr:programDescription / cdmfr:indicators / @indicator

Namespace	No namespace
Type	cdmfr:indicatorValueSet
Properties	content: simple
Facets	enumeration autoEval enumeration bilanFonct enumeration prospective enumeration pilotMention
Used by	Element cdmfr:programDescription/cdmfr:indicators
Source	<code><xs:attribute name="indicator" type="cdmfr:indicatorValueSet"/></code>

Attribute cdmfr:programDescription / cdmfr:lifelongLearning / @l11Value

Namespace	No namespace
Type	cdmfr:l11ValueValueSet
Properties	content: simple
Facets	enumeration formation continue enumeration formation continue en alternance enumeration formation professionnelle
Used by	Element cdmfr:programDescription/cdmfr:lifelongLearning
Source	<code><xs:attribute name="l11Value" type="cdmfr:l11ValueValueSet"/></code>

Attribute cdmfr:programDescription / cdmfr:lifelongLearning / @l11Context

Namespace	No namespace
Type	cdmfr:l11ContextValueSet
Properties	content: simple
Facets	enumeration adossProf enumeration adossRech enumeration formCont enumeration formContAlt enumeration formProf
Used by	Element cdmfr:programDescription/cdmfr:lifelongLearning
Source	<code><xs:attribute name="l11Context" type="cdmfr:l11ContextValueSet"/></code>

Attribute cdmfr:programDescription / cdmfr:globalVolume / @teachingType

Namespace	No namespace
Type	cdmfr:teachingTypeValueSet
Properties	content: simple
Facets	enumeration CM enumeration TD enumeration TP enumeration trainingWeeks enumeration ProfessTraining enumeration homeWork enumeration all

Used by	Element cdmfr:programDescription/cdmfr:globalVolume
Source	<code><xs:attribute name="teachingType" type="cdmfr:teachingTypeValueSet"/></code>

Attribute cdmfr:programDescription / cdmfr:globalVolume / @coeff

Namespace	No namespace
Type	xs:decimal
Properties	content: simple
Used by	Element cdmfr:programDescription/cdmfr:globalVolume
Source	<code><xs:attribute name="coeff" type="xs:decimal"/></code>

Attribute cdmfr:programDescription / @nature

Namespace	No namespace														
Type	cdmfr:programNatureValueSet														
Properties	content: simple														
Facets	<table border="1"> <tr><td>enumeration</td><td>année</td></tr> <tr><td>enumeration</td><td>semestre</td></tr> <tr><td>enumeration</td><td>parcours</td></tr> <tr><td>enumeration</td><td>mention</td></tr> <tr><td>enumeration</td><td>spécialité</td></tr> <tr><td>enumeration</td><td>certification</td></tr> <tr><td>enumeration</td><td>C2i</td></tr> </table>	enumeration	année	enumeration	semestre	enumeration	parcours	enumeration	mention	enumeration	spécialité	enumeration	certification	enumeration	C2i
enumeration	année														
enumeration	semestre														
enumeration	parcours														
enumeration	mention														
enumeration	spécialité														
enumeration	certification														
enumeration	C2i														
Used by	Element cdmfr:programDescription														
Source	<code><xs:attribute name="nature" type="cdmfr:programNatureValueSet"/></code>														

Attribute cdmfr:degree / @degree

Namespace	No namespace												
Type	cdmfr:degreeValueSet												
Properties	use: optional												
Facets	<table border="1"> <tr><td>enumeration</td><td>licence</td></tr> <tr><td>enumeration</td><td>licencePro</td></tr> <tr><td>enumeration</td><td>master</td></tr> <tr><td>enumeration</td><td>phD</td></tr> <tr><td>enumeration</td><td>preparation aux con-cours</td></tr> <tr><td>enumeration</td><td>diplôme d'état</td></tr> </table>	enumeration	licence	enumeration	licencePro	enumeration	master	enumeration	phD	enumeration	preparation aux con-cours	enumeration	diplôme d'état
enumeration	licence												
enumeration	licencePro												
enumeration	master												
enumeration	phD												
enumeration	preparation aux con-cours												
enumeration	diplôme d'état												
Used by	Element cdmfr:degree												
Source	<code><xs:attribute name="degree" type="cdmfr:degreeValueSet" use="optional"/></code>												

Attribute cdmfr:degree / @degreeCode

Namespace	No namespace						
Type	cdmfr:degreeCodeValueSet						
Properties	use: optional						
Facets	<table border="1"> <tr><td>enumeration</td><td>06</td></tr> <tr><td>enumeration</td><td>10</td></tr> <tr><td>enumeration</td><td>15</td></tr> </table>	enumeration	06	enumeration	10	enumeration	15
enumeration	06						
enumeration	10						
enumeration	15						
Used by	Element cdmfr:degree						

Source	<code><xs:attribute name="degreeCode" type="cdmfr:degreeCodeValueSet" use="optional"/></code>
--------	---

Attribute cdmfr:profession / cdmfr:romeData / @romecode

Namespace	No namespace
Type	cdmfr:romeCodeValueSet
Properties	use: optional
Facets	enumeration A fournir
	enumeration adresse web?
Used by	Element cdmfr:profession/cdmfr:romeData
Source	<code><xs:attribute name="romecode" type="cdmfr:romeCodeValueSet" use="optional"/></code>

Attribute cdmfr:profession / cdmfr:romeData / @sspCode

Namespace	No namespace
Type	cdmfr:sspCodeValueSet
Properties	use: optional
Facets	enumeration A fournir
	enumeration adresse web?
Used by	Element cdmfr:profession/cdmfr:romeData
Source	<code><xs:attribute name="sspCode" type="cdmfr:sspCodeValueSet" use="optional"/></code>

Attribute cdmfr:studyQualification / cdmfr:competenceValidity / @limited

Namespace	No namespace
Type	xs:boolean
Properties	use: required
Used by	Element cdmfr:studyQualification/cdmfr:competenceValidity
Source	<code><xs:attribute name="limited" type="xs:boolean" use="required"/></code>

Attribute cdmfr:ppalTeachingLanguage / @teachingLang

Namespace	No namespace
Type	xs:language
Properties	use: required
Used by	Element cdmfr:ppalTeachingLanguage
Source	<code><xs:attribute name="teachingLang" type="xs:language" use="required"/></code>

Attribute cdmfr:refOrgUnitLeader / @idRef

Namespace	No namespace
Type	xs:IDREF
Properties	use: optional
Used by	Element cdmfr:refOrgUnitLeader
Source	<code><xs:attribute name="idRef" type="xs:IDREF" use="optional"/></code>

Attribute cdmfr:refOrgUnitLeader / @ref

Namespace	No namespace
Type	xs:token
Properties	use: optional

Used by	Element cdmfr:refOrgUnitLeader
Source	<code><xs:attribute name="ref" type="xs:token" use="optional"/></code>

Attribute cdmfr:refOrgUnitLeader / @role

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refOrgUnitLeader
Source	<code><xs:attribute name="role" type="xs:token" use="optional"/></code>

Attribute cdmfr:studentStatus / @studentStatusValueType

Namespace	No namespace
Type	cdmfr:studentStatusValueSet
Properties	content: simple
Facets	enumeration CNCP enumeration BCN
Used by	Element cdmfr:studentStatus
Source	<code><xs:attribute name="studentStatusValueType" type="cdmfr:studentStatusValueSet"/></code>

Attribute cdmfr:ectsRequired / @value

Namespace	No namespace
Type	xs:nonNegativeInteger
Properties	content: simple
Used by	Element cdmfr:ectsRequired
Source	<code><xs:attribute name="value" type="xs:nonNegativeInteger"/></code>

Attribute cdmfr:credits / @ECTScredits

Namespace	No namespace
Type	xs:decimal
Properties	use: optional
Used by	Element cdmfr:credits
Source	<code><xs:attribute name="ECTScredits" type="xs:decimal" use="optional"/></code>

Attribute cdmfr:credits / @hoursPerWeek

Namespace	No namespace
Type	xs:nonNegativeInteger
Properties	use: optional
Used by	Element cdmfr:credits
Source	<code><xs:attribute name="hoursPerWeek" type="xs:nonNegativeInteger" use="optional"/></code>

Attribute cdmfr:credits / @totalWorkLoad

Namespace	No namespace
Type	xs:nonNegativeInteger
Properties	use: optional
Used by	Element cdmfr:credits

Source	<code><xs:attribute name="totalWorkLoad" type="xs:nonNegativeInteger" use="optional"/></code>
--------	---

Attribute `cdmfr:admissionDescription` / `@equiv`

Namespace	No namespace
Type	cdmfr:equivValueSet
Properties	use: optional
Facets	enumeration VAE
	enumeration VAP
	enumeration VES
Used by	Element cdmfr:admissionDescription
Source	<code><xs:attribute name="equiv" type="cdmfr:equivValueSet" use="optional"/></code>

Attribute `cdmfr:refHabilitation` / `@idRef`

Namespace	No namespace
Type	xs:IDREF
Properties	use: optional
Used by	Element cdmfr:refHabilitation
Source	<code><xs:attribute name="idRef" type="xs:IDREF" use="optional"/></code>

Attribute `cdmfr:refHabilitation` / `@ref`

Namespace	No namespace
Type	xs:token
Properties	use: optional
Used by	Element cdmfr:refHabilitation
Source	<code><xs:attribute name="ref" type="xs:token" use="optional"/></code>